

The pdfcolparallel package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2008/08/11 v1.2

Abstract

This package fixes bugs in `parallel` and improves color support by using several color stacks that are provided by pdfTeX since version 1.40.

Contents

1	Usage	1
1.1	Future	1
2	Implementation	2
2.1	Identification	2
2.2	Load and fix package <code>parallel</code>	2
2.3	Color stack support	6
2.4	Redefinitions	7
3	Test	9
4	Installation	11
4.1	Download	11
4.2	Bundle installation	11
4.3	Package installation	11
4.4	Refresh file name databases	11
4.5	Some details for the interested	12
5	References	12
6	History	12
	[2007/09/09 v1.0]	12
	[2007/12/12 v1.1]	12
	[2008/08/11 v1.2]	12
7	Index	13

1 Usage

```
\usepackage{pdfcolparallel}
```

The package `pdfcolparallel` loads package `parallel` [1] and redefines some macros to fix bugs.

If color stacks are available then package `parallel` is further patched to support them.

1.1 Future

If there will be a new version of package `parallel` that adds support for color stacks, then this package may become obsolete.

2 Implementation

2.1 Identification

```
1 (*package)
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{pdfcolparallel}%
4 [2008/08/11 v1.2 Fixed parallel with color stacks support (HO)]%
```

2.2 Load and fix package parallel

Package parallel is loaded. Before options of package pdfcolparallel are passed to package parallel.

```
5 \DeclareOption*{%
6   \PassOptionsToPackage{\CurrentOption}{parallel}%
7 }
8 \ProcessOptions\relax
9 \RequirePackage{parallel}[2003/04/13]
10 \RequirePackage{infwarerr}[2007/09/09]
```

\pcp@ColorPatch

```
11 \begingroup\expandafter\expandafter\expandafter\endgroup
12 \expandafter\ifx\csname currentgrouplevel\endcsname\relax
13   \def\pcp@ColorPatch{%
14   \else
15     \def\pcp@ColorPatch{%
16       \@ifundefined{set@color}{%
17         \gdef\pcp@ColorPatch{%
18         }{%
19         \gdef\pcp@ColorPatch{%
20         \gdef\pcp@ColorResets{%
21         \bgroup
22         \aftergroup\pcp@ColorResets
23         \aftergroup\egroup
24         \let\pcp@OrgSetColor\set@color
25         \let\set@color\pcp@SetColor
26         \edef\pcp@GroupLevel{\the\currentgrouplevel}%
27       }%
28     }%
29   \pcp@ColorPatch
30 }%
```

\pcp@SetColor

```
31 \def\pcp@SetColor{%
32   \ifnum\pcp@GroupLevel=\currentgrouplevel
33     \let\pcp@OrgAfterGroup\aftergroup
34     \def\aftergroup{%
35       \g@addto@macro\pcp@ColorResets
36     }%
37     \pcp@OrgSetColor
38     \let\aftergroup\pcp@OrgAfterGroup
39   \else
40     \pcp@OrgSetColor
41   \fi
42 }%
43 \fi
```

\pcp@CmdCheckRedef

```
44 \def\pcp@CmdCheckRedef#1{%
45   \begingroup
46   \def\pcp@cmd{#1}%
47   \afterassignment\pcp@CmdDo
```

```

48     \long\def\reserved@a
49 }
50 \def\pcp@CmdDo{%
51     \expandafter\ifx\pcp@cmd\reserved@a
52     \else
53         \edef\x*{\expandafter\string\pcp@cmd}%
54         \@PackageWarningNoLine{pdfcolparallel}{%
55             Command \x* has changed.\MessageBreak
56             Supported versions of package 'parallel':\MessageBreak
57             \space\space 2003/04/13\MessageBreak
58             The redefinition of \x* may\MessageBreak
59             not behave correctly depending on the changes%
60         }%
61     \fi
62     \expandafter\endgroup
63     \expandafter\def\pcp@cmd
64 }

65 \def\pcp@SwitchStack#1#2{}
66 \def\pcp@SetCurrent#1{}

```

\ParallelLText

```

67 \pcp@CmdCheckRedef\ParallelLText{%
68     \everypar{}%
69     \@restorepar
70     \begingroup
71     \hbadness=3000 %
72     \let\footnote=\ParallelFootnote
73     \ParallelWhichBox=0 %
74     \global\setbox\ParallelLBox=\vbox\bgroup
75     \hsize=\ParallelLWidth
76     \aftergroup\ParallelAfterText
77     \begingroup
78     \afterassignment\ParallelCheckOpenBrace
79     \let\x=%
80 }{%
81     \everypar{}%
82     \@restorepar
83     \@nobreakfalse
84     \begingroup
85     \hbadness=3000 %
86     \let\footnote=\ParallelFootnote
87     \ParallelWhichBox=0 %
88     \global\setbox\ParallelLBox=\vbox\bgroup
89     \hsize=\ParallelLWidth
90     \linewidth=\ParallelLWidth
91     \pcp@SwitchStack{Left}\ParallelLBox
92     \aftergroup\ParallelAfterText
93     \pcp@ColorPatch
94     \begingroup
95     \afterassignment\ParallelCheckOpenBrace
96     \let\x=%
97 }

```

\ParallelRText

```

98 \pcp@CmdCheckRedef\ParallelRText{%
99     \everypar{}%
100    \@restorepar
101    \begingroup
102    \hbadness=3000 %
103    \ifnum\ParallelFNMode=\@ne
104        \let\footnote=\ParallelRFootnote

```

```

105 \else
106 \let\footnote=\ParallelFootnote
107 \fi
108 \ParallelWhichBox=\@ne
109 \global\setbox\ParallelRBox=\vbox\bgroup
110 \hsize=\ParallelRWidth
111 \aftergroup\ParallelAfterText
112 \begingroup
113 \afterassignment\ParallelCheckOpenBrace
114 \let\x=%
115 }{
116 \everypar{}
117 \@restorepar
118 \@nobreakfalse
119 \begingroup
120 \hbadness=3000 %
121 \ifnum\ParallelFNMode=\@ne
122 \let\footnote=\ParallelRFootnote
123 \else
124 \let\footnote=\ParallelFootnote
125 \fi
126 \ParallelWhichBox=\@ne
127 \global\setbox\ParallelRBox=\vbox\bgroup
128 \hsize=\ParallelRWidth
129 \linewidth=\ParallelRWidth
130 \pcp@SwitchStack{Right}\ParallelRBox
131 \aftergroup\ParallelAfterText
132 \pcp@ColorPatch
133 \begingroup
134 \afterassignment\ParallelCheckOpenBrace
135 \let\x=%
136 }

```

\ParallelParTwoPages

```

137 \pcp@CmdCheckRedef\ParallelParTwoPages{
138 \ifnum\ParallelBoolVar=\@ne
139 \par
140 \begingroup
141 \global\ParallelWhichBox=\@ne
142 \newpage
143 \vbadness=10000 %
144 \vfuzz=3ex %
145 \splittopskip=\z@skip
146 \loop%
147 \ifnum\ParallelBoolVar=\@ne%
148 \ifnum\ParallelWhichBox=\@ne
149 \ifvoid\ParallelLBox
150 \mbox{} %
151 \newpage
152 \else
153 \global\ParallelWhichBox=\z@
154 \fi
155 \else
156 \ifvoid\ParallelRBox
157 \mbox{} %
158 \newpage
159 \else
160 \global\ParallelWhichBox=\@ne
161 \fi
162 \fi
163 \ifnum\ParallelWhichBox=\z@
164 \ifodd\thepage
165 \mbox{} %

```

```

166         \newpage
167     \fi
168     \hbox to\textwidth{%
169         \vbox{\vsplit\ParallelLBox to.98\textheight}%
170     }%
171 \else
172     \ifodd\thepage\relax
173 \else
174     \mbox{} %
175     \newpage
176 \fi
177 \hbox to\textwidth{%
178     \vbox{\vsplit\ParallelRBox to.98\textheight}%
179 }%
180 \fi
181 \vspace*{\fill}%
182 \newpage
183 \fi
184 \ifvoid\ParallelLBox
185     \ifvoid\ParallelRBox
186         \global\ParallelBoolVar=\z@
187     \fi
188 \fi
189 \ifnum\ParallelBoolVar=\@ne
190 \repeat
191 \par
192 \endgroup
193 \fi
194 }{%
```

Additional fixes:

- Unnecessary white space removed.
- \ifodd\thepage changed to \ifodd\value{page}.

```

195 \ifnum\ParallelBoolVar=\@ne
196 \par
197 \begingroup
198     \global\ParallelWhichBox=\@ne
199     \newpage
200     \vbadness=10000 %
201     \vfuzz=3ex %
202     \splittopskip=\z@skip
203     \loop%
204         \ifnum\ParallelBoolVar=\@ne%
205             \ifnum\ParallelWhichBox=\@ne
206                 \ifvoid\ParallelLBox
207                     \mbox{}%
208                 \newpage
209             \else
210                 \global\ParallelWhichBox=\z@
211             \fi
212         \else
213             \ifvoid\ParallelRBox
214                 \null
215             \newpage
216         \else
217             \global\ParallelWhichBox=\@ne
218         \fi
219     \fi
220 \ifnum\ParallelWhichBox=\z@
221     \ifodd\value{page}%
222         \null
```

```

223         \newpage
224     \fi
225     \hbox to\textwidth{%
226         \pcp@SetCurrent{Left}%
227         \setbox\z@=\vsplit\ParallellBox to.98\textheight
228         \vbox to.98\textheight{%
229             \@texttop
230             \unvbox\z@
231             \@textbottom
232         }%
233     }%
234 \else
235     \ifodd\value{page}%
236     \else
237         \mbox{}%
238         \newpage
239     \fi
240     \hbox to\textwidth{%
241         \pcp@SetCurrent{Right}%
242         \setbox\z@=\vsplit\ParallellRBox to.98\textheight
243         \vbox to.98\textheight{%
244             \@texttop
245             \unvbox\z@
246             \@textbottom
247         }%
248     }%
249 \fi
250 \vspace*{\fill}%
251 \newpage
252 \fi
253 \ifvoid\ParallellBox
254 \ifvoid\ParallellRBox
255     \global\ParallelBoolVar=\z@
256 \fi
257 \fi
258 \ifnum\ParallelBoolVar=\@ne
259 \repeat
260 \par
261 \endgroup
262 \pcp@SetCurrent{}%
263 \fi
264 }

```

2.3 Color stack support

```

265 \RequirePackage{pdfcol}[2007/12/12]
266 \ifpdfcolAvailable
267 \else
268     \PackageInfo{pdfcolparallel}{%
269         Loading aborted, because color stacks are not available%
270     }%
271     \expandafter\endinput
272 \fi
273 \pdfcolInitStack{pcp@Left}
274 \pdfcolInitStack{pcp@Right}

```

\pcp@Box

```
275 \newbox\pcp@Box
```

\pcp@SwitchStack

```

276 \def\pcp@SwitchStack#1#2{%
277     \pdfcolSwitchStack{pcp@#1}%

```

```

278 \global\setbox\pcp@Box=\vbox to 0pt{%
279 \pdfcolSetCurrentColor
280 }%
281 \aftergroup\pcp@FixBox
282 \aftergroup#2%
283 }

```

\pcp@FixBox

```

284 \def\pcp@FixBox#1{%
285 \global\setbox#1=\vbox{%
286 \unvbox\pcp@Box
287 \unvbox#1%
288 }%
289 }

```

\pcp@SetCurrent

```

290 \def\pcp@SetCurrent#1{%
291 \ifx\#1\%
292 \pdfcolSetCurrent{}%
293 \else
294 \pdfcolSetCurrent{pcp@#1}%
295 \fi
296 }

```

2.4 Redefinitions

\ParallelParOnePage

```

297 \pcp@CmdCheckRedef\ParallelParOnePage{%
298 \ifnum\ParallelBoolVar=\@ne
299 \par
300 \begingroup
301 \leftmargin=\z@
302 \rightmargin=\z@
303 \parskip=\z@skip
304 \parindent=\z@
305 \vbadness=10000 %
306 \vfuzz=3ex %
307 \splittopskip=\z@skip
308 \loop
309 \ifnum\ParallelBoolVar=\@ne
310 \noindent
311 \hbox to\textwidth{%
312 \hskip\ParallelLeftMargin
313 \hbox to\ParallelTextWidth{%
314 \ifvoid\ParallelLBox
315 \hskip\ParallelLWidth
316 \else
317 \ParallelWhichBox=\z@
318 \vbox{%
319 \setbox\ParallelBoxVar
320 =\vsplit\ParallelLBox to\dp\strutbox
321 \unvbox\ParallelBoxVar
322 }%
323 \fi
324 \strut
325 \ifnum\ParallelBoolMid=\@ne
326 \hskip\ParallelMainMidSkip
327 \vrule
328 \else
329 \hss
330 \fi
331 \hss

```

```

332         \ifvoid\ParallelRBox
333             \hskip\ParallelRWidth
334         \else
335             \ParallelWhichBox=\@ne
336             \vbox{%
337                 \setbox\ParallelBoxVar
338                     =\vsplit\ParallelRBox to\dp\strutbox
339                 \unvbox\ParallelBoxVar
340             }%
341         \fi
342     }%
343 }%
344 \ifvoid\ParallelLBox
345     \ifvoid\ParallelRBox
346         \global\ParallelBoolVar=\z@
347     \fi
348 \fi%
349 \fi%
350 \ifnum\ParallelBoolVar=\@ne
351     \penalty\interlinepenalty
352     \repeat
353     \par
354 \endgroup
355 \fi
356 }{%
357 \ifnum\ParallelBoolVar=\@ne
358     \par
359     \begingroup
360         \leftmargin=\z@
361         \rightmargin=\z@
362         \parskip=\z@skip
363         \parindent=\z@
364         \vbadness=10000 %
365         \vfuzz=3ex %
366         \splittopskip=\z@skip
367     \loop
368         \ifnum\ParallelBoolVar=\@ne
369             \noindent
370             \hbox to\textwidth{%
371                 \hskip\ParallelLeftMargin
372                 \hbox to\ParallelTextWidth{%
373                     \ifvoid\ParallelLBox
374                         \hskip\ParallelLWidth
375                     \else
376                         \pcp@SetCurrent{Left}%
377                         \ParallelWhichBox=\z@
378                         \vbox{%
379                             \setbox\ParallelBoxVar
380                                 =\vsplit\ParallelLBox to\dp\strutbox
381                             \unvbox\ParallelBoxVar
382                         }%
383                     \fi
384                     \strut
385                     \ifnum\ParallelBoolMid=\@ne
386                         \hskip\ParallelMainMidSkip
387                     \vrule
388                     \else
389                         \hss
390                     \fi
391                     \hss
392                 \ifvoid\ParallelRBox
393                     \hskip\ParallelRWidth

```



```

394         \else
395         \pcp@SetCurrent{Right}%
396         \ParallelWhichBox=\@ne
397         \vbox{%
398         \setbox\ParallelBoxVar
399         =\vsplit\ParallelRBox to\dp\strutbox
400         \unvbox\ParallelBoxVar
401         }%
402         \fi
403     }%
404 }%
405 \ifvoid\ParallelLBox
406 \ifvoid\ParallelRBox
407 \global\ParallelBoolVar=\z@
408 \fi
409 \fi%
410 \fi%
411 \ifnum\ParallelBoolVar=\@ne
412 \penalty\interlinepenalty
413 \repeat
414 \par
415 \endgroup
416 \pcp@SetCurrent{%
417 \fi
418 }
419 \end{package}

```

3 Test

The test file is a modified version of the file that Alexander Hirsch has posted in de.comp.text.tex: “parallel.sty und farbiger Text”¹

```

420 \documentclass{article}
421 \usepackage{xcolor}
422 \usepackage{pdfcolparallel}[2008/08/11]
423 \begin{document}
424 \color{green}%
425 Green%
426 \begin{Parallel}{0.47\textwidth}{0.47\textwidth}%
427 \ParallelLText{%
428 \textcolor{red}%
429 Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
430 Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
431 }%
432 }%
433 \ParallelRText{%
434 \textcolor{blue}%
435 Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
436 Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
437 }%
438 }%
439 \end{Parallel}
440 \end{document}

```

¹Url: <http://groups.google.com/group/de.comp.text.tex/msg/6a759cf33bb071a5>

```

448 \ParallelPar
449 \ParallelLText{%
450     Default %
451     \color{red}%
452     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
453     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
454 }%
455 \ParallelRText{%
456     Default %
457     \color{blue}%
458     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
459     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
460 }%
461 \ParallelPar
462 \ParallelLText{%
463     \begin{enumerate}%
464     \item left text, left text, left text, left text, %
465         left text, left text, left text, left text,%
466     \item left text, left text, left text, left text, %
467         left text, left text, left text, left text.%
468     \end{enumerate}%
469 }%
470 \ParallelRText{%
471     \begin{enumerate}%
472     \item right text, right text, right text, right text, %
473         right text, right text, right text, right text.%
474     \item right text, right text, right text, right text, %
475         right text, right text, right text, right text.%
476     \end{enumerate}%
477 }%
478 \end{Parallel}%
479 \begin{Parallel}[p]{\textwidth}{\textwidth}%
480     \ParallelLText{%
481         \textcolor{red}{%
482             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
483             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
484             Foo bar bla bla bla.%
485         }%
486         \par
487         Und noch ein Absatz.%
488     }%
489     \ParallelRText{%
490         \textcolor{blue}{%
491             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
492             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
493             Foo bar bla bla bla.%
494         }%
495     }%
496 \end{Parallel}%
497 \begin{Parallel}[p]{\textwidth}{\textwidth}%
498     \ParallelLText{%
499         \rule{1pt}{.98\textheight}\Huge g%
500     }%
501     \ParallelRText{%
502         \rule{1pt}{.98\textheight}y%
503     }%
504 \end{Parallel}%
505 Green%
506 \end{document}
507 </test1>

```

4 Installation

4.1 Download

Package. This package is available on CTAN²:

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for \TeX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain- \TeX :

```
tex pdfcolparallel.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>pdfcolparallel.sty</code>	\rightarrow <code>tex/latex/oberdiek/pdfcolparallel.sty</code>
<code>pdfcolparallel.pdf</code>	\rightarrow <code>doc/latex/oberdiek/pdfcolparallel.pdf</code>
<code>test/pdfcolparallel-test1.tex</code>	\rightarrow <code>doc/latex/oberdiek/test/pdfcolparallel-test1.tex</code>
<code>pdfcolparallel.dtx</code>	\rightarrow <code>source/latex/oberdiek/pdfcolparallel.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your \TeX distribution (`te \TeX` , `mik \TeX` , ...) relies on file name databases, you must refresh these. For example, `te \TeX` users run `texhash` or `mktextlsr`.

²<ftp://ftp.ctan.org/tex-archive/>

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk pdfcolparallel.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain- \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{pdfcolparallel.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
```

5 References

- [1] Matthias Eckermann: *The parallel-package*; 2003/04/13;
CTAN:macros/latex/contrib/parallel/.
- [2] Heiko Oberdiek: *The pdfcol package*; 2007/09/09;
CTAN:macros/latex/contrib/oberdiek/pdfcol.pdf.

6 History

[2007/09/09 v1.0]

- First version.

[2007/12/12 v1.1]

- Adds patch for setting `\linewidth` to fix bug in package `parallel`.
- Package `parallel` is also fixed if color stacks are not available.
- Bug fix, switched stacks now initialized with current color.
- Fix for package `parallel`: `\raggedbottom` is respected.

[2008/08/11 v1.2]

- Code is not changed.
- URLs updated.

7 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		I	
<code>\@PackageWarningNoLine</code>	54	<code>\ifnum</code>	32, 103, 121, 138, 147, 148, 163, 189, 195, 204, 205, 220, 258, 298, 309, 325, 350, 357, 368, 385, 411
<code>\@ifundefined</code>	16	<code>\ifodd</code>	164, 172, 221, 235
<code>\@one</code>	103, 108, 121, 126, 138, 141, 147, 148, 160, 189, 195, 198, 204, 205, 217, 258, 298, 309, 325, 335, 350, 357, 368, 385, 396, 411	<code>\ifpdfcolAvailable</code>	266
<code>\@nobreakfalse</code>	83, 118	<code>\ifvoid</code>	149, 156, 184, 185, 206, 213, 253, 254, 314, 332, 344, 345, 373, 392, 405, 406
<code>\@restorepar</code>	69, 82, 100, 117	<code>\ifx</code>	12, 51, 291
<code>\@textbottom</code>	231, 246	<code>\interlinepenalty</code>	351, 412
<code>\@texttop</code>	229, 244	<code>\item</code>	464, 466, 472, 474
<code>\@</code>	291		
A		L	
<code>\afterassignment</code>	47, 78, 95, 113, 134	<code>\leftmargin</code>	301, 360
<code>\aftergroup</code>	22, 23, 33, 34, 38, 76, 92, 111, 131, 281, 282	<code>\linewidth</code>	90, 129
<code>\AtEndDocument</code>	421	<code>\loop</code>	146, 203, 308, 367
B		M	
<code>\begin</code>	432, 435, 463, 471, 479, 497	<code>\mbox</code>	150, 157, 165, 174, 207, 237
		<code>\MessageBreak</code>	55, 56, 57, 58
C		N	
<code>\color</code>	433, 451, 457	<code>\NeedsTeXFormat</code>	2
<code>\csname</code>	12	<code>\newbox</code>	275
<code>\currentgrouplevel</code>	26, 32	<code>\newpage</code>	142, 151, 158, 166, 175, 182, 199, 208, 215, 223, 238, 251
<code>\CurrentOption</code>	6	<code>\noindent</code>	310, 369
D		<code>\null</code>	214, 222
<code>\DeclareOption</code>	5		
<code>\documentclass</code>	428		
<code>\dp</code>	320, 338, 380, 399		
E		P	
<code>\end</code>	468, 476, 478, 496, 504, 506	<code>\PackageInfo</code>	268
<code>\endcsname</code>	12	<code>\par</code>	139, 191, 196, 260, 299, 353, 358, 414, 486
<code>\endinput</code>	271	<code>\ParallelAfterText</code>	76, 92, 111, 131
<code>\everypar</code>	68, 81, 99, 116	<code>\ParallelBoolMid</code>	325, 385
F		<code>\ParallelBoolVar</code>	138, 147, 186, 189, 195, 204, 255, 258, 298, 309, 346, 350, 357, 368, 407, 411
<code>\fill</code>	181, 250	<code>\ParallelBoxVar</code>	319, 321, 337, 339, 379, 381, 398, 400
<code>\footnote</code>	72, 86, 104, 106, 122, 124	<code>\ParallelCheckOpenBrace</code>	78, 95, 113, 134
G		<code>\ParallelFNMode</code>	103, 121
<code>\g@addto@macro</code>	35	<code>\ParallelLBox</code>	74, 88, 91, 149, 169, 184, 206, 227, 253, 314, 320, 344, 373, 380, 405
<code>\gdef</code>	17, 19, 20	<code>\ParallelLeftMargin</code>	312, 371
H		<code>\ParallelFootnote</code>	72, 86, 106, 124
<code>\hbadness</code>	71, 85, 102, 120	<code>\ParallelLText</code>	67, 436, 449, 462, 480, 498
<code>\hbox</code>	168, 177, 225, 240, 311, 313, 370, 372	<code>\ParallelLWidth</code>	75, 89, 90, 315, 374
<code>\hsize</code>	75, 89, 110, 128	<code>\ParallelMainMidSkip</code>	326, 386
<code>\hskip</code>	312, 315, 326, 333, 371, 374, 386, 393	<code>\ParallelPar</code>	448, 461
<code>\hss</code>	329, 331, 389, 391	<code>\ParallelParOnePage</code>	297
<code>\Huge</code>	499	<code>\ParallelParTwoPages</code>	137

<code>\ParallelRBox</code>	109, 127, 130, 156, 178, 185, 213, 242, 254, 332, 338, 345, 392, 399, 406
<code>\ParallelRFootnote</code>	104, 122
<code>\ParallelRText</code> 98, 442, 455, 470, 489, 501
<code>\ParallelRWidth</code>	110, 128, 129, 333, 393
<code>\ParallelTextWidth</code>	313, 372
<code>\ParallelWhichBox</code> 73, 87, 108, 126, 141, 148, 153, 160, 163, 198, 205, 210, 217, 220, 317, 335, 377, 396
<code>\parindent</code>	304, 363
<code>\parskip</code>	303, 362
<code>\PassoptionsToPackage</code>	6
<code>\pcp@Box</code>	275, 278, 286
<code>\pcp@cmd</code>	46, 51, 53, 63
<code>\pcp@CmdCheckRedef</code>	44, 67, 98, 137, 297
<code>\pcp@CmdDo</code>	47, 50
<code>\pcp@ColorPatch</code>	11, 93, 132
<code>\pcp@ColorResets</code>	20, 22, 35
<code>\pcp@FixBox</code>	281, 284
<code>\pcp@GroupLevel</code>	26, 32
<code>\pcp@OrgAfterGroup</code>	33, 38
<code>\pcp@OrgSetColor</code>	24, 37, 40
<code>\pcp@SetColor</code>	25, 31
<code>\pcp@SetCurrent</code>	66, 226, 241, 262, 290, 376, 395, 416
<code>\pcp@SwitchStack</code>	65, 91, 130, 276
<code>\pdfcolInitStack</code>	273, 274
<code>\pdfcolSetCurrent</code>	292, 294
<code>\pdfcolSetCurrentColor</code>	279
<code>\pdfcolSwitchStack</code>	277
<code>\penalty</code>	351, 412
<code>\ProcessOptions</code>	8
<code>\ProvidesPackage</code>	3
R	
<code>\repeat</code>	190, 259, 352, 413
<code>\RequirePackage</code>	9, 10, 265
<code>\reserved@a</code>	48, 51
<code>\rightmargin</code>	302, 361
<code>\rule</code>	499, 502
S	
<code>\set@color</code>	24, 25
<code>\setbox</code>	74, 88, 109, 127, 227, 242, 278, 285, 319, 337, 379, 398
<code>\space</code>	57, 424
<code>\splittopskip</code>	145, 202, 307, 366
<code>\strut</code>	324, 384
<code>\strutbox</code>	320, 338, 380, 399
T	
<code>\textcolor</code>	437, 443, 481, 490
<code>\textheight</code>	169, 178, 227, 228, 242, 243, 499, 502
<code>\textwidth</code>	168, 177, 225, 240, 311, 370, 435, 479, 497
<code>\the</code>	26
<code>\thepage</code>	164, 172
<code>\typeout</code>	422, 423, 424, 425, 426
U	
<code>\unvbox</code>	230, 245, 286, 287, 321, 339, 381, 400
<code>\usepackage</code>	429, 430
V	
<code>\value</code>	221, 235
<code>\vbadness</code>	143, 200, 305, 364
<code>\vbox</code>	74, 88, 109, 127, 169, 178, 228, 243, 278, 285, 318, 336, 378, 397
<code>\vfuzz</code>	144, 201, 306, 365
<code>\vrule</code>	327, 387
<code>\vspace</code>	181, 250
<code>\vsplit</code>	169, 178, 227, 242, 320, 338, 380, 399
X	
<code>\x</code>	53, 55, 58, 79, 96, 114, 135
Z	
<code>\z@</code>	153, 163, 186, 210, 220, 227, 230, 242, 245, 255, 301, 302, 304, 317, 346, 360, 361, 363, 377, 407
<code>\z@skip</code>	145, 202, 303, 307, 362, 366