

**NAME**

ttf2afm – utility to generate AFM files for TrueType fonts

**SYNOPSIS**

**ttf2afm** [*OPTIONS*] *FONTFILE*

**DESCRIPTION**

**ttf2afm** is used to generate Adobe Font Metrics (AFM) files for TrueType (TTF) fonts to allow them to be used with TeX.

**ttf2afm** takes the name of a TrueType font file as a required argument. It may also take one or more options from the list below (note that **-d** and **-h** are mutually exclusive).

**OPTIONS**

- a**        print all glyphs
- i**        read names in encoding vector in form ‘*indexnum*’
- d**        print glyph names in the form ‘*indexdecimal\_num*’
- h**        print glyph names in the form ‘*indexhex\_num*’
- c name**        print encoding tables to file *name.eMN*, where *M* is the platform number and *N* is the encoding
- e enc**    use encoding from file *enc*
- o output**    output to file *output* instead of stdout

Platform numbers can be one of

- 0        Apple Unicode
- 1        Macintosh
- 2        ISO
- 3        Microsoft

Encodings can be

- 0        Roman (if platform is Macintosh)
- 0        Symbol (if platform is Microsoft)
- 1        Unicode (if platform is Microsoft)

**BUGS**

None known, but submit bug reports to <pdfTeX@tug.org> (mailing list).

**AUTHOR**

**ttf2afm** is part of pdfTeX and was written by Han The Thanh <thanh@informatics.muni.cz>.

This manual page was written by C.M. Connelly <cmc@debian.org>, for the Debian GNU/Linux system. It may be used by other distributions without contacting the author. Any mistakes or omissions in the manual page are my fault; inquiries about or corrections to this manual page should be directed to me (and not to the primary author).