

PLACE TITLE HERE: PLACE SUBTITLE AFTER COLON

Luis Hernández<sup>1,†</sup>, Maria Silva<sup>2,†</sup>, Henry Tudor<sup>3</sup>, Catherine Parr<sup>3</sup>, John H. Lienhard V<sup>4,\*</sup>

<sup>1</sup>Institution or Company Name, City, State

<sup>2</sup>Institution or Company Name, City, Province, Canada

<sup>3</sup>Hampton Court Palace, Richmond, England

<sup>4</sup>Massachusetts Institute of Technology, Cambridge, MA

## ABSTRACT

*This paper is an example and template for typesetting ASME Conference Papers in L<sup>A</sup>T<sub>E</sub>X using the asmeconf class. This class follows ASME guidelines for margins, fonts, headings, captions, and reference formats as of July 2019. The class is compatible with the hyperref package for producing pdf files with links. The optional argument of \section has been modified for manually setting pdf bookmarks when macros or complicated mathematics are included in section headings. The class is intended to be used with the asmeconf.bst BIB<sub>T</sub>E<sub>X</sub> style, which is part of this distribution. The class may be invoked with several options, most of which address math fonts. The class calls a number of packages, all of which are in T<sub>E</sub>X<sub>L</sub>I<sub>V</sub>E and on CTAN ([ctan.org](http://ctan.org)).*

**Keywords:** ASME, Paper, Template, L<sup>A</sup>T<sub>E</sub>X, Research

## NOMENCLATURE

*Roman letters*

$k$  Thermal conductivity [ $\text{W m}^{-1} \text{K}^{-1}$ ]

$\vec{q}$  Heat flux vector [ $\text{W m}^{-2}$ ]

*Greek letters*

$\alpha$  Thermal diffusivity [ $\text{m}^2 \text{s}^{-1}$ ]

$\nu$  Kinematic viscosity [ $\text{m}^2 \text{s}^{-1}$ ]

*Dimensionless groups*

Pr Prandtl number,  $\nu/\alpha$

Sc Schmidt number,  $\nu/\mathcal{D}_{1,2}$

*Superscripts and subscripts*

$b$  bulk value

$\infty$  free stream value

## 1. INTRODUCTION

The asmeconf class file will typeset papers with margins, fonts, headings, captions, and reference formats that follow those

specified for conference papers of the American Society of Mechanical Engineers (ASME). Internal and external hyperlinks will be set automatically, and the pdf file will contain bookmarks and metadata. This class is not a publication of ASME.

The .tex file may be written using standard L<sup>A</sup>T<sub>E</sub>X commands, although some specific initial commands are needed to format the blocks containing the author[s], title, and abstract.

### 1.1 Essential Initial Commands

To begin, fill in the fields to be completed at top of the asmeconf-template.tex file. These fields include the headers for your conference and your paper number. Specified metadata will be placed into the pdf file itself. The title should be placed into \title{...}.

Put author names into the \SetAuthors{name, name,...} command in the desired order; follow the syntax illustrated asmeconf-template.tex file. Put each distinct address sequentially into a separate \SetAffiliation{n}{address}, where  $n = 1, 2, \dots$ . Tag each author with the right affiliation by putting \affil{n} after that author's name inside the \SetAuthors{...} command.

Author addresses are to be kept short. List the author institution, and the City, State (US authors), City, Province, Canada (Canadian authors), or City, Country (other international authors).

One author (or more) may be designated as the corresponding author by placing \CorrespondingAuthor{email} after \affil{#}. Two or more authors may be joint first authors by putting \JointFirstAuthor after \affil{#}.

After setting up the headers, authors, and title, issue the \maketitle command.

Keywords may optionally be including using the \keywords{...} command. This command *must* be issued before the abstract. The abstract text must be placed into \begin{abstract}...\end{abstract}. The abstract will automatically be italicized.

<sup>†</sup>Joint first authors

\*Corresponding author: [lienhard@mit.edu](mailto:lienhard@mit.edu)

Documentation for asmeconf.cls. Version 1.13; November 6, 2019.




FIGURE 1: A FIGURE CAPTION WITH MATH,  $z = (r, \phi)$  [1]

## 2. EQUATIONS AND NOMENCLATURE

Equations are typeset in the usual way. The class file loads the `amsmath` and `mathtools` packages. Further, the `newtxmath` package used for the math fonts includes many additional features (see Sect. 6).

$$\vec{q} = -k \nabla T \quad (1)$$

ASME prefers SI units. U.S. style units may follow in parentheses. Be sure to put your symbols into the nomenclature list, including the units.

For ASME conference papers, the labels Equation and Figure should be abbreviated when they do not start a sentence, as in Eq. (3) and Fig. 1. Figure 1 is spelled out when it starts a sentence. Equation (3) is spelled out when it starts a sentence.

## 3. SECTION HEADINGS AND CAPTIONS

ASME requires that section headings and captions be set in an uppercase, sans serif font. The class will do this automatically. You can place `\cite{...}`, `\ref{...}`, `\label{...}`, and mathematics into headings and captions directly, as you would in the main text. Do not enclose them braces, e.g. `{\cite{...}}`, which will cause errors. You can place `\footnote{...}` into headings, but not into captions.<sup>1,2</sup>

Text in section headings and captions will not be capitalized if enclosed in a `\NoCaseChange{...}` command.

Sections may either be numbered or left unnumbered.

Simple math can be used in either captions or section headings. For a section heading that includes more complicated math (and macros), you may use the optional argument of `\section[...]{...}` to create a pdf bookmark without losing characters or producing warnings or errors. See the `asmeconf-template.tex` source file for examples of this. These bookmarks should usually be text expressions, although some math is supported.

If you wish to override the default math format in captions, put `\mathversion{normal}` in the caption.

<sup>1</sup>See `tex-stackexchange` for various approaches to footnotes in captions, if they seem necessary. For footnotes in tables, use the `tablefootnote` package.

<sup>2</sup>Sequential footnote.

TABLE 1: A SIMPLE TABLE

Experiment	$u$ [m/s]	$T$ [°C]
Run 11	12.5	103.4
Run 12	24	68.3

TABLE 2: TABLE WITH MORE COMPLICATED COLUMNS

Experiment	$u$ [m/s]	$T$ [°C]
The first test we ran this morning	124.3	68.3
The second test we ran this morning	82.50	103.46
Our competitor's test	72.321	141.384

### 3.1 Subsection and Sub-subsection Headings

Subsections and sub-subsection headings should be entered in title case, with the first letter of primary words capitalized. Sub-subsections (i.e., paragraphs) are never numbered.

### 3.2 Colored hyperlinks

ASME requires that all text be in black when the paper is submitted for publication. For other uses, authors may obtain colored hyperlinks with the `[colorlinks]` option.

## 4. TABLES AND FIGURES

Table 1 is an example of a simple table. Table captions should be placed above tables. The class loads the `booktabs` package (used for horizontal rules in both Table 1 and 2), and the `array` and `dcolumn` packages which provide extended capabilities for columns in the tabular environment (used in Table 2). Table 3 is an example of a table that spans two columns.

Figure captions go below figures. Figure 2 is an example of a figure that spans two columns and includes subfigures. The text in figures (and tables) should be no smaller than 6 point type.


Landscape figures and tables may be produced at full-page size by putting `\usepackage[figuresright]{rotating}` in your `.tex` file's preamble and using the `sidewaystable*` and `sidewaysfigure*` environments [2].

## 5. REFERENCE FORMATTING WITH `asmeconf.bst`<sup>3</sup>


Citations are automatically numbered [3]. They should be inserted at the appropriate point using a `\cite{ref}` command [4, 5]. The citations will be automatically sorted and compressed as well if they are given in a set [3–9]. See the `asmeconf-sample.bib` file for examples of how to enter your references.

The `asmeconf.bst` `BIBTEX` style follows the reference styles posted on ASME's conference web site in mid-2019. Examples for these and many other cases are given in the `asmeconf-sample.bib` file, which is part of this distribution. Nevertheless, a few comments are necessary.

<sup>3</sup>If you have text in a section heading or caption that you do not want to be capitalized, such as an SI unit, enclose it in a `\NoCaseChange` command.



(a) Interior region



(b) Exterior region

FIGURE 2: A FIGURE WITH TWO SUBFIGURES [1]

**DOI, URL, and eprint.** Include DOI numbers when they are available. URL's may alternatively be given.

Elementary support for eprint numbers is also included, generating a url at the end of the citation. The archive type may be specified using the macros `arxiv`, `googlebooks`, `hndl`, `jstore`, or `pubmed` (e.g., `archive=hndl`, *without* braces). Both eprint and archive fields *must* be given. Other root urls may be invoked using `archive = {http://another.url.org/}`.

**Online Sources.** A bibliography field `@online{..}` is included for citation of online sources, such as web pages. See the examples of use in the `asmeconf-sample.bib` file.

**Date Accessed.** The `urldate={..}` field may be used to provide the date on which a given url was accessed. By default, the text printed will be accessed 'date', . The word "accessed" may be changed using the `urltype={..}` field.

**Conference Location and Date.** For the entry types `@inproceedings{..}` and `@proceedings{..}`, you may include `venue={..}` and `eventdate={..}` to specify the city and the date of a conference.

## 6. MORE ON MATH: $\vec{u} \cdot \vec{\omega} = 0$

In most cases, the need for a wide equation can be eliminated by using one of the multiline equation environments defined by `amsmath`, such as `align`, `split`, or `multline` [10]. The following equation is set with the `multline` environment:

$$\begin{aligned} \frac{\partial}{\partial t} [\rho(e + |\vec{u}|^2/2)] + \nabla \cdot [\rho(h + |\vec{u}|^2/2)\vec{u}] \\ = -\nabla \cdot \vec{q} + \rho \vec{u} \cdot \vec{g} + \frac{\partial}{\partial x_j} (d_{ji} u_i) + \dot{Q}_v \end{aligned} \quad (2)$$

An example using `align` appears in Appendix A.

An alternative solution may be to set large equations into two-column-wide tables or figures. (You can find code online that sets equations across two columns, but the results may be sketchy.)

Math italics are used for roman and greek letters by default. If you want an upright letter in math, you can use the relevant math alphabet, e.g., `\mathrm`, `\mathbf`, `\mathsf`:

$$\vec{F} = m\vec{a} \quad \text{or} \quad \vec{F} = m\vec{a} \quad \text{or} \quad \mathbf{F} = m\mathbf{a} \quad \text{or} \quad \vec{F} = m\vec{a} \quad (3)$$

To get additional symbols in bold math, you can use the `\bm{..}` macro from the `bm` package, which is loaded by the class.

The class file also provides upright sans-serif greek letters with `\sfalpha` and similar expressions (e.g.  $\alpha, \beta, \gamma, \delta \dots \alpha, \beta, \gamma, \delta \dots$ ), in case they are needed (but note that the `newtxmath` options `frenchmath` and `slantedGreek` also affect how greek letters are presented).

## 6.1 The newtxmath and mathalfa packages [11, 12]

The `newtxmath` package [11], loaded by default, includes a large number of options for mathematics. Most options can be called as options to `\documentclass`. For example, the `upint` option of `newtxmath` selects upright integral signs (rather than slanted integral signs):

```
\documentclass[upint]{asmeconf}.
```

These math options are discussed further in the `asmejour-template.tex` file.

In addition, many options for calligraphic, script, and fraktur fonts are available as options to the `mathalfa` package, which is also loaded. These may be invoked, for example, as

```
\documentclass[mathalfa=cal=euler]{asmeconf}
```

which selects the Euler font for `\mathcal` (this is our default). To find all the font options, refer to the `mathalfa` package documentation [12].

The typewriter font loaded is `inconsolata` (which is sans serif), as suggested by the `newtx` package documentation. The class is not set up for use with the `fontspec` or `unicode-math` packages.

## 7. ADDITIONAL OPTIONS FOR asmeconf.cls

The class accepts a number of options in addition to those already described.

### 7.1 Final Column Balancing

The option `[balance]` invokes the `flushend` package [13]. This package will attempt to give equal height to the two columns on the last page. The performance of this package is sometimes inconsistent (with odd page layout or, very rarely, errors), so use this option with caution.

## 7.2 Line Numbers

The option `[lineno]` invokes the `lineno` package [14]. This option will produce line numbers in the margins. You must run  $\LaTeX$  twice for proper placement of the numbers. Tables, captions, and footnotes will not be numbered. Line numbers can be helpful for review and editing, but should not be used in your final manuscript. See the documentation of the `lineno` package for further commands to control line numbering.

The `lineno` package is not compatible with the `flushend` package that makes final short columns the same height. Balancing is disabled when this option is called.

## 7.3 Changing the Footer Text

The option `[nofoot]` will omit the ASME copyright from the first page footer. The footers are generated with the `fancyhdr` package [15], so you can change them in any way you like using the commands of that package. Only the default arrangement of footers matches ASME's style, however.

## 7.4 Superiors Font

The `newtxtext` package includes a superiors font (both numbers and letters) for use in footnote markers and superscripts. To enable this font, use the option `[nodefualtsups]`.

## 7.5 Old-style Author Grid

The option `[oldauthors]` invokes ASME's old grid-style arrangement of author names. The authors and affiliations must be entered differently in this case. See Appendix B for usage.

## 7.6 Hyphenation of Typewriter Font

The option `[hyphenate]` will allow hyphenation of the typewriter font. Hyphenation is normally suppressed for typewriter mode because this font is often used for code.

## 8. CONCLUSION

Provide a brief conclusion (3-4 lines).

## ACKNOWLEDGMENT

Place any acknowledgments here.

## REFERENCES

- [1] Lienhard, John H., V. "Exterior Shape Factors from Interior Shape Factors." *J. Heat Transfer* Vol. 141, No. 6 061301. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912).
- [2] Fairbairns, Robin, Rahtz, Sebastian and Barroca, Leonor, "A package for rotated objects in  $\LaTeX$ ." Comprehensive  $\TeX$  Archive Network (2016), accessed October 2, 2019, URL <https://www.ctan.org/pkg/rotating>.
- [3] Ning, Xiang and Lovell, Mary Rose. "On the Sliding Friction Characteristics of Unidirectional Continuous FRP Deposits." *ASME Journal of Tribology* Vol. 48, No. 5 (2002): pp. 2000–2008. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [4] Gibson, Tom A. and Tucker, Matthew A. *The Big Book of Cellular Studies*. John Wiley and Sons, New York (2008).
- [5] Stevens, Thomas T. "Stochastic Fields and Their Digital Simulation." *Stochastic Methods*. Martinius Publishers, Dordrecht (1999): pp. 22–36.
- [6] Wions, Thomas and Mills, Christopher D. "Structural Dynamics in Parallel Manipulation." *Proceedings of the ASME IDETC/CIE*. DETC2005-99532: pp. 777–798. New Orleans, LA, 2005. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [7] Smith, Robert. "Conformal Lubricated Contact of Cylindrical Surfaces Involved in a Non-Steady Motion." Ph.D. thesis, Rochester Institute of Technology, Rochester, NY. 2002. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [8] Watson, David. "Evaporative Heat Transfer in the Contact Line of a Mixture." Technical Report No. HTL-26, CFD-4, Iowa State University, Ames, IA. 1982. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [9] Smith, Robert. "Conformal Lubricated Contact of Cylindrical Surfaces Involved in a Steady Motion." Master's thesis, Rochester Institute of Technology, Rochester, NY. 1998.
- [10] American Mathematical Society and LATEX3 Project, "User's Guide for the `amsmath` Package, Version 2.1." Comprehensive  $\TeX$  Archive Network (2018), accessed 5 July 2019, URL <https://ctan.org/tex-archive/macros/latex/required/amsmath/amslatex>.
- [11] Sharpe, Michael, "New TX font package, Version 1.554." Comprehensive  $\TeX$  Archive Network (2018), accessed 27 April 2019, URL <https://ctan.org/pkg/newtx>.
- [12] Sharpe, Michael, "The `mathalfa` package, Version 1.10." Comprehensive  $\TeX$  Archive Network (2018), accessed 27 April 2019, URL <https://ctan.org/pkg/mathalfa>.
- [13] Tolušis, Sigitas, "The `flushend` package." Comprehensive  $\TeX$  Archive Network (2017), accessed October 1, 2019, URL <https://www.ctan.org/pkg/flushend>.
- [14] Böttcher, Stephan I. and Lück, Uwe, "`lineno.sty`: A  $\LaTeX$  package to attach line numbers to paragraphs." Comprehensive  $\TeX$  Archive Network (2005), accessed August 17, 2019, URL <https://www.ctan.org/pkg/lineno>.
- [15] van Oostrum, Piet, "The `fancyhdr` and `extramarks` packages." Comprehensive  $\TeX$  Archive Network (2019), accessed August 17, 2019, URL <https://www.ctan.org/pkg/lineno>.
- [16] Smith, Robert. "Cylindrical Surfaces Involved in a Steady Motion." BS thesis, Rochester Institute of Technology, Rochester, NY. 1996.
- [17] Watson, David. "Evaporative Heat Transfer in the Contact Line of a Mixture." NASA Technical Memorandum No. TN-1234, National Aeronautics and Space Administration, Washington, DC. 1981. URL <https://doi.org/10.1115/1.4042912>.
- [18] Bejan, Adrian. *Advanced Engineering Thermodynamics*. John Wiley & Sons, Inc., New York, NY (1988).
- [19] Edwards, Donald K. "Thermal Radiation Measurements." Eckert, Ernst R. G. and Goldstein, Richard J. (eds.) *Measurement Techniques in Heat Transfer*, Vol. 130 of AGAR-



TABLE 3: A TABLE SPANNING TWO COLUMNS

$x$	$\text{erf}(x)$	$\text{erfc}(x)$	$x$	$\text{erf}(x)$	$\text{erfc}(x)$
0.00	0.00000	1.00000	1.10	0.88021	0.11980
0.05	0.05637	0.94363	1.20	0.91031	0.08969
0.10	0.11246	0.88754	1.30	0.93401	0.06599
0.15	0.16800	0.83200	1.40	0.95229	0.04771
0.20	0.22270	0.77730	1.50	0.96611	0.03389
0.30	0.32863	0.67137	1.60	0.97635	0.02365
0.40	0.42839	0.57161	1.70	0.98379	0.01621
0.50	0.52050	0.47950	1.80	0.98909	0.01091
0.60	0.60386	0.39614	1.8214	0.99000	0.01000
0.70	0.67780	0.32220	1.90	0.99279	0.00721
0.80	0.74210	0.25790	2.00	0.99532	0.00468
0.90	0.79691	0.20309	2.50	0.99959	0.00041
1.00	0.84270	0.15730	3.00	0.99998	0.00002

*Dograph*, Chapter 9. Technivision Services, Slough, England (1970): pp. 353–396. Published by the Advisory Group for Aerospace Research and Development of NATO.

- [20] Lienhard, John H., Mistry, Karan H., Sharqawy, Mostafa H. and Thiel, Gregory P. “Thermodynamics, Exergy, and Energy Efficiency in Desalination Systems.” Arafat, Hassan A. (ed.) *Desalination Sustainability*, Chap. 4. Elsevier Publishing Co., Amsterdam (2017): pp. 127–206. URL <https://www.elsevier.com/books/desalination-sustainability/unknown/978-0-12-809791-5>.
- [21] Govindan, Prakash Narayan, Lam, Steven and St. John, Maximus G. “Systems including a condensing apparatus such as a bubble column condenser.” US Patent #9700811 (2017).
- [22] Swaminathan, Jaichander, Stover, Richard L., Tow, Emily W., Warsinger, David M. and Lienhard, John H. “Effect of practical losses on optimal design of batch RO systems.” *Proceedings of IDA World Congress on Desalination and Water Reuse*. IDA17WC-58334. São Paulo, Brazil, 2017. International Desalination Association, Topsfield, MA. URL <http://hdl.handle.net/1721.1/111971>.
- [23] Fong, Chamberlain. “Analytical Methods for Squaring the Disc.” *ArXiv e-prints* (2015). URL <https://arxiv.org/abs/1509.06344>.
- [24] Galassi, Mark, Davies, Jim, Theiler, James, Gough, Brian, Jungman, Gerard, Alken, Patrick, Booth, Michael, Rossi, Fabrice and Ulerich, Rhys. *GNU Scientific Library Release 2.4*. Free Software Foundation, Boston, MA (2017). URL <https://www.gnu.org/software/gsl/>.
- [25] van der Walt, Stéfan and Smith, Nathaniel, “mpl colormaps.” GitHub, San Francisco, CA (2015), accessed 26 August 2018, URL <http://bids.github.io/colormap/>.
- [26] Johnson, Howard, (ed.) *Title of edited book*. John Wiley and Sons, Inc., New York, NY (1980).
- [27] Johnson, Howard, (ed.). *The title of the proceedings*, Vol. 2. The organization, Name of publisher, Address of publisher (2015). Optional note.

## APPENDIX A. THE VECTOR PRODUCT $\vec{A} \times \vec{B}$

This is just a brief illustration of an appendix, showing numbering of the appendix and equations. Equations are numbered consecutively, following those in the paper.

$$\frac{d\Gamma}{dt} = \int_e \frac{D\mathbf{u}}{Dt} \cdot d\mathbf{r} \quad (4)$$

$$= \iint_s \nabla \times \frac{D\mathbf{u}}{Dt} \cdot d\mathbf{A} \quad (5)$$

$$= \iint_s \nabla p \times \nabla \left( \frac{1}{\rho} \right) \cdot d\mathbf{A} \quad (6)$$

## APPENDIX B. OPTION TO USE AN AUTHOR GRID

ASME’s most recent templates place author names inline, with affiliations for all authors in rows below. This style is the default for this template.

The historical style of authors with affiliation in a grid of blocks may be invoked with the option [oldauthors]. When using this form, the author names and addresses should be entered as below:

```
\SetAuthorBlock{Name\JointFirstAuthor}{%
    Institution \ City, State}
\SetAuthorBlock{Name\JointFirstAuthor}{%
    Institution \ City, Country}
\SetAuthorBlock{Name, Name}{%
    Institution \ City, Country}
\SetAuthorBlock{\CorrespondingAuthor{John Lienhard%
}{lienhard@mit.edu}}{Institution \ City, State}
```

## APPENDIX C. LANGUAGE SUPPORT

ASME publishes in English, but the babel package is loaded for users who may wish to include other languages. Options are supported to load a primary language, lang=, as well as a secondary and tertiary language, lang-second and lang-third. The primary language must be specified explicitly if a secondary language is loaded. If no language option is given, the package defaults to English.

The standard caption and section names will follow babel's dictionary for primary languages other than English. Users may additionally change "Keywords", "Nomenclature", "Corresponding author", and "Joint first authors" by renewing the commands `\keywordname`, `\nomname`, `\CAwords`, and `\JAwords`. Changes to the page footer were described earlier. The pdf bookmark for "Appendices" may be changed by renewing `\appendicesname`.

No effort has been made to support customization of language-specific fonts, although this is possible by modifying the class file (examples are given in the newtx documentation). The bibliography style, `asmejour.bst`, is designed in English and aimed at BibTeX. Multilingual bibliographies can be supported using BibLaTeX.