

# Sample document testing the glossaries-extra package

Nicola Talbot

April 9, 2019

# Contents

1	Introduction	3
2	General Entries	4
3	Abbreviations	6
	Glossary	7
	List of Abbreviations	8
	Index	9

# 1 Introduction

This is a sample document testing the `glossaries-extra` package.

## 2 General Entries

Sample entries: **duck** and **parrot**.

Test makeindex's special characters: @ (actual) " (escape) ! (level) and | (encap).

Use some entries again: **duck** and **parrot**.

## 3 Abbreviations

First use: `hypertext markup language (HTML)` and `extensible markup language (XML)`.

Next use: `HTML` and `XML`.

# Glossary

**!** makeindex's default for the “level value” [4](#)

**"** makeindex's default for the “escape value” [4](#)

**@** makeindex's default for the “actual value” [4](#)

**|** makeindex's default for the “encap value” [4](#)

**Duck** a waterbird with webbed feet [4](#), [5](#)

**Parrot** mainly tropical bird with bright plumage [4](#), [5](#)

# List of Abbreviations

**HTML** hypertext markup language 6

**XML** extensible markup language 6



# Index

Page numbers in bold indicate an entry in the glossary or list of abbreviations.

!, [4](#), [7](#)

", [4](#), [7](#)

@, [4](#), [7](#)

|, [4](#), [7](#)

duck, [4](#), [5](#), [7](#)

HTML, [6](#), [8](#)

parrot, [4](#), [5](#), [7](#)

sample, [3](#)

XML, [6](#), [8](#)