

Symbols defined by unicode-math

Will Robertson

Modified (df) to show Erewhon Math symbols

This document uses the file `unicode-math-table.tex` to print every symbol defined by the `unicode-math` package. Use this document to find the command name or the Unicode glyph slot for a symbol that you wish to use. The following fonts are shown: (with approximate symbol counts)

L **Latin Modern Math** (1612)

S **STIX Math Two** (2460)

E **Erewhon Math** (1644)

P **TeX Gyre Pagella Math** (1665)

D **DejaVu Math TeX Gyre** (1667)

Symbols defined in Plain $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ are indicated with ^(p) after their macro name. $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$ follows Plain $\mathrm{T}_{\mathrm{E}}\mathrm{X}$, but defines a handful more, indicated with ^(l). Symbols defined in `amssymb` are indicated with ^(a).

Note that this list of fonts is not intended to be exhaustive but I am happy to add new fonts by request if they are distributed in $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ Live.¹

Contents

1	Opening symbols, <code>\mathopen</code>	3
2	Closing symbols, <code>\mathclose</code>	5
3	Fence symbols, <code>\mathfence</code>	6
4	Punctuation symbols, <code>\mathpunct</code>	7
5	‘Over’ symbols, <code>\mathover</code>	7
6	‘Under’ symbols, <code>\mathunder</code>	7
7	Accents, <code>\mathaccent</code>	8
8	Accents, <code>\mathaccent</code>	9
9	Bottom accents, <code>\mathbotaccent</code>	10
10	Bottom accents wide, <code>\mathbotaccentwide</code>	10
11	Big operators, <code>\mathop</code>	11

¹Only a single $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ Gyre Math font is shown here by design as they all largely have the same symbol coverage.

12 Binary relations, <code>\mathbin</code>	15
13 Ordinary symbols, <code>\mathord</code>	23
14 Relation symbols, <code>\mathrel</code>	43
15 Alphabetical symbols, <code>\mathalpha</code>	69
15.1 Normal weight	69
15.1.1 Upright Greek, uppercase	69
15.1.2 Upright Greek, lowercase	70
15.1.3 Italic, Latin, uppercase	71
15.1.4 Italic, Latin, lowercase	72
15.1.5 Italic Greek, uppercase	74
15.1.6 Italic Greek, lowercase	75
15.1.7 Script, Latin, uppercase	76
15.1.8 Script, Latin, lowercase	77
15.1.9 Fraktur, Latin, uppercase	78
15.1.10 Fraktur, Latin, lowercase	79
15.1.11 Blackboard, Latin, uppercase	80
15.1.12 Blackboard, Latin, lowercase	81
15.1.13 Sans serif, Latin, uppercase	83
15.1.14 Sans serif, Latin, lowercase	84
15.1.15 Italic sans serif, Latin, uppercase	85
15.1.16 Italic sans serif, Latin, lowercase	86
15.1.17 Typewriter, Latin, uppercase	87
15.1.18 Typewriter, Latin, lowercase	89
15.2 Bold	90
15.2.1 Bold, Latin, uppercase	90
15.2.2 Bold, Latin, lowercase	91
15.2.3 Bold Greek, uppercase	92
15.2.4 Bold Greek, lowercase	93
15.2.5 Bold italic, Latin, uppercase	95
15.2.6 Bold italic, Latin, lowercase	96
15.2.7 Bold italic Greek, uppercase	97
15.2.8 Bold italic Greek, lowercase	98
15.2.9 Bold script, Latin, uppercase	100
15.2.10 Bold script, Latin, lowercase	101
15.2.11 Bold fraktur, Latin, uppercase	102
15.2.12 Bold fraktur, Latin, lowercase	103
15.2.13 Bold sans serif, Latin, uppercase	105
15.2.14 Bold sans serif, Latin, lowercase	106
15.2.15 Bold italic sans serif, Latin, uppercase	107
15.2.16 Bold italic sans serif, Latin, lowercase	108
15.2.17 Bold sans serif Greek, uppercase	109
15.2.18 Bold sans serif Greek, lowercase	111
15.2.19 Bold italic sans serif Greek, uppercase	112
15.2.20 Bold italic sans serif Greek, lowercase	113
15.3 Miscellaneous	115

1 Opening symbols, \mathopen

USV	L	S	E	P	D	Macro	Description
U+00028	(((((\lparen	left parenthesis
U+0005B	[[[[[\lbrack	left square bracket
U+0007B	{	{	{	{	{	\lbrace ^(p)	left curly bracket
U+0221A	√	√	√	√	√	\sqrt ^(p)	radical
U+0221B		√ ³				\cuberoot	cube root
U+0221C		√ ⁴				\fourthroot	fourth root
U+02308	⌈	⌈	⌈	⌈	⌈	\lceil ^(p)	left ceiling
U+0230A	⌊	⌊	⌊	⌊	⌊	\lfloor ^(p)	left floor
U+0231C	⋈	⋈	⋈	⋈	⋈	\ulcorner	upper left corner
U+0231E	⋐	⋐	⋐	⋐	⋐	\llcorner	lower left corner
U+023B0		⌿	⌿			\lmoustache ^(p)	upper left or lower right curly bracket section
U+02772		⌞				\lbrbrak	light left tortoise shell bracket ornament
U+027C5		⌵				\lbag	left s-shaped bag delimiter
U+027CC		⌶				\longdivision	long division
U+027E6	⌈	⌈	⌈	⌈	⌈	\lBrack	mathematical left white square bracket
U+027E8	⌈	⌈	⌈	⌈	⌈	\langle ^(p)	mathematical left angle bracket
U+027EA	⌈	⌈	⌈	⌈	⌈	\lAngle	mathematical left double angle bracket
U+027EC		⌞				\lbrbrak	mathematical left white tortoise shell bracket
U+027EE	(((((\lgroup ^(p)	mathematical left flattened parenthesis
U+02983		⌈				\lBrace	left white curly bracket
U+02985		⌈				\lParen	left white parenthesis
U+02987		⌈				\llparenthesis	z notation left image bracket
U+02989		⌈				\llangle	z notation left binding bracket

usv	L	S	E	P	D	Macro	Description
U+0298B		⌊				<code>\lbrackubar</code>	left square bracket with underbar
U+0298D		⌊				<code>\lbrackultick</code>	left square bracket with tick in top corner
U+0298F		⌋				<code>\lbracklltick</code>	left square bracket with tick in bottom corner
U+02991		⌈				<code>\langedot</code>	left angle bracket with dot
U+02993		⌞				<code>\lparenless</code>	left arc less-than bracket
U+02995		⌟				<code>\Lparengtr</code>	double left arc greater-than bracket
U+02997		⌘				<code>\lblkbrbrak</code>	left black tortoise shell bracket
U+029D8		⌚				<code>\lvzigzag</code>	left wiggly fence
U+029DA		⌛				<code>\Lvzigzag</code>	left double wiggly fence
U+029FC		⌧				<code>\lcurvyangle</code>	left pointing curved angle bracket

2 Closing symbols, `\mathclose`

USV	L	S	E	P	D	Macro	Description
U+00021	!	!	!	!	!	<code>\mathexclam</code>	exclamation mark
U+00029)))))	<code>\rparen</code>	right parenthesis
U+0005D]]]]]	<code>\rbrack</code>	right square bracket
U+0007D	}	}	}	}	}	<code>\rbrace^(p)</code>	right curly bracket
U+02309	⌋	⌋	⌋	⌋	⌋	<code>\rceil^(p)</code>	right ceiling
U+0230B	⌋	⌋	⌋	⌋	⌋	<code>\rfloor^(p)</code>	right floor
U+0231D	⌋	⌋	⌋	⌋	⌋	<code>\urcorner</code>	upper right corner
U+0231F	⌋	⌋	⌋	⌋	⌋	<code>\lrcorner</code>	lower right corner
U+023B1		⌋	⌋			<code>\rmoustache^(p)</code>	upper right or lower left curly bracket section
U+02773		⌋				<code>\rbrbrak</code>	light right tortoise shell bracket ornament
U+027C6		⌋				<code>\rbag</code>	right s-shaped bag delimiter
U+027E7	⌋	⌋	⌋	⌋	⌋	<code>\rBrack</code>	mathematical right white square bracket
U+027E9	⌋	⌋	⌋	⌋	⌋	<code>\rangle^(p)</code>	mathematical right angle bracket
U+027EB	⌋	⌋	⌋	⌋	⌋	<code>\rAngle</code>	mathematical right double angle bracket
U+027ED		⌋				<code>\Rbrbrak</code>	mathematical right white tortoise shell bracket
U+027EF)))))	<code>\rgroup^(p)</code>	mathematical right flattened parenthesis
U+02984		⌋				<code>\rBrace</code>	right white curly bracket
U+02986		⌋				<code>\rParen</code>	right white parenthesis
U+02988		⌋				<code>\rrparenthesis</code>	z notation right image bracket
U+0298A		⌋				<code>\rrangle</code>	z notation right binding bracket
U+0298C		⌋				<code>\rbrackubar</code>	right square bracket with underbar
U+0298E		⌋				<code>\rbracklrtick</code>	right square bracket with tick in bottom corner
U+02990		⌋				<code>\rbrackurtick</code>	right square bracket with tick in top corner

USV	L	S	E	P	D	Macro	Description
U+02992		›				<code>\rangledot</code>	right angle bracket with dot
U+02994		➤				<code>\rparengtr</code>	right arc greater-than bracket
U+02996		⋈				<code>\Rparenless</code>	double right arc less-than bracket
U+02998		⌋				<code>\rblkbrbrak</code>	right black tortoise shell bracket
U+029D9		⋈				<code>\rvzigzag</code>	right wiggly fence
U+029DB		⋈				<code>\Rvzigzag</code>	right double wiggly fence
U+029FD		›				<code>\rcurvyangle</code>	right pointing curved angle bracket

3 Fence symbols, `\mathfence`

USV	L	S	E	P	D	Macro	Description
U+0007C						<code>\vert^(p)</code>	vertical bar
U+02016						<code>\Vert^(p)</code>	double vertical bar
U+02980						<code>\Vvert</code>	triple vertical bar delimiter

4 Punctuation symbols, `\mathpunct`

USV	L	S	E	P	D	Macro	Description
U+0002C	,	,	,	,	,	<code>\mathcomma</code>	comma
U+0003A	:	:	:	:	:	<code>\mathcolon</code>	colon
U+0003B	;	;	;	;	;	<code>\mathsemicolon</code>	semicolon p:

5 ‘Over’ symbols, `\mathover`

USV	L	S	E	P	D	Macro	Description
U+023B4	$\overline{x+y}$	$\overline{x+y}$	$\overline{x+y}$	$\overline{x+y}$	$\overline{x+y}$	<code>\overbracket</code>	top square bracket
U+023DC	$\overparen{x+y}$	$\overparen{x+y}$	$\overparen{x+y}$	$\overparen{x+y}$	$\overparen{x+y}$	<code>\overparen</code>	top parenthesis (mathematical use)
U+023DE	$\overbrace{x+y}$	$\overbrace{x+y}$	$\overbrace{x+y}$	$\overbrace{x+y}$	$\overbrace{x+y}$	<code>\overbrace</code> ^(p)	top curly bracket (mathematical use)

6 ‘Under’ symbols, `\mathunder`

USV	L	S	E	P	D	Macro	Description
U+023B5	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	$\underline{x+y}$	<code>\underbracket</code>	bottom square bracket
U+023DD	$\underparen{x+y}$	$\underparen{x+y}$	$\underparen{x+y}$	$\underparen{x+y}$	$\underparen{x+y}$	<code>\underparen</code>	bottom parenthesis (mathematical use)
U+023DF	$\underbrace{x+y}$	$\underbrace{x+y}$	$\underbrace{x+y}$	$\underbrace{x+y}$	$\underbrace{x+y}$	<code>\underbrace</code> ^(p)	bottom curly bracket (mathematical use)

7 Accents, \mathaccent

Note that accents will only be properly placed if used with an OpenType font with the necessary information.

USV	L	S	E	P	D	Macro	Description
U+00300	̀	̂	̃	̄	̆	\grave{p}	grave accent
U+00301	́	̇	̈	̉	̊	\acute{p}	acute accent
U+00302	̂	̃	̄	̅	̆	\hat{p}	circumflex accent
U+00303	̃	̄	̅	̆	̇	\tilde{p}	tilde
U+00304	̄	̅	̆	̇	̈	\bar{p}	macron
U+00305	̅	̆	̇	̈	̉	\overbar	overbar embellishment
U+00306	̆	̇	̈	̉	̊	\breve{p}	breve
U+00307	̇	̈	̉	̊	̋	\dot{p}	dot above
U+00308	̈	̉	̊	̋	̌	\ddot{p}	dieresis
U+00309	̊	̋	̌	̍	̎	\ovhook	combining hook above
U+0030A	̋	̌	̍	̎	̏	\ocirc	ring
U+0030C	̌	̍	̎	̏	̐	\check{p}	caron
U+00310		̐				\candra	candrabindu (non-spacing)
U+00312		̑				\oturnedcomma	combining turned comma above
U+00315		̒				\ocommatopright	combining comma above right
U+0031A		̓				\droang	left angle above (non-spacing)
U+020D0	̅	̆	̇	̈	̉	\leftharpoonaccent	combining left harpoon above
U+020D1	̆	̇	̈	̉	̊	\rightharpoonaccent	combining right harpoon above
U+020D2	̊	̋	̌	̍	̎	\vertoverlay	combining long vertical line overlay
U+020D7	̋	̌	̍	̎	̏	\vec{p}	combining right arrow above
U+020DB	̏	̐	̑	̒	̓	\ddddot	combining three dots above
U+020DC	̓	̔	̕	̖	̗	\ddddot	combining four dots above

USV	L	S	E	P	D	Macro	Description
U+020E7		̸				\annuity	combining annuity symbol
U+020E9	̸	̸	̸	̸	̸	\widebridgeabove	combining wide bridge above
U+020F0	̸	̸	̸	̸	̸	\asteraccent	combining asterisk above

8 Accents, \mathaccent

Note that accents will only be properly placed if used with an OpenType font with the necessary information.

USV	L	S	E	P	D	Macro	Description
U+00300	̀	̀	̀	̀	̀	\grave ^(p)	grave accent
U+00301	́	́	́	́	́	\acute ^(p)	acute accent
U+00302	̂	̂	̂	̂	̂	\hat ^(p)	circumflex accent
U+00303	̃	̃	̃	̃	̃	\tilde ^(p)	tilde
U+00304	̄	̄	̄	̄	̄	\bar ^(p)	macron
U+00305	̅	̅	̅	̅	̅	\overbar	overbar embellishment
U+00306	̇	̇	̇	̇	̇	\breve ^(p)	breve
U+00307	̈	̈	̈	̈	̈	\dot ^(p)	dot above
U+00308	̉	̉	̉	̉	̉	\ddot ^(p)	dieresis
U+00309	̊	̊	̊	̊	̊	\ovhook	combining hook above
U+0030A	̋	̋	̋	̋	̋	\ocirc	ring
U+0030C	̌	̌	̌	̌	̌	\check ^(p)	caron
U+00310		̍				\candra	candrabindu (non-spacing)
U+00312		̎				\oturnedcomma	combining turned comma above
U+00315		̏				\ocommatopright	combining comma above right
U+0031A		̐				\droang	left angle above (non-spacing)
U+020D0	̑	̑	̑	̑	̑	\leftharpoonaccent	combining left harpoon above

USV	L	S	E	P	D	Macro	Description
U+020D1	\vec{x}	\vec{x}	\vec{x}	\vec{x}	\vec{x}	<code>\rightharpoonaccent</code>	combining right harpoon above
U+020D2	\overline{x}	\overline{x}	\overline{x}	\overline{x}	\overline{x}	<code>\vertoverlay</code>	combining long vertical line overlay
U+020D7	\vec{x}	\vec{x}	\vec{x}	\vec{x}	\vec{x}	<code>\vec{p}</code>	combining right arrow above
U+020DB	\ddot{x}	\ddot{x}	\ddot{x}	\ddot{x}	\ddot{x}	<code>\dddot</code>	combining three dots above
U+020DC	\ddot{x}	\ddot{x}	\ddot{x}	\ddot{x}	\ddot{x}	<code>\ddddot</code>	combining four dots above
U+020E7		\overline{x}				<code>\annuity</code>	combining annuity symbol
U+020E9	\overline{x}	\overline{x}	\overline{x}	\overline{x}	\overline{x}	<code>\widebridgeabove</code>	combining wide bridge above
U+020F0	$\overset{*}{x}$	$\overset{*}{x}$	$\overset{*}{x}$	$\overset{*}{x}$	$\overset{*}{x}$	<code>\asteraccent</code>	combining asterisk above

9 Bottom accents, `\mathbotaccent`

USV	L	S	E	P	D	Macro	Description
U+020E8	$\underset{...}{x}$	$\underset{...}{x}$	$\underset{...}{x}$	$\underset{...}{x}$	$\underset{...}{x}$	<code>\threeunderdot</code>	combining triple underdot

10 Bottom accents wide, `\mathbotaccentwide`



































































USV	L	S	E	P	D	Macro	Description
U+00330	$\widetilde{x+y}$	$\widetilde{x+y}$	$\widetilde{x+y}$	$\widetilde{x+y}$	$\widetilde{x+y}$	<code>\wideutilde</code>	under tilde accent (multiple characters and non-spacing)
U+00332	$\mathunderbar{x+y}$	$\mathunderbar{x+y}$	$\mathunderbar{x+y}$	$\mathunderbar{x+y}$	$\mathunderbar{x+y}$	<code>\mathunderbar</code>	combining low line
U+0034D	\xleftrightarrow{y}	\xleftrightarrow{y}	\xleftrightarrow{y}	\xleftrightarrow{y}	\xleftrightarrow{y}	<code>\underleftrightharpoon</code>	underleftrightharpoon accent
U+020EC	\xrightarrow{y}	\xrightarrow{y}	\xrightarrow{y}	\xrightarrow{y}	\xrightarrow{y}	<code>\underrightharpoon</code>	combining rightwards harpoon with barb downwards
U+020ED	\xleftarrow{y}	\xleftarrow{y}	\xleftarrow{y}	\xleftarrow{y}	\xleftarrow{y}	<code>\underleftharpoon</code>	combining leftwards harpoon with barb downwards
U+020EE	\xleftarrow{y}	\xleftarrow{y}	\xleftarrow{y}	\xleftarrow{y}	\xleftarrow{y}	<code>\underleftarrow</code>	combining left arrow below
U+020EF	\xrightarrow{y}	\xrightarrow{y}	\xrightarrow{y}	\xrightarrow{y}	\xrightarrow{y}	<code>\underrightarrow</code>	combining right arrow below

USV	L	S	E	P	D	Macro	Description
-----	---	---	---	---	---	-------	-------------















11 Big operators, `\mathop`

Of the operators shown below, a subset need to be flagged by unicode-math for `\nolimits` adjustments. The limits behaviour as specified by unicode-math are shown with grey subscripts and superscripts.

USV	L	S	E	P	D	Macro	Description
U+02140	\sum_0^1	\sum_0^1	\sum_0^1	\sum_0^1	\sum_0^1	<code>\Bbbsum</code>	double-struck n-ary summation
U+0220F	\prod_0^1	\prod_0^1	\prod_0^1	\prod_0^1	\prod_0^1	<code>\prod^{(p)}</code>	product operator
U+02210	\coprod_0^1	\coprod_0^1	\coprod_0^1	\coprod_0^1	\coprod_0^1	<code>\coprod^{(p)}</code>	coproduct operator
U+02211	\sum_0^1	\sum_0^1	\sum_0^1	\sum_0^1	\sum_0^1	<code>\sum^{(p)}</code>	summation operator
U+0222B	\int_0^1	\int_0^1	\int_0^1	\int_0^1	\int_0^1	<code>\int^{(p)}</code>	integral operator
U+0222C	\iint_0^1	\iint_0^1	\iint_0^1	\iint_0^1	\iint_0^1	<code>\iint</code>	double integral operator
U+0222D	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	<code>\iiint</code>	triple integral operator
U+0222E	\oint_0^1	\oint_0^1	\oint_0^1	\oint_0^1	\oint_0^1	<code>\oint^{(p)}</code>	contour integral operator
U+0222F	\oiint_0^1	\oiint_0^1	\oiint_0^1	\oiint_0^1	\oiint_0^1	<code>\oiint</code>	double contour integral operator
U+02230	\oiiint_0^1	\oiiint_0^1	\oiiint_0^1	\oiiint_0^1	\oiiint_0^1	<code>\oiiint</code>	triple contour integral operator
U+02231	\int_0^1	\int_0^1	\int_0^1	\int_0^1	\int_0^1	<code>\intclockwise</code>	clockwise integral
U+02232	\oint_0^1	\oint_0^1	\oint_0^1	\oint_0^1	\oint_0^1	<code>\varointclockwise</code>	contour integral, clockwise
U+02233	\oint_0^1	\oint_0^1	\oint_0^1	\oint_0^1	\oint_0^1	<code>\ointctrclockwise</code>	contour integral, anticlockwise
U+022C0	\bigwedge_0^1	\bigwedge_0^1	\bigwedge_0^1	\bigwedge_0^1	\bigwedge_0^1	<code>\bigwedge^{(p)}</code>	logical and operator

USV	L	S	E	P	D	Macro	Description
U+022C1						<code>\bigvee^(p)</code>	logical or operator
U+022C2						<code>\bigcap^(p)</code>	intersection operator
U+022C3						<code>\bigcup^(p)</code>	union operator
U+027D5						<code>\leftouterjoin</code>	left outer join
U+027D6						<code>\rightouterjoin</code>	right outer join
U+027D7						<code>\fullouterjoin</code>	full outer join
U+027D8						<code>\bigbot</code>	large up tack
U+027D9						<code>\bigtop</code>	large down tack
U+029F8						<code>\xsol</code>	big solidus
U+029F9						<code>\xbsol</code>	big reverse solidus
U+02A00						<code>\bigodot^(p)</code>	n-ary circled dot operator
U+02A01						<code>\bigoplus^(p)</code>	n-ary circled plus operator
U+02A02						<code>\bigotimes^(p)</code>	n-ary circled times operator
U+02A03						<code>\bigcupdot</code>	n-ary union operator with dot
U+02A04						<code>\biguplus^(p)</code>	n-ary union operator with plus
U+02A05						<code>\bigsqcap</code>	n-ary square intersection operator
U+02A06						<code>\bigsqcup^(p)</code>	n-ary square union operator
U+02A07						<code>\conjquant</code>	two logical and operator

USV	L	S	E	P	D	Macro	Description
U+02A08		\bigvee_0^1				<code>\disjquant</code>	two logical or operator
U+02A09	\times_0^1	\bigtimes_0^1	\times_0^1	\times_0^1	\times_0^1	<code>\bigtimes</code>	n-ary times operator
U+02A0A		\bigoplus_0^1				<code>\modtwosum</code>	modulo two sum
U+02A0B		\int_0^1				<code>\sumint</code>	summation with integral
U+02A0C	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	<code>\iiiint</code>	quadruple integral operator
U+02A0D		\int_0^1	\int_0^1			<code>\intbar</code>	finite part integral
U+02A0E		\int_0^1				<code>\intBar</code>	integral with double stroke
U+02A0F		\int_0^1				<code>\fint</code>	integral average with slash
U+02A10		\oint_0^1				<code>\cirfnint</code>	circulation function
U+02A11	\int_0^1	\int_0^1	\int_0^1	\int_0^1	\int_0^1	<code>\awint</code>	anticlockwise integration
U+02A12		\int_0^1				<code>\rppointint</code>	line integration with rectangular path around pole
U+02A13		\int_0^1				<code>\scpointint</code>	line integration with semicircular path around pole
U+02A14		\int_0^1				<code>\npointint</code>	line integration not including the pole
U+02A15		\int_0^1				<code>\pointint</code>	integral around a point operator
U+02A16		\int_0^1				<code>\sqint</code>	quaternion integral operator
U+02A17		\int_0^1				<code>\intlarhk</code>	integral with leftwards arrow with hook
U+02A18		\int_0^1				<code>\intx</code>	integral with times sign

USV	L	S	E	P	D	Macro	Description
U+02A19						<code>\intcap</code>	integral with intersection
U+02A1A						<code>\intcup</code>	integral with union
U+02A1B						<code>\upint</code>	integral with overbar
U+02A1C						<code>\lowint</code>	integral with underbar
U+02A1D						<code>\Join</code>	join
U+02A1E						<code>\bigtriangleleft</code>	large left triangle operator
U+02A1F						<code>\zcmp</code>	z notation schema composition
U+02A20						<code>\zpipe</code>	z notation schema piping
U+02A21						<code>\zproject</code>	z notation schema projection
U+02AFC						<code>\biginterleave</code>	large triple vertical bar operator
U+02AFF						<code>\bigtalloblong</code>	n-ary white vertical bar
U+1EEF0						<code>\arabicmaj</code>	arabic mathematical operator meem with hah with tatweel
U+1EEF1						<code>\arabichad</code>	arabic mathematical operator hah with dal
























12 Binary relations, \mathbin

USV	L	S	E	P	D	Macro	Description
U+0002B	+	+	+	+	+	\mathplus	plus sign b:
U+000B1	±	±	±	±	±	\pm ^(p)	plus-or-minus sign
U+000B7	·	·	·	·	·	\cdotp ^(p)	/centerdot b: middle dot
U+000D7	×	×	×	×	×	\times ^(p)	multiply sign
U+000F7	÷	÷	÷	÷	÷	\div ^(p)	divide sign
U+02020	†	†	†	†	†	\dagger ^(p)	dagger relation
U+02021	‡	‡	‡	‡	‡	\ddagger ^(p)	double dagger relation
U+02022	●	●	●	●	●	\smbllkcircle	/bullet b: round bullet, filled
U+02040		⋈				\tieconcat	character tie, z notation sequence concatenation
U+02044	/	/	/	/	/	\fracslash	fraction slash
U+0214B		⌘	⌘			\upand	turned ampersand
U+02212	−	−	−	−	−	\minus	minus sign
U+02213	∓	∓	∓	∓	∓	\mp ^(p)	minus-or-plus sign
U+02214	⋇	⋇	⋇	⋇	⋇	\dotplus ^(a)	plus sign, dot above
U+02215	/	/	/	/	/	\divslash	division slash
U+02216	\	\	\	\	\	\smallsetminus ^(a)	small set minus (cf. reverse solidus)
U+02217	*	*	*	*	*	\ast ^(p)	centered asterisk
U+02218	○	○	○	○	○	\vysmwhtcircle	composite function (small circle)
U+02219	●	●	●	●	●	\vysmbllkcircle	bullet operator
U+02227	∧	∧	∧	∧	∧	\wedge ^(p)	/wedge /land b: logical and
U+02228	∨	∨	∨	∨	∨	\vee ^(p)	/vee /lor b: logical or
U+02229	∩	∩	∩	∩	∩	\cap ^(p)	intersection
U+0222A	∪	∪	∪	∪	∪	\cup ^(p)	union or logical sum



















USV	L	S	E	P	D	Macro	Description
U+02238						<code>\dotminus</code>	minus sign, dot above
U+0223E						<code>\invlazys</code>	most positive [inverted lazy s]
U+02240						<code>\wr^{(p)}</code>	wreath product
U+0228C						<code>\cupleftarrow</code>	multiset
U+0228D						<code>\cupdot</code>	union, with dot
U+0228E						<code>\uplus^{(p)}</code>	plus sign in union
U+02293						<code>\sqcap^{(p)}</code>	square intersection
U+02294						<code>\sqcup^{(p)}</code>	square union
U+02295						<code>\oplus^{(p)}</code>	plus sign in circle
U+02296						<code>\ominus^{(p)}</code>	minus sign in circle
U+02297						<code>\otimes^{(p)}</code>	multiply sign in circle
U+02298						<code>\oslash^{(p)}</code>	solidus in circle
U+02299						<code>\odot^{(p)}</code>	middle dot in circle
U+0229A						<code>\circledcirc^{(a)}</code>	small circle in circle
U+0229B						<code>\circledast^{(a)}</code>	asterisk in circle
U+0229C						<code>\circledequal</code>	equal in circle
U+0229D						<code>\circleddash^{(a)}</code>	hyphen in circle
U+0229E						<code>\boxplus^{(a)}</code>	plus sign in box
U+0229F						<code>\boxminus^{(a)}</code>	minus sign in box
U+022A0						<code>\boxtimes^{(a)}</code>	multiply sign in box
U+022A1						<code>\boxdot^{(a)}</code>	/dotsquare /boxdot b: small dot in box
U+022BA						<code>\intercal^{(a)}</code>	intercal
U+022BB						<code>\veebar^{(a)}</code>	logical or, bar below (large vee); exclusive disjunction
U+022BC						<code>\barwedge^{(a)}</code>	bar, wedge (large wedge)

USV	L	S	E	P	D	Macro	Description
U+022BD						<code>\barvee</code>	bar, vee (large vee)
U+022C4						<code>\smwhtdiamond</code>	white diamond
U+022C5						<code>\cdot</code> ^(p)	small middle dot
U+022C6						<code>\star</code> ^(p)	small star, filled, low
U+022C7						<code>\divideontimes</code> ^(a)	division on times
U+022C9						<code>\ltimes</code> ^(a)	times sign, left closed
U+022CA						<code>\rtimes</code> ^(a)	times sign, right closed
U+022CB						<code>\leftthreetimes</code> ^(a)	left semidirect product
U+022CC						<code>\rightthreetimes</code> ^(a)	right semidirect product
U+022CE						<code>\curlyvee</code> ^(a)	curly logical or
U+022CF						<code>\curlywedge</code> ^(a)	curly logical and
U+022D2						<code>\Cap</code> ^(a)	/cap /doublecap b: double intersection
U+022D3						<code>\Cup</code> ^(a)	/cup /doublecup b: double union
U+02305						<code>\varbarwedge</code>	/barwedge b: logical and, bar above [projective (bar over small wedge)]
U+02306						<code>\vardoublebarwedge</code>	/doublebarwedge b: logical and, double bar above [perspective (double bar over small wedge)]
U+0233D						<code>\obar</code>	circle with vertical bar
U+025B3						<code>\bigtriangleup</code> ^(p)	big up triangle, open
U+025B7						<code>\triangleright</code> ^(p)	(large) right triangle, open; z notation range restriction
U+025C1						<code>\triangleleft</code> ^(p)	(large) left triangle, open; z notation domain restriction
U+025CB						<code>\mdlgwhtcircle</code>	medium large circle
U+025EB						<code>\boxbar</code>	vertical bar in box
U+027C7						<code>\veedot</code>	or with dot inside
U+027D1						<code>\wedgedot</code>	and with dot
U+027E0						<code>\lozengeminus</code>	lozenge divided by horizontal rule

USV	L	S	E	P	D	Macro	Description
U+027E1	◊	◊		◊	◊	<code>\concavediamond</code>	white concave-sided diamond
U+027E2	◊	◊		◊	◊	<code>\concavediamondtickleft</code>	white concave-sided diamond with leftwards tick
U+027E3	◊	◊		◊	◊	<code>\concavediamondtickright</code>	white concave-sided diamond with rightwards tick
U+027E4		◻				<code>\whitesquaretickleft</code>	white square with leftwards tick
U+027E5		◻				<code>\whitesquaretickright</code>	white square with rightwards tick
U+029B5		⊖				<code>\circlehbar</code>	circle with horizontal bar
U+029B6		⓪				<code>\circledvert</code>	circled vertical bar
U+029B7		Ⓜ				<code>\circledparallel</code>	circled parallel
U+029B8		⊘				<code>\obslash</code>	circled reverse solidus
U+029B9		⊥				<code>\operp</code>	circled perpendicular
U+029C0		⊗				<code>\olessthan</code>	circled less-than
U+029C1		⊗				<code>\ogreaterthan</code>	circled greater-than
U+029C4		◻				<code>\boxdiag</code>	squared rising diagonal slash
U+029C5		◻				<code>\boxbslash</code>	squared falling diagonal slash
U+029C6		⊠				<code>\boxast</code>	squared asterisk
U+029C7		⊙				<code>\boxcircle</code>	squared small circle
U+029C8		⊠				<code>\boxbox</code>	squared square
U+029CD		△				<code>\triangleserifs</code>	triangle with serifs at bottom
U+029D6		⌚				<code>\hourglass</code>	white hourglass
U+029D7		⌚				<code>\blackhourglass</code>	black hourglass
U+029E2		⌞				<code>\shuffle</code>	shuffle product
U+029EB		◆				<code>\mdlgbklozenge</code>	black lozenge
U+029F5		\				<code>\setminus^(p)</code>	reverse solidus operator
U+029F6		7				<code>\dsol</code>	solidus with overbar

USV	L	S	E	P	D	Macro	Description
U+029F7						<code>\rsolbar</code>	reverse solidus with horizontal stroke
U+029FA						<code>\doubleplus</code>	double plus
U+029FB						<code>\tripleplus</code>	triple plus
U+029FE						<code>\tplus</code>	tiny
U+029FF						<code>\tminus</code>	miny
U+02A22						<code>\ringplus</code>	plus sign with small circle above
U+02A23						<code>\plushat</code>	plus sign with circumflex accent above
U+02A24						<code>\simplus</code>	plus sign with tilde above
U+02A25						<code>\plusdot</code>	plus sign with dot below
U+02A26						<code>\plussim</code>	plus sign with tilde below
U+02A27						<code>\plussubtwo</code>	plus sign with subscript two
U+02A28						<code>\plustrif</code>	plus sign with black triangle
U+02A29						<code>\commaminus</code>	minus sign with comma above
U+02A2A						<code>\minusdot</code>	minus sign with dot below
U+02A2B						<code>\minusfdots</code>	minus sign with falling dots
U+02A2C						<code>\minusrdots</code>	minus sign with rising dots
U+02A2D						<code>\opluslhrim</code>	plus sign in left half circle
U+02A2E						<code>\oplusrhrim</code>	plus sign in right half circle
U+02A2F	✖	✖	✖	✖	✖	<code>\vectimes</code>	vector or cross product
U+02A30						<code>\dottimes</code>	multiplication sign with dot above
U+02A31						<code>\timesbar</code>	multiplication sign with underbar
U+02A32						<code>\btimes</code>	semidirect product with bottom closed
U+02A33						<code>\smashtimes</code>	smash product
U+02A34						<code>\otimeslhrim</code>	multiplication sign in left half circle

USV	L	S	E	P	D	Macro	Description
U+02A35		⌘				<code>\otimesrhrim</code>	multiplication sign in right half circle
U+02A36		⊗̂				<code>\otimeshat</code>	circled multiplication sign with circumflex accent
U+02A37		⊗⊗				<code>\Otimes</code>	multiplication sign in double circle
U+02A38		⊕				<code>\odiv</code>	circled division sign
U+02A39		⊕△				<code>\triangleplus</code>	plus sign in triangle
U+02A3A		⊖△				<code>\triangleminus</code>	minus sign in triangle
U+02A3B		⊗△				<code>\triangletimes</code>	multiplication sign in triangle
U+02A3C		⌋				<code>\intprod</code>	interior product
U+02A3D		⌋				<code>\intprodr</code>	righthand interior product
U+02A3E		⋈				<code>\fcmp</code>	z notation relational composition
U+02A3F	⧻	⧻	⧻	⧻	⧻	<code>\amalg^(p)</code>	amalgamation or coproduct
U+02A40		⋈̇				<code>\capdot</code>	intersection with dot
U+02A41		⋈⁻				<code>\uminus</code>	union with minus sign
U+02A42		⋈̄				<code>\barcup</code>	union with overbar
U+02A43		⋈̄				<code>\barcap</code>	intersection with overbar
U+02A44		⋈⋈				<code>\capwedge</code>	intersection with logical and
U+02A45		⋈⋈				<code>\cupvee</code>	union with logical or
U+02A46		⋈ [∩]				<code>\cupovercap</code>	union above intersection
U+02A47		⋈ [∪]				<code>\capovercup</code>	intersection above union
U+02A48		⋈ [∩]				<code>\cupbarcap</code>	union above bar above intersection
U+02A49		⋈ [∪]				<code>\capbarcup</code>	intersection above bar above union
U+02A4A		⋈⋈				<code>\twocups</code>	union beside and joined with union
U+02A4B		⋈⋈				<code>\twocaps</code>	intersection beside and joined with intersection
U+02A4C		⋈				<code>\closedvarcup</code>	closed union with serifs

















































































USV	L	S	E	P	D	Macro	Description
U+02A4D						<code>\closedvarcap</code>	closed intersection with serifs
U+02A4E						<code>\Sqcap</code>	double square intersection
U+02A4F						<code>\Sqcup</code>	double square union
U+02A50						<code>\closedvarcupsmashprod</code>	closed union with serifs and smash product
U+02A51						<code>\wedgeodot</code>	logical and with dot above
U+02A52						<code>\veeodot</code>	logical or with dot above
U+02A53						<code>\Wedge</code>	double logical and
U+02A54						<code>\Vee</code>	double logical or
U+02A55						<code>\wedgonwedge</code>	two intersecting logical and
U+02A56						<code>\veeonvee</code>	two intersecting logical or
U+02A57						<code>\bigslopedvee</code>	sloping large or
U+02A58						<code>\bigslopedwedge</code>	sloping large and
U+02A5A						<code>\wedgemidvert</code>	logical and with middle stem
U+02A5B						<code>\veemidvert</code>	logical or with middle stem
U+02A5C						<code>\midbarwedge</code>	logical and with horizontal dash
U+02A5D						<code>\midbarvee</code>	logical or with horizontal dash
U+02A5E						<code>\doublebarwedge^(a)</code>	logical and with double overbar
U+02A5F						<code>\wedgebar</code>	logical and with underbar
U+02A60						<code>\wedgedoublebar</code>	logical and with double underbar
U+02A61						<code>\varveebar</code>	small vee with underbar
U+02A62						<code>\doublebarvee</code>	logical or with double overbar
U+02A63						<code>\veedoublebar</code>	logical or with double underbar
U+02A64						<code>\dsup</code>	z notation domain antirestriction
U+02A65						<code>\rsup</code>	z notation range antirestriction

USV	L	S	E	P	D	Macro	Description
U+02A71		≡				<code>\eqqplus</code>	equals sign above plus sign
U+02A72		±				<code>\pluseqq</code>	plus sign above equals sign
U+02AF4						<code>\interleave</code>	triple vertical bar binary relation
U+02AF5		≡				<code>\nhVvert</code>	triple vertical bar with horizontal stroke
U+02AF6		⋮				<code>\threedotcolon</code>	triple colon operator
U+02AFB		///				<code>\trslash</code>	triple solidus binary relation
U+02AFD		//				<code>\sslash</code>	double solidus operator
U+02AFE		⏏				<code>\talloblong</code>	white vertical bar

13 Ordinary symbols, \mathord



















USV	L	S	E	P	D	Macro	Description
U+00023	#	#	#	#	#	\mathoctothorpe	number sign
U+00024	\$	\$	\$	\$	\$	\mathdollar	dollar sign
U+00025	%	%	%	%	%	\mathpercent	percent sign
U+00026	&	&	&	&	&	\mathampersand	ampersand
U+0002E	\mathperiod	full stop, period
U+0002F	/	/	/	/	/	\mathslash	solidus
U+0003F	?	?	?	?	?	\mathquestion	question mark
U+00040	@	@	@	@	@	\mathatsign	commercial at
U+0005C	\	\	\	\	\	\backslash ^(p)	reverse solidus
U+000A3	£	£	£	£	£	\mathsterling	pound sign
U+000A5	¥	¥	¥	¥	¥	\mathyen	yen sign
U+000A7	§	§	§	§	§	\mathsection	section symbol
U+000AC	¬	¬	¬	¬	¬	\neg ^(p)	/neg /lnot not sign
U+000B6	¶	¶	¶	¶	¶	\mathparagraph	paragraph symbol
U+001B5		Z	Z			\Zbar	impedance (latin capital letter z with stroke)
U+003F6		ϵ	ϵ			\upbackepsilon	greek reversed lunate epsilon symbol
U+02015	—	—	—	—	—	\horizbar	horizontal bar
U+02017	=	=	=	=	=	\twolowline	double low line (spacing)
U+02025		..				\enleadertwodots	double baseline dot (en leader)
U+02026	\unicodeellipsis	ellipsis (horizontal)
U+02032	′	′	′	′	′	\prime ^(p)	prime or minute, not superscripted
U+02033	″	″		″	″	\dprime	double prime or second, not superscripted
U+02034	‴	‴		‴	‴	\trprime	triple prime (not superscripted)

usv	L	S	E	P	D	Macro	Description
U+02035	ʼ	ʻ	ʽ	ʼ	ʼ	\backprime ^(a)	reverse prime, not superscripted
U+02036	ʽ	ʽ		ʽ	ʽ	\backdprime	double reverse prime, not superscripted
U+02037	ʽ	ʽ		ʽ	ʽ	\backtrprime	triple reverse prime, not superscripted
U+02038		^				\caretinsert	caret (insertion mark)
U+0203C		!!				\Exclam	double exclamation mark
U+02043		▪				\hyphenbullet	rectangle, filled (hyphen bullet)
U+02047		??				\Question	double question mark
U+02057	ʼʼʼ	ʼʼʼ		ʼʼʼ	ʼʼʼ	\qprime	quadruple prime, not superscripted
U+020AC	€	€	€	€	€	\euro	euro sign
U+020DD	◯	◯		◯	◯	\enclosecircle	combining enclosing circle
U+020DE	◻	◻		◻	◻	\enclosesquare	combining enclosing square
U+020DF	◊	◊		◊	◊	\enclosediamond	combining enclosing diamond
U+020E4	△	△		△	△	\enclosetriangle	combining enclosing upward pointing triangle
U+02107	ℰ	ℰ	ℰ	ℰ	ℰ	\Eulerconst	euler constant
U+0210E	ℏ	ℏ	ℏ	ℏ	ℏ	\Planckconst	planck constant
U+02127	℧	℧	℧	℧	℧	\mho	conductance
U+02132		ƒ	ƒ			\Finv ^(a)	turned capital f
U+0213C	ⅈ	ⅈ	ⅈ	ⅈ	ⅈ	\Bbbpi	double-struck small pi
U+02141		ɢ	ɢ			\Game ^(a)	turned sans-serif capital g
U+02142		ɀ				\sansLturned	turned sans-serif capital l
U+02143		Ɂ				\sansLmirrored	reversed sans-serif capital l
U+02144		ɂ				\Yup	turned sans-serif capital y
U+02145	ℳ	ℳ	ℳ	ℳ	ℳ	\mitBbbD	double-struck italic capital d
U+02146	ℴ	ℴ	ℴ	ℴ	ℴ	\mitBbbd	double-struck italic small d






USV	L	S	E	P	D	Macro	Description
U+02147						<code>\mitBbbe</code>	double-struck italic small e
U+02148						<code>\mitBbbi</code>	double-struck italic small i
U+02149						<code>\mitBbbj</code>	double-struck italic small j
U+0214A						<code>\PropertyLine</code>	property line
U+021A8						<code>\updownarrowbar</code>	up down arrow with base (perpendicular)
U+021B4						<code>\linefeed</code>	rightwards arrow with corner downwards
U+021B5						<code>\carriagereturn</code>	downwards arrow with corner leftward = carriage return
U+021B8						<code>\barovernorthwestarrow</code>	north west arrow to long bar
U+021B9						<code>\barleftarrowrightarrowbar</code>	leftwards arrow to bar over rightwards arrow to bar
U+021BA						<code>\acwopencirclearrow</code>	anticlockwise open circle arrow
U+021BB						<code>\cwopencirclearrow</code>	clockwise open circle arrow
U+021DE						<code>\nHuparrow</code>	upwards arrow with double stroke
U+021DF						<code>\nHdownarrow</code>	downwards arrow with double stroke
U+021E0						<code>\leftdasharrow</code>	leftwards dashed arrow
U+021E1						<code>\updasharrow</code>	upwards dashed arrow
U+021E2						<code>\righdasharrow</code>	rightwards dashed arrow
U+021E3						<code>\downdasharrow</code>	downwards dashed arrow
U+021E6						<code>\leftwhitearrow</code>	leftwards white arrow
U+021E7						<code>\upwhitearrow</code>	upwards white arrow
U+021E8						<code>\rightwhitearrow</code>	rightwards white arrow
U+021E9						<code>\downwhitearrow</code>	downwards white arrow
U+021EA						<code>\whitearrowupfrombar</code>	upwards white arrow from bar
U+02200						<code>\forall^{(p)}</code>	for all
U+02201						<code>\complement^{(a)}</code>	complement sign

USV	L	S	E	P	D	Macro	Description
U+02203	∃	∃	∃	∃	∃	<code>\exists^(p)</code>	at least one exists
U+02204	∄	∄	∄	∄	∄	<code>\nexists^(a)</code>	negated exists
U+02205	∅	∅	∅	∅	∅	<code>\varnothing^(a)</code>	circle, slash
U+02206	Δ	Δ	Δ	Δ	Δ	<code>\increment</code>	laplacian (delta; nabla^2)
U+0220E	■	■	■	■	■	<code>\QED</code>	end of proof
U+0221A	√	√	√	√	√	<code>\surd^(p)</code>	radical
U+0221E	∞	∞	∞	∞	∞	<code>\infty^(p)</code>	infinity
U+0221F	⊥	⊥	⊥	⊥	⊥	<code>\rightangle</code>	right (90 degree) angle
U+02220	∠	∠	∠	∠	∠	<code>\angle^(p)</code>	angle
U+02221	∡	∡	∡	∡	∡	<code>\measuredangle^(a)</code>	angle-measured
U+02222	∢	∢	∢	∢	∢	<code>\sphericalangle^(a)</code>	angle-spherical
U+02234	∴	∴	∴	∴	∴	<code>\therefore^(a)</code>	therefore
U+02235	∵	∵	∵	∵	∵	<code>\because^(a)</code>	because
U+0223F	∿	∿	∿	∿	∿	<code>\sinewave</code>	sine wave
U+022A4	⤴	⤴	⤴	⤴	⤴	<code>\top^(p)</code>	top
U+022A5	⤵	⤵	⤵	⤵	⤵	<code>\bot^(p)</code>	bottom
U+022B9	⋈	⋈	⋈	⋈	⋈	<code>\hermitmatrix</code>	hermitian conjugate matrix
U+022BE	⊳	⊳	⊳	⊳	⊳	<code>\measuredrightangle</code>	right angle-measured [with arc]
U+022BF	⊲	⊲	⊲	⊲	⊲	<code>\varlrightangle</code>	right triangle
U+022EF	⋯	⋯	⋯	⋯	⋯	<code>\unicodcdots</code>	three dots, centered
U+02300	⌀	⌀	⌀	⌀	⌀	<code>\diameter</code>	diameter sign
U+02302		🏠				<code>\house</code>	house
U+02310	⌞	⌞	⌞	⌞	⌞	<code>\invnot</code>	reverse not
U+02311		◻				<code>\sqlozenge</code>	square lozenge

usv	L	S	E	P	D	Macro	Description
U+02312						<code>\proflin</code>	profile of a line
U+02313						<code>\profsurf</code>	profile of a surface
U+02317						<code>\viewdata</code>	viewdata square
U+02319						<code>\turnednot</code>	turned not sign
U+02320						<code>\inttop</code>	top half integral
U+02321						<code>\intbottom</code>	bottom half integral
U+0232C						<code>\varhexagonlrbonds</code>	six carbon ring, corner down, double bonds lower right etc
U+02332						<code>\conictaper</code>	conical taper
U+02336						<code>\topbot</code>	top and bottom
U+02340						<code>\APLnotbackslash</code>	apl functional symbol backslash bar
U+02353						<code>\APLboxupcaret</code>	boxed up caret
U+02370						<code>\APLboxquestion</code>	boxed question mark
U+0237C						<code>\rangledownzigzagarrow</code>	right angle with downwards zigzag arrow
U+02394						<code>\hexagon</code>	horizontal benzene ring [hexagon flat open]
U+0239B						<code>\lparenuend</code>	left parenthesis upper hook
U+0239C						<code>\lparenextender</code>	left parenthesis extension
U+0239D						<code>\lparenlend</code>	left parenthesis lower hook
U+0239E						<code>\rparenuend</code>	right parenthesis upper hook
U+0239F						<code>\rparenextender</code>	right parenthesis extension
U+023A0						<code>\rparenlend</code>	right parenthesis lower hook
U+023A1						<code>\lbrackuend</code>	left square bracket upper corner
U+023A2						<code>\lbrackextender</code>	left square bracket extension

USV	L	S	E	P	D	Macro	Description
U+023A3						<code>\lbracklend</code>	left square bracket lower corner
U+023A4						<code>\rbrackuend</code>	right square bracket upper corner
U+023A5						<code>\rbrackextender</code>	right square bracket extension
U+023A6						<code>\rbracklend</code>	right square bracket lower corner
U+023A7						<code>\lbraceuend</code>	left curly bracket upper hook
U+023A8						<code>\lbracemid</code>	left curly bracket middle piece
U+023A9						<code>\lbracelend</code>	left curly bracket lower hook
U+023AA						<code>\vbraceextender</code>	curly bracket extension
U+023AB						<code>\rbraceuend</code>	right curly bracket upper hook
U+023AC						<code>\rbracemid</code>	right curly bracket middle piece
U+023AD						<code>\rbracelend</code>	right curly bracket lower hook
U+023AE						<code>\intextender</code>	integral extension
U+023AF						<code>\harrowextender</code>	horizontal line extension (used to extend arrows)
U+023B2						<code>\sumtop</code>	summation top
U+023B3						<code>\sumbottom</code>	summation bottom
U+023B6						<code>\bbrktbrk</code>	bottom square bracket over top square bracket
U+023B7						<code>\sqrtbottom</code>	radical symbol bottom
U+023B8						<code>\lvboxline</code>	left vertical box line
U+023B9						<code>\rvboxline</code>	right vertical box line
U+023CE						<code>\varcarriagereturn</code>	return symbol
U+023E0						<code>\obrbrak</code>	top tortoise shell bracket (mathematical use)

USV	L	S	E	P	D	Macro	Description
U+023E1						\ubrbrak	bottom tortoise shell bracket (mathematical use)
U+023E2						\trapezium	white trapezium
U+023E3						\benzenr	benzene ring with circle
U+023E4						\strns	straightness
U+023E5						\fltns	flatness
U+023E6						\accurrent	ac current
U+023E7						\elinters	electrical intersection
U+02422						\blanksymbol	blank symbol
U+02423						\mathvisiblespace	open box
U+02506						\bdtriplevdash	doubly broken vert
U+02580						\blockuphalf	upper half block
U+02584						\blocklowhalf	lower half block
U+02588						\blockfull	full block
U+0258C						\blocklefthalf	left half block
U+02590						\blockrighthalf	right half block
U+02591						\blockqtrshaded	25% shaded block
U+02592						\blockhalfshaded	50% shaded block
U+02593						\blockthreeqtrshaded	75% shaded block
U+025A0						\mdlgblksquare	square, filled
U+025A1						\mdlgwhtsquare	square, open
U+025A2						\squoval	white square with rounded corners
U+025A3						\blackinwhitesquare	white square containing black small square
U+025A4						\squarehfill	square, horizontal rule filled
U+025A5						\squarevfill	square, vertical rule filled

USV	L	S	E	P	D	Macro	Description
U+025A6						<code>\squarehvfill</code>	square with orthogonal crosshatch fill
U+025A7						<code>\squarenwsefill</code>	square, nw-to-se rule filled
U+025A8						<code>\squareneswfill</code>	square, ne-to-sw rule filled
U+025A9						<code>\squarecrossfill</code>	square with diagonal crosshatch fill
U+025AA						<code>\smbksquare</code>	/blacksquare - sq bullet, filled
U+025AB						<code>\smwhtsquare</code>	white small square
U+025AC						<code>\hrectangleblack</code>	black rectangle
U+025AD						<code>\hrectangle</code>	horizontal rectangle, open
U+025AE						<code>\vrectangleblack</code>	black vertical rectangle
U+025AF						<code>\vrectangle</code>	rectangle, white (vertical)
U+025B0						<code>\parallelogramblack</code>	black parallelogram
U+025B1						<code>\parallelogram</code>	parallelogram, open
U+025B2						<code>\bigblacktriangleup</code>	black up-pointing triangle
U+025B4						<code>\blacktriangle^(a)</code>	up triangle, filled
U+025B6						<code>\blacktriangleright^(a)</code>	(large) right triangle, filled
U+025B8						<code>\smallblacktriangleright</code>	right triangle, filled
U+025B9						<code>\smalltriangleright</code>	right triangle, open
U+025BA						<code>\blackpointerright</code>	black right-pointing pointer
U+025BB						<code>\whitepointerright</code>	white right-pointing pointer
U+025BC						<code>\bigblacktriangledown</code>	big down triangle, filled
U+025BD						<code>\bigtriangledown^(p)</code>	big down triangle, open
U+025BE						<code>\blacktriangledown^(a)</code>	down triangle, filled
U+025BF						<code>\triangledown^(a)</code>	down triangle, open
U+025C0						<code>\blacktriangleleft^(a)</code>	(large) left triangle, filled

USV	L	S	E	P	D	Macro	Description
U+025C2		◀	◄			\smallblacktriangleleft	left triangle, filled
U+025C3		◁	◅			\smalltriangleleft	left triangle, open
U+025C4		◀			◀	\blackpointerleft	black left-pointing pointer
U+025C5		◁				\whitepointerleft	white left-pointing pointer
U+025C6		◆				\mdlgbldiamond	black diamond
U+025C7		◇	◈			\mdlghwtdiamond	white diamond; diamond, open
U+025C8		◈				\blackinwhitediamond	white diamond containing black small diamond
U+025C9		◎				\fisheye	fisheye
U+025CA	◈	◇		◈	◈	\mdlghwtlozenge	lozenge or total mark
U+025CC		⊙				\dottedcircle	dotted circle
U+025CD		⦶				\circlevertfill	circle with vertical fill
U+025CE		◎				\bullseye	bullseye
U+025CF	●	●	●	●	●	\mdlgbldcircle	circle, filled
U+025D0		◐				\circlelefthalfblack	circle, filled left half [harvey ball]
U+025D1		◑				\cyclerighthalfblack	circle, filled right half
U+025D2		◒				\circlebottomhalfblack	circle, filled bottom half
U+025D3		◓				\circletophalfblack	circle, filled top half
U+025D4		◔				\circleurquadblack	circle with upper right quadrant black
U+025D5		◕				\blackcircleulquadwhite	circle with all but upper left quadrant black
U+025D6		◖				\blacklefthalfcircle	left half black circle
U+025D7		◗				\blackrighthalfcircle	right half black circle
U+025D8		◑				\inversebullet	inverse bullet
U+025D9		◯				\inversewhitecircle	inverse white circle
U+025DA		◐				\invwhiteupperhalfcircle	upper half inverse white circle

USV	L	S	E	P	D	Macro	Description
U+025DB						<code>\invwhitelowhalfcircle</code>	lower half inverse white circle
U+025DC						<code>\ularc</code>	upper left quadrant circular arc
U+025DD						<code>\urarc</code>	upper right quadrant circular arc
U+025DE						<code>\lrarc</code>	lower right quadrant circular arc
U+025DF						<code>\llarc</code>	lower left quadrant circular arc
U+025E0						<code>\topsemicircle</code>	upper half circle
U+025E1						<code>\botsemicircle</code>	lower half circle
U+025E2						<code>\lrblacktriangle</code>	lower right triangle, filled
U+025E3						<code>\llblacktriangle</code>	lower left triangle, filled
U+025E4						<code>\ulblacktriangle</code>	upper left triangle, filled
U+025E5						<code>\urblacktriangle</code>	upper right triangle, filled
U+025E6						<code>\smwhtcircle</code>	white bullet
U+025E7						<code>\squareleftblack</code>	square, filled left half
U+025E8						<code>\squarerightblack</code>	square, filled right half
U+025E9						<code>\squareulblack</code>	square, filled top left corner
U+025EA						<code>\squarelrblack</code>	square, filled bottom right corner
U+025EC						<code>\trianglecdot</code>	triangle with centered dot
U+025ED						<code>\triangleleftblack</code>	up-pointing triangle with left half black
U+025EE						<code>\trianglerightblack</code>	up-pointing triangle with right half black
U+025EF						<code>\lgwhtcircle</code>	large circle
U+025F0						<code>\squareulquad</code>	white square with upper left quadrant
U+025F1						<code>\squarellquad</code>	white square with lower left quadrant
U+025F2						<code>\squarelrquad</code>	white square with lower right quadrant
U+025F3						<code>\squareurquad</code>	white square with upper right quadrant




























USV	L	S	E	P	D	Macro	Description
U+025F4		☰				\circleulquad	white circle with upper left quadrant
U+025F5		☷				\circlellquad	white circle with lower left quadrant
U+025F6		☱				\circlelrquad	white circle with lower right quadrant
U+025F7		☲				\circleurquad	white circle with upper right quadrant
U+025F8		☶				\ultriangle	upper left triangle
U+025F9		☴				\urtriangle	upper right triangle
U+025FA		☵				\lltriangle	lower left triangle
U+025FB		◻	◻			\mdwhtsquare	white medium square
U+025FC		◼	◼			\mdblsquare	black medium square
U+025FD		◻				\mdsmwhtsquare	white medium small square
U+025FE		◼				\mdsmbksquare	black medium small square
U+025FF		☶				\lrtriangle	lower right triangle
U+02605		★	★			\bigstar ^(a)	star, filled
U+02606		☆				\bigwhitestar	star, open
U+02609		☼				\astrosun	sun
U+02621		⚠				\danger	dangerous bend (caution sign)
U+0263B		☺				\blacksmiley	black smiling face
U+0263C		☀				\sun	white sun with rays
U+0263D		☾				\rightmoon	first quarter moon
U+0263E		☾				\leftmoon	last quarter moon
U+02640		♀				\female	venus, female
U+02642		♂				\male	mars, male
U+02660	♠	♠	♠	♠	♠	\spadesuit ^(p)	spades suit symbol
U+02661	♥	♥	♥	♥	♥	\heartsuit ^(p)	heart suit symbol

USV	L	S	E	P	D	Macro	Description
U+02662	◇	◇	◇	◇	◇	<code>\diamondsuit^(p)</code>	diamond suit symbol
U+02663	♣	♣	♣	♣	♣	<code>\clubsuit^(p)</code>	club suit symbol
U+02664	♠	♠	♠	♠	♠	<code>\spadesuit</code>	spade, white (card suit)
U+02665	♥	♥	♥	♥	♥	<code>\heartsuit</code>	filled heart (card suit)
U+02666	◆	◆	◆	◆	◆	<code>\vardiamondsuit</code>	filled diamond (card suit)
U+02667	♣	♣	♣	♣	♣	<code>\varclubsuit</code>	club, white (card suit)
U+02669		♪				<code>\quarternote</code>	music note (sung text sign)
U+0266A	♪	♪		♪	♪	<code>\eighthnote</code>	eighth note
U+0266B		♪				<code>\twonotes</code>	beamed eighth notes
U+0266D	♭	♭	♭	♭	♭	<code>\flat^(p)</code>	musical flat
U+0266E	♮	♮	♮	♮	♮	<code>\natural^(p)</code>	music natural
U+0266F	♯	♯	♯	♯	♯	<code>\sharp^(p)</code>	musical sharp
U+0267E		♾				<code>\acidfree</code>	permanent paper sign
U+02680		⚀				<code>\dicei</code>	die face-1
U+02681		⚁				<code>\diceii</code>	die face-2
U+02682		⚂				<code>\diceiii</code>	die face-3
U+02683		⚃				<code>\diceiv</code>	die face-4
U+02684		⚄				<code>\dicev</code>	die face-5
U+02685		⚅				<code>\dicevi</code>	die face-6
U+02686		◉				<code>\circledrightdot</code>	white circle with dot right
U+02687		◐				<code>\circledtwodots</code>	white circle with two dots
U+02688		◑				<code>\blackcircledrightdot</code>	black circle with white dot right
U+02689		◒				<code>\blackcircledtwodots</code>	black circle with two white dots
U+026A5		♂				<code>\Hermaphrodite</code>	male and female sign

USV	L	S	E	P	D	Macro	Description
U+026AA		○	○			\mdwhtcircle	medium white circle
U+026AB		●	●			\mdblkcircle	medium black circle
U+026AC		◦	◦			\mdsmwhtcircle	medium small white circle
U+026B2		♀				\neuter	neuter
U+02713	✓	✓	✓	✓	✓	\checkmark	tick, check mark
U+02720	✝	✝	✝	✝	✝	\maltese	maltese cross
U+0272A		☆				\circledstar	circled white star
U+02736		★				\varstar	six pointed black star
U+0273D		✱				\dingasterisk	heavy teardrop-spoked asterisk
U+0279B		➔				\draftingarrow	right arrow with bold head (drafting)
U+027C0		⤵				\threeangle	three dimensional angle
U+027C1		⬠				\whiteinwhitetriangle	white triangle containing small white triangle
U+027C3		⊆				\subsetcirc	open subset
U+027C4		⊇				\supsetcirc	open superset
U+027D0		◊				\diamondcdot	white diamond with centred dot
U+0292B		↗				\rdiagovfdiag	rising diagonal crossing falling diagonal
U+0292C		↘				\fdiagovrdiag	falling diagonal crossing rising diagonal
U+0292D		↗↘				\seovnearrow	south east arrow crossing north east arrow
U+0292E		↘↗				\neovsearrow	north east arrow crossing south east arrow
U+0292F		↘↗				\fdiagovnearrow	falling diagonal crossing north east arrow
U+02930		↗↘				\rdiagovsearrow	rising diagonal crossing south east arrow
U+02931		↗↖				\neovnwarrow	north east arrow crossing north west arrow
U+02932		↖↗				\nwovnearrow	north west arrow crossing north east arrow
U+02934		↗	↗			\uprightcurvearrow	arrow pointing rightwards then curving upwards

USV	L	S	E	P	D	Macro	Description
U+02935						<code>\downrightcurvedarrow</code>	arrow pointing rightwards then curving downwards
U+02981						<code>\mdsmbkcircle</code>	z notation spot
U+02999						<code>\fourvdots</code>	dotted fence
U+0299A						<code>\vzigzag</code>	vertical zigzag line
U+0299B						<code>\measuredangleleft</code>	measured angle opening left
U+0299C						<code>\rightanglesqr</code>	right angle variant with square
U+0299D						<code>\rightanglemdot</code>	measured right angle with dot
U+0299E						<code>\angles</code>	angle with s inside
U+0299F						<code>\angdnr</code>	acute angle
U+029A0						<code>\gtlpar</code>	spherical angle opening left
U+029A1						<code>\sphericalangleup</code>	spherical angle opening up
U+029A2						<code>\turnangle</code>	turned angle
U+029A3						<code>\revangle</code>	reversed angle
U+029A4						<code>\angleubar</code>	angle with underbar
U+029A5						<code>\revangleubar</code>	reversed angle with underbar
U+029A6						<code>\wideangledown</code>	oblique angle opening up
U+029A7						<code>\wideangleup</code>	oblique angle opening down
U+029A8						<code>\measanglerutone</code>	measured angle with open arm ending in arrow pointing up and right
U+029A9						<code>\measanglelutonw</code>	measured angle with open arm ending in arrow pointing up and left
U+029AA						<code>\measanglerdtose</code>	measured angle with open arm ending in arrow pointing down and right
U+029AB						<code>\measangleldtosw</code>	measured angle with open arm ending in arrow pointing down and left
U+029AC						<code>\measangleurtone</code>	measured angle with open arm ending in arrow pointing right and up

USV	L	S	E	P	D	Macro	Description
U+029AD						<code>\measangleultonw</code>	measured angle with open arm ending in arrow pointing left and up
U+029AE						<code>\measangledrtose</code>	measured angle with open arm ending in arrow pointing right and down
U+029AF						<code>\measangledltosw</code>	measured angle with open arm ending in arrow pointing left and down
U+029B0						<code>\reemptyset</code>	reversed empty set
U+029B1						<code>\emptysetto\bar</code>	empty set with overbar
U+029B2						<code>\emptysetto\circ</code>	empty set with small circle above
U+029B3						<code>\emptysetto\rightarrow</code>	empty set with right arrow above
U+029B4						<code>\emptysetto\leftarrow</code>	empty set with left arrow above
U+029BA						<code>\obot</code>	circle divided by horizontal bar and top half divided by vertical bar
U+029BB						<code>\olcross</code>	circle with superimposed x
U+029BC						<code>\odot\slashdot</code>	circled anticlockwise-rotated division sign
U+029BD						<code>\uparrow\w\circ</code>	up arrow through circle
U+029BE						<code>\circledwhitebullet</code>	circled white bullet
U+029BF						<code>\circledbullet</code>	circled bullet
U+029C2						<code>\cirscir</code>	circle with small circle to the right
U+029C3						<code>\cirE</code>	circle with two horizontal strokes to the right
U+029C9						<code>\boxonbox</code>	two joined squares
U+029CA						<code>\triangle\odot</code>	triangle with dot above
U+029CB						<code>\triangle\ubar</code>	triangle with underbar
U+029CC						<code>\triangles</code>	s in triangle
U+029DC						<code>\iinfin</code>	incomplete infinity
U+029DD						<code>\tieinfty</code>	tie over infinity
U+029DE						<code>\nvinfty</code>	infinity negated with vertical bar

USV	L	S	E	P	D	Macro	Description
U+029E0						<code>\laplac</code>	square with contoured outline
U+029E7						<code>\thermod</code>	thermodynamic
U+029E8						<code>\downtriangleleftblack</code>	down-pointing triangle with left half black
U+029E9						<code>\downtrianglerightblack</code>	down-pointing triangle with right half black
U+029EA						<code>\blackdiamonddownarrow</code>	black diamond with down arrow
U+029EC						<code>\circledownarrow</code>	white circle with down arrow
U+029ED						<code>\blackcircledownarrow</code>	black circle with down arrow
U+029EE						<code>\errbarsquare</code>	error-barred white square
U+029EF						<code>\errbarblacksquare</code>	error-barred black square
U+029F0						<code>\errbardiamond</code>	error-barred white diamond
U+029F1						<code>\errbarblackdiamond</code>	error-barred black diamond
U+029F2						<code>\errbarcircle</code>	error-barred white circle
U+029F3						<code>\errbarblackcircle</code>	error-barred black circle
U+02AE1						<code>\perps</code>	perpendicular with s
U+02AF1						<code>\topcir</code>	down tack with circle below
U+02B12						<code>\squaretopblack</code>	square with top half black
U+02B13						<code>\squarebotblack</code>	square with bottom half black
U+02B14						<code>\squareurblack</code>	square with upper right diagonal half black
U+02B15						<code>\squarellblack</code>	square with lower left diagonal half black
U+02B16						<code>\diamondleftblack</code>	diamond with left half black
U+02B17						<code>\diamondrightblack</code>	diamond with right half black
U+02B18						<code>\diamondtopblack</code>	diamond with top half black
U+02B19						<code>\diamondbotblack</code>	diamond with bottom half black
U+02B1A						<code>\dottedsquare</code>	dotted square

USV	L	S	E	P	D	Macro	Description
U+02B1B		■				\lgblksquare	black large square
U+02B1C		□				\lgwhtsquare	white large square
U+02B1D		▪	▪			\vysmblksquare	black very small square
U+02B1E		◻	◻			\vysmwhtsquare	white very small square
U+02B1F		⬠				\pentagonblack	black pentagon
U+02B20		⬡				\pentagon	white pentagon
U+02B21		⬢				\varhexagon	white hexagon
U+02B22		⬤				\varhexagonblack	black hexagon
U+02B23		⬡				\hexagonblack	horizontal black hexagon
U+02B24		●	●			\lgblkcicle	black large circle
U+02B25		◆				\mdblkdiamond	black medium diamond
U+02B26		◇				\mdwhtdiamond	white medium diamond
U+02B27		◆				\mdblklozenge	black medium lozenge
U+02B28		◇				\mdwhtlozenge	white medium lozenge
U+02B29		◆				\smbldiamond	black small diamond
U+02B2A		◆				\smbldlozenge	black small lozenge
U+02B2B		◇				\smwhtlozenge	white small lozenge
U+02B2C		●				\blkhorzoval	black horizontal ellipse
U+02B2D		○				\whthorzoval	white horizontal ellipse
U+02B2E		●				\blkvertoval	black vertical ellipse
U+02B2F		○				\whtvertoval	white vertical ellipse
U+02B50		☆				\medwhitestar	white medium star
U+02B51		★				\medblackstar	black medium star
U+02B52		☆				\smwhitestar	white small star

USV	L	S	E	P	D	Macro	Description
U+02B53		➡				\rightpentagonblack	black right-pointing pentagon
U+02B54		⬡				\rightpentagon	white right-pointing pentagon
U+03012		〒				\postalmark	postal mark
U+03030		ㄥ				\hzigzag	zigzag
U+1D7CE	0	0	0	0	0	\mbfzero	mathematical bold digit 0
U+1D7CF	1	1	1	1	1	\mbfone	mathematical bold digit 1
U+1D7D0	2	2	2	2	2	\mbftwo	mathematical bold digit 2
U+1D7D1	3	3	3	3	3	\mbfthree	mathematical bold digit 3
U+1D7D2	4	4	4	4	4	\mbffour	mathematical bold digit 4
U+1D7D3	5	5	5	5	5	\mbffive	mathematical bold digit 5
U+1D7D4	6	6	6	6	6	\mbfsix	mathematical bold digit 6
U+1D7D5	7	7	7	7	7	\mbfseven	mathematical bold digit 7
U+1D7D6	8	8	8	8	8	\mbfeight	mathematical bold digit 8
U+1D7D7	9	9	9	9	9	\mbfnine	mathematical bold digit 9
U+1D7D8	0	0	0	0	0	\Bbbzero	mathematical double-struck digit 0
U+1D7D9	1	1	1	1	1	\Bbbone	mathematical double-struck digit 1
U+1D7DA	2	2	2	2	2	\Bbbtwo	mathematical double-struck digit 2
U+1D7DB	3	3	3	3	3	\Bbbthree	mathematical double-struck digit 3
U+1D7DC	4	4	4	4	4	\Bbbfour	mathematical double-struck digit 4
U+1D7DD	5	5	5	5	5	\Bbbfive	mathematical double-struck digit 5
U+1D7DE	6	6	6	6	6	\Bbbsix	mathematical double-struck digit 6
U+1D7DF	7	7	7	7	7	\Bbbseven	mathematical double-struck digit 7
U+1D7E0	8	8	8	8	8	\Bbbeight	mathematical double-struck digit 8
U+1D7E1	9	9	9	9	9	\Bbbnine	mathematical double-struck digit 9

USV	L	S	E	P	D	Macro	Description
U+1D7E2	0	0	0	0	0	\msanszero	mathematical sans-serif digit 0
U+1D7E3	1	1	1	1	1	\msansone	mathematical sans-serif digit 1
U+1D7E4	2	2	2	2	2	\msanstwo	mathematical sans-serif digit 2
U+1D7E5	3	3	3	3	3	\msanstthree	mathematical sans-serif digit 3
U+1D7E6	4	4	4	4	4	\msansfour	mathematical sans-serif digit 4
U+1D7E7	5	5	5	5	5	\msansfive	mathematical sans-serif digit 5
U+1D7E8	6	6	6	6	6	\msanssix	mathematical sans-serif digit 6
U+1D7E9	7	7	7	7	7	\msansseven	mathematical sans-serif digit 7
U+1D7EA	8	8	8	8	8	\msanseight	mathematical sans-serif digit 8
U+1D7EB	9	9	9	9	9	\msansnine	mathematical sans-serif digit 9
U+1D7EC	0	0	0	0	0	\mbfsanszero	mathematical sans-serif bold digit 0
U+1D7ED	1	1	1	1	1	\mbfsansone	mathematical sans-serif bold digit 1
U+1D7EE	2	2	2	2	2	\mbfsanstwo	mathematical sans-serif bold digit 2
U+1D7EF	3	3	3	3	3	\mbfsanstthree	mathematical sans-serif bold digit 3
U+1D7F0	4	4	4	4	4	\mbfsansfour	mathematical sans-serif bold digit 4
U+1D7F1	5	5	5	5	5	\mbfsansfive	mathematical sans-serif bold digit 5
U+1D7F2	6	6	6	6	6	\mbfsanssix	mathematical sans-serif bold digit 6
U+1D7F3	7	7	7	7	7	\mbfsansseven	mathematical sans-serif bold digit 7
U+1D7F4	8	8	8	8	8	\mbfsanseight	mathematical sans-serif bold digit 8
U+1D7F5	9	9	9	9	9	\mbfsansnine	mathematical sans-serif bold digit 9
U+1D7F6	0	0	0	0	0	\mttzero	mathematical monospace digit 0
U+1D7F7	1	1	1	1	1	\mttone	mathematical monospace digit 1
U+1D7F8	2	2	2	2	2	\mtttwo	mathematical monospace digit 2
U+1D7F9	3	3	3	3	3	\mttthree	mathematical monospace digit 3

USV	L	S	E	P	D	Macro	Description
U+1D7FA	4	4	4	4	4	\mttfour	mathematical monospace digit 4
U+1D7FB	5	5	5	5	5	\mttfive	mathematical monospace digit 5
U+1D7FC	6	6	6	6	6	\mttsix	mathematical monospace digit 6
U+1D7FD	7	7	7	7	7	\mttseven	mathematical monospace digit 7
U+1D7FE	8	8	8	8	8	\mtteight	mathematical monospace digit 8
U+1D7FF	9	9	9	9	9	\mttnine	mathematical monospace digit 9

14 Relation symbols, `\mathrel`

USV	L	S	E	P	D	Macro	Description
U+0003C	<	<	<	<	<	<code>\less</code>	less-than sign r:
U+0003D	=	=	=	=	=	<code>\equal</code>	equals sign r:
U+0003E	>	>	>	>	>	<code>\greater</code>	greater-than sign r:
U+02050		⊂				<code>\closure</code>	close up
U+02190	←	←	←	←	←	<code>\leftarrow^(p)</code>	/leftarrow /gets a: leftward arrow
U+02191	↑	↑	↑	↑	↑	<code>\uparrow^(p)</code>	upward arrow
U+02192	→	→	→	→	→	<code>\rightarrow^(p)</code>	/rightarrow /to a: rightward arrow
U+02193	↓	↓	↓	↓	↓	<code>\downarrow^(p)</code>	downward arrow
U+02194	↔	↔	↔	↔	↔	<code>\leftrightarrow^(p)</code>	left and right arrow
U+02195	↕	↕	↕	↕	↕	<code>\updownarrow^(p)</code>	up and down arrow
U+02196	↖	↖	↖	↖	↖	<code>\nwarrow^(p)</code>	nw pointing arrow
U+02197	↗	↗	↗	↗	↗	<code>\nearrow^(p)</code>	ne pointing arrow
U+02198	↘	↘	↘	↘	↘	<code>\searrow^(p)</code>	se pointing arrow
U+02199	↙	↙	↙	↙	↙	<code>\swarrow^(p)</code>	sw pointing arrow
U+0219A	↮	↮	↮	↮	↮	<code>\nleftarrow^(a)</code>	not left arrow
U+0219B	↗̸	↗̸	↗̸	↗̸	↗̸	<code>\nrightarrow^(a)</code>	not right arrow
U+0219C		↻				<code>\leftwvearrow</code>	left arrow-wavy
U+0219D		↻				<code>\rightwvearrow</code>	right arrow-wavy
U+0219E	↔↔	↔↔	↔↔	↔↔	↔↔	<code>\twoheadleftarrow^(a)</code>	left two-headed arrow
U+0219F	↕↕	↕↕	↕↕	↕↕	↕↕	<code>\twoheaduparrow</code>	up two-headed arrow
U+021A0	↔↔	↔↔	↔↔	↔↔	↔↔	<code>\twoheadrightarrow^(a)</code>	right two-headed arrow
U+021A1	↕↕	↕↕	↕↕	↕↕	↕↕	<code>\twoheaddownarrow</code>	down two-headed arrow
U+021A2	↔↮	↔↮	↔↮	↔↮	↔↮	<code>\leftarrowtail^(a)</code>	left arrow-tailed

USV	L	S	E	P	D	Macro	Description
U+021A3						<code>\rightarrowtail^(a)</code>	right arrow-tailed
U+021A4						<code>\mapsfrom</code>	maps to, leftward
U+021A5						<code>\mapsup</code>	maps to, upward
U+021A6						<code>\mapsto^(p)</code>	maps to, rightward
U+021A7						<code>\mapsdown</code>	maps to, downward
U+021A9						<code>\hookleftarrow^(p)</code>	left arrow-hooked
U+021AA						<code>\hookrightarrow^(p)</code>	right arrow-hooked
U+021AB						<code>\looparrowleft^(a)</code>	left arrow-looped
U+021AC						<code>\looparrowright^(a)</code>	right arrow-looped
U+021AD						<code>\leftrightsquigarrow^(a)</code>	left and right arr-wavy
U+021AE						<code>\nleftarrow^(a)</code>	not left and right arrow
U+021AF						<code>\downzigzagarrow</code>	downwards zigzag arrow
U+021B0						<code>\Lsh^(a)</code>	/lsh a:
U+021B1						<code>\Rsh^(a)</code>	/rsh a:
U+021B2						<code>\Ldsh</code>	left down angled arrow
U+021B3						<code>\Rdsh</code>	right down angled arrow
U+021B6						<code>\curvearrowleft^(a)</code>	left curved arrow
U+021B7						<code>\curvearrowright^(a)</code>	right curved arrow
U+021BC						<code>\leftharpoonup^(p)</code>	left harpoon-up
U+021BD						<code>\leftharpoondown^(p)</code>	left harpoon-down
U+021BE						<code>\upharpoonright^(a)</code>	/upharpoonright /restriction a: up harpoon-right
U+021BF						<code>\upharpoonleft^(a)</code>	up harpoon-left
U+021C0						<code>\rightharpoonup^(p)</code>	right harpoon-up
U+021C1						<code>\rightharpoondown^(p)</code>	right harpoon-down

USV	L	S	E	P	D	Macro	Description
U+021C2	↴	↵	↶	↷	↸	<code>\downharpoonright^(a)</code>	down harpoon-right
U+021C3	↵	↶	↷	↸	↹	<code>\downharpoonleft^(a)</code>	down harpoon-left
U+021C4	↷↴	↵↶	↶↷	↷↸	↸↹	<code>\rightleftarrows^(a)</code>	right arrow over left arrow
U+021C5	↴↵	↵↶	↶↷	↷↸	↸↹	<code>\updownarrows</code>	up arrow, down arrow
U+021C6	↴↷	↷↵	↵↶	↶↷	↷↸	<code>\leftrightarrows^(a)</code>	left arrow over right arrow
U+021C7	↴↴	↶↶	↷↷	↸↸	↹↹	<code>\leftleftarrows^(a)</code>	two left arrows
U+021C8	↴↴	↶↶	↷↷	↸↸	↹↹	<code>\upuparrows^(a)</code>	two up arrows
U+021C9	↴↴	↶↶	↷↷	↸↸	↹↹	<code>\rightrightarrows^(a)</code>	two right arrows
U+021CA	↴↴	↶↶	↷↷	↸↸	↹↹	<code>\downdownarrows^(a)</code>	two down arrows
U+021CB	↴↷	↷↵	↵↶	↶↷	↷↸	<code>\leftrightharpoons^(a)</code>	left harpoon over right
U+021CC	↷↴	↵↶	↶↷	↷↸	↸↹	<code>\rightleftharpoons^(l)</code>	right harpoon over left
U+021CD	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\nLeftarrow^(a)</code>	not implied by
U+021CE	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\nLefttrightarrow^(a)</code>	not left and right double arrows
U+021CF	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\nRightarrow^(a)</code>	not implies
U+021D0	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Leftarrow^(p)</code>	is implied by
U+021D1	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Uparrow^(p)</code>	up double arrow
U+021D2	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Rightarrow^(p)</code>	implies
U+021D3	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Downarrow^(p)</code>	down double arrow
U+021D4	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Leftrightarrow^(p)</code>	left and right double arrow
U+021D5	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Updownarrow^(p)</code>	up and down double arrow
U+021D6	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Nwarrow</code>	nw pointing double arrow
U+021D7	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Nearrow</code>	ne pointing double arrow
U+021D8	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Searrow</code>	se pointing double arrow
U+021D9	↴↹	↶↹	↷↹	↸↹	↹↹	<code>\Swarrow</code>	sw pointing double arrow

USV	L	S	E	P	D	Macro	Description
U+021DA	⇐	⇐	⇐	⇐	⇐	<code>\Lleftarrow^(a)</code>	left triple arrow
U+021DB	⇒	⇒	⇒	⇒	⇒	<code>\Rrightarrow^(a)</code>	right triple arrow
U+021DC	↵	↵	↵	↵	↵	<code>\leftsquigarrow</code>	leftwards squiggle arrow
U+021DD	↶	↶	↶	↶	↶	<code>\rightsquigarrow^(a)</code>	rightwards squiggle arrow
U+021E4		↵				<code>\barleftarrow</code>	leftwards arrow to bar
U+021E5		→				<code>\rightarrowbar</code>	rightwards arrow to bar
U+021F4		↷				<code>\circlearrowright</code>	right arrow with small circle
U+021F5	↕	↕	↕	↕	↕	<code>\downuparrows</code>	downwards arrow leftwards of upwards arrow
U+021F6	⇒	⇒	⇒	⇒	⇒	<code>\rightthreearrows</code>	three rightwards arrows
U+021F7		↵				<code>\nleftarrow</code>	leftwards arrow with vertical stroke
U+021F8		→				<code>\nrightarrow</code>	rightwards arrow with vertical stroke
U+021F9		↔				<code>\nleftrightarrow</code>	left right arrow with vertical stroke
U+021FA		↵				<code>\Nleftarrow</code>	leftwards arrow with double vertical stroke
U+021FB		→				<code>\Nrightarrow</code>	rightwards arrow with double vertical stroke
U+021FC		↔				<code>\Nleftrightarrow</code>	left right arrow with double vertical stroke
U+021FD		↵				<code>\leftarrowtriangle</code>	leftwards open-headed arrow
U+021FE		→				<code>\rightarrowtriangle</code>	rightwards open-headed arrow
U+021FF		↔				<code>\leftrightarrowtriangle</code>	left right open-headed arrow
U+02208	∈	∈	∈	∈	∈	<code>\in^(p)</code>	set membership, variant
U+02209	∉	∉	∉	∉	∉	<code>\notin^(l)</code>	negated set membership
U+0220A	∈	∈	∈	∈	∈	<code>\smallin</code>	set membership (small set membership)
U+0220B	⊃	⊃	⊃	⊃	⊃	<code>\ni^(p)</code>	contains, variant
U+0220C	⊄	⊄	⊄	⊄	⊄	<code>\nni</code>	negated contains, variant
U+0220D	⊃	⊃	⊃	⊃	⊃	<code>\smallni</code>	/ni /owns r: contains (small contains as member)
























































































































usv	L	S	E	P	D	Macro	Description
U+0221D	∝	∝	∝	∝	∝	\propto ^(p)	is proportional to
U+02223						\mid ^(p)	/mid r:
U+02224	⊢	⊢	⊢	⊢	⊢	\nmid ^(a)	negated mid
U+02225						\parallel ^(p)	parallel
U+02226	⧻	⧻	⧻	⧻	⧻	\nparallel ^(a)	not parallel
U+02236	:	:	:	:	:	\mathratio	ratio
U+02237	::	::	::	::	::	\Colon	two colons
U+02239	⋮	⋮	⋮	⋮	⋮	\dashcolon	excess (-:)
U+0223A	⋮	⋮	⋮	⋮	⋮	\dotsminusdots	minus with four dots, geometric properties
U+0223B	⋈	⋈	⋈	⋈	⋈	\kernelcontraction	homothetic
U+0223C	≈	≈	≈	≈	≈	\sim ^(p)	similar
U+0223D	↯	↯	↯	↯	↯	\backsim ^(a)	reverse similar
U+02241	⋈	⋈	⋈	⋈	⋈	\nsim ^(a)	not similar
U+02242	≈	≈	≈	≈	≈	\eqsim ^(a)	equals, similar
U+02243	≈	≈	≈	≈	≈	\simeq ^(p)	similar, equals
U+02244	⋈	⋈	⋈	⋈	⋈	\nsime	not similar, equals
U+02243	≈	≈	≈	≈	≈	\sime	similar, equals (alias)
U+02244	⋈	⋈	⋈	⋈	⋈	\nsimeq	not similar, equals (alias)
U+02245	≡	≡	≡	≡	≡	\cong ^(l)	congruent with
U+02246	≇	≇	≇	≇	≇	\simneqq	similar, not equals [vert only for 9573 entity]
U+02247	≇	≇	≇	≇	≇	\ncong ^(a)	not congruent with
U+02248	≈	≈	≈	≈	≈	\approx ^(p)	approximate
U+02249	⋈	⋈	⋈	⋈	⋈	\napprox	not approximate
U+0224A	≈	≈	≈	≈	≈	\approxeq ^(a)	approximate, equals

USV	L	S	E	P	D	Macro	Description
U+0224B	\approx	\approx	\approx	\approx	\approx	<code>\approx</code>	approximately identical to
U+0224C	\backcong	\backcong	\backcong	\backcong	\backcong	<code>\backcong</code>	all equal to
U+0224D	\asymp	\asymp	\asymp	\asymp	\asymp	<code>\asymp</code> ^(p)	asymptotically equal to
U+0224E	\bumpeq	\bumpeq	\bumpeq	\bumpeq	\bumpeq	<code>\Bumpeq</code> ^(a)	bumpy equals
U+0224F	\bumpeq	\bumpeq	\bumpeq	\bumpeq	\bumpeq	<code>\bumpeq</code> ^(a)	bumpy equals, equals
U+02250	\doteq	\doteq	\doteq	\doteq	\doteq	<code>\doteq</code> ^(l)	equals, single dot above
U+02251	\doteqdot	\doteqdot	\doteqdot	\doteqdot	\doteqdot	<code>\Doteq</code> ^(a)	\doteqdot \doteqdot r: equals, even dots
U+02252	\fallingdotseq	\fallingdotseq	\fallingdotseq	\fallingdotseq	\fallingdotseq	<code>\fallingdotseq</code> ^(a)	equals, falling dots
U+02253	\risingdotseq	\risingdotseq	\risingdotseq	\risingdotseq	\risingdotseq	<code>\risingdotseq</code> ^(a)	equals, rising dots
U+02254	\coloneq	\coloneq	\coloneq	\coloneq	\coloneq	<code>\coloneq</code>	colon, equals
U+02255	\eqcolon	\eqcolon	\eqcolon	\eqcolon	\eqcolon	<code>\eqcolon</code>	equals, colon
U+02256	\eqcirc	\eqcirc	\eqcirc	\eqcirc	\eqcirc	<code>\eqcirc</code> ^(a)	circle on equals sign
U+02257	\circeq	\circeq	\circeq	\circeq	\circeq	<code>\circeq</code> ^(a)	circle, equals
U+02258	\arceq	\arceq	\arceq	\arceq	\arceq	<code>\arceq</code>	arc, equals; corresponds to
U+02259	\wedseq	\wedseq	\wedseq	\wedseq	\wedseq	<code>\wedseq</code>	corresponds to (wedge, equals)
U+0225A	\veeeq	\veeeq	\veeeq	\veeeq	\veeeq	<code>\veeeq</code>	logical or, equals
U+0225B	\stareq	\stareq	\stareq	\stareq	\stareq	<code>\stareq</code>	star equals
U+0225C	\triangleq	\triangleq	\triangleq	\triangleq	\triangleq	<code>\triangleq</code> ^(a)	triangle, equals
U+0225D	\defeq	\defeq	\defeq	\defeq	\defeq	<code>\defeq</code>	equals by definition
U+0225E	\measeq	\measeq	\measeq	\measeq	\measeq	<code>\measeq</code>	measured by (m over equals)
U+0225F	\questeq	\questeq	\questeq	\questeq	\questeq	<code>\questeq</code>	equal with questionmark
U+02260	\neq	\neq	\neq	\neq	\neq	<code>\neq</code> ^(p)	\neq \neq r: not equal
U+02261	\equiv	\equiv	\equiv	\equiv	\equiv	<code>\equiv</code> ^(p)	identical with
U+02262	\nequiv	\nequiv	\nequiv	\nequiv	\nequiv	<code>\nequiv</code>	not identical with

usv	L	S	E	P	D	Macro	Description
U+02263	≡	≡	≡	≡	≡	<code>\Equiv</code>	strict equivalence (4 lines)
U+02264	≤	≤	≤	≤	≤	<code>\leq^(p)</code>	/leq /le r: less-than-or-equal
U+02265	≥	≥	≥	≥	≥	<code>\geq^(p)</code>	/geq /ge r: greater-than-or-equal
U+02266	≤	≤	≤	≤	≤	<code>\leqq^(a)</code>	less, double equals
U+02267	≥	≥	≥	≥	≥	<code>\geqq^(a)</code>	greater, double equals
U+02268	≤	≤	≤	≤	≤	<code>\lneqq^(a)</code>	less, not double equals
U+02269	≥	≥	≥	≥	≥	<code>\gneqq^(a)</code>	greater, not double equals
U+0226A	≪	≪	≪	≪	≪	<code>\ll^(p)</code>	much less than, type 2
U+0226B	≫	≫	≫	≫	≫	<code>\gg^(p)</code>	much greater than, type 2
U+0226C	⋈	⋈	⋈	⋈	⋈	<code>\between^(a)</code>	between
U+0226D	≉	≉	≉	≉	≉	<code>\nasymp</code>	not asymptotically equal to
U+0226E	≠	≠	≠	≠	≠	<code>\nless^(a)</code>	not less-than
U+0226F	≠	≠	≠	≠	≠	<code>\ngtr^(a)</code>	not greater-than
U+02270	≠	≠	≠	≠	≠	<code>\nleq^(a)</code>	not less-than-or-equal
U+02271	≠	≠	≠	≠	≠	<code>\ngeq^(a)</code>	not greater-than-or-equal
U+02272	≈	≈	≈	≈	≈	<code>\lesssim^(a)</code>	less, similar
U+02273	≈	≈	≈	≈	≈	<code>\gtrsim^(a)</code>	greater, similar
U+02274	≉	≉	≉	≉	≉	<code>\nlesssim</code>	not less, similar
U+02275	≉	≉	≉	≉	≉	<code>\ngtrsim</code>	not greater, similar
U+02276	≲	≲	≲	≲	≲	<code>\lessgtr^(a)</code>	less, greater
U+02277	≳	≳	≳	≳	≳	<code>\gtrless^(a)</code>	greater, less
U+02278	≉	≉	≉	≉	≉	<code>\nlessgtr</code>	not less, greater
U+02279	≉	≉	≉	≉	≉	<code>\ngtrless</code>	not greater, less
U+0227A	⋈	⋈	⋈	⋈	⋈	<code>\prec^(p)</code>	precedes

USV	L	S	E	P	D	Macro	Description
U+0227B	𐀛	𐀜	𐀝	𐀞	𐀟	<code>\succ^(p)</code>	succeeds
U+0227C	𐀠	𐀡	𐀢	𐀣	𐀤	<code>\preccurlyeq^(a)</code>	precedes, curly equals
U+0227D	𐀥	𐀦	𐀧	𐀨	𐀩	<code>\succcurlyeq^(a)</code>	succeeds, curly equals
U+0227E	𐀪	𐀫	𐀬	𐀭	𐀮	<code>\precsim^(a)</code>	precedes, similar
U+0227F	𐀯	𐀰	𐀱	𐀲	𐀳	<code>\succsim^(a)</code>	succeeds, similar
U+02280	𐀴	𐀵	𐀶	𐀷	𐀸	<code>\nprec^(a)</code>	not precedes
U+02281	𐀹	𐀺	𐀻	𐀼	𐀽	<code>\nsucc^(a)</code>	not succeeds
U+02282	𐀾	𐀿	𐁀	𐁁	𐁂	<code>\subset^(p)</code>	subset or is implied by
U+02283	𐁃	𐁄	𐁅	𐁆	𐁇	<code>\supset^(p)</code>	superset or implies
U+02284	𐁈	𐁉	𐁊	𐁋	𐁌	<code>\nsubset</code>	not subset, variant [slash negation]
U+02285	𐁍	𐁎	𐁏	𐁐	𐁑	<code>\nsupset</code>	not superset, variant [slash negation]
U+02286	𐁒	𐁓	𐁔	𐁕	𐁖	<code>\subseteq^(p)</code>	subset, equals
U+02287	𐁗	𐁘	𐁙	𐁚	𐁛	<code>\supseteq^(p)</code>	superset, equals
U+02288	𐁜	𐁝	𐁞	𐁟	𐁠	<code>\nsubseteq^(a)</code>	not subset, equals
U+02289	𐁡	𐁢	𐁣	𐁤	𐁥	<code>\nsupseteq^(a)</code>	not superset, equals
U+0228A	𐁦	𐁧	𐁨	𐁩	𐁪	<code>\subsetneq^(a)</code>	subset, not equals
U+0228B	𐁫	𐁬	𐁭	𐁮	𐁯	<code>\supsetneq^(a)</code>	superset, not equals
U+0228F	𐁰	𐁱	𐁲	𐁳	𐁴	<code>\sqsubset</code>	square subset
U+02290	𐁵	𐁶	𐁷	𐁸	𐁹	<code>\sqsupset</code>	square superset
U+02291	𐁺	𐁻	𐁼	𐁽	𐁾	<code>\sqsubseteq^(p)</code>	square subset, equals
U+02292	𐁿	𐂀	𐂁	𐂂	𐂃	<code>\sqsupseteq^(p)</code>	square superset, equals
U+022A2	𐂤	𐂥	𐂦	𐂧	𐂨	<code>\vdash^(p)</code>	vertical, dash
U+022A3	𐂩	𐂪	𐂫	𐂬	𐂭	<code>\dashv^(p)</code>	dash, vertical
U+022A6	𐂮	𐂯	𐂰	𐂱	𐂲	<code>\assert</code>	assertion (vertical, short dash)

USV	L	S	E	P	D	Macro	Description
U+022A7						<code>\models^(p)</code>	models (vertical, short double dash)
U+022A8						<code>\vDash^(a)</code>	vertical, double dash
U+022A9						<code>\Vdash^(a)</code>	double vertical, dash
U+022AA						<code>\Vdash^(a)</code>	triple vertical, dash
U+022AB						<code>\VDash</code>	double vert, double dash
U+022AC						<code>\nvdash^(a)</code>	not vertical, dash
U+022AD						<code>\nvDash^(a)</code>	not vertical, double dash
U+022AE						<code>\nVdash^(a)</code>	not double vertical, dash
U+022AF						<code>\nVDash^(a)</code>	not double vert, double dash
U+022B0						<code>\prurel</code>	element precedes under relation
U+022B1						<code>\scurrel</code>	succeeds under relation
U+022B2						<code>\vartriangleleft^(a)</code>	left triangle, open, variant
U+022B3						<code>\vartriangleright^(a)</code>	right triangle, open, variant
U+022B4						<code>\trianglelefteq^(a)</code>	left triangle, equals
U+022B5						<code>\trianglerighteq^(a)</code>	right triangle, equals
U+022B6						<code>\origof</code>	original of
U+022B7						<code>\imageof</code>	image of
U+022B8						<code>\multimap^(a)</code>	/multimap a:
U+022C8						<code>\bowtie^(p)</code>	bowtie
U+022CD						<code>\backsimeq^(a)</code>	reverse similar, equals
U+022D0						<code>\Subset^(a)</code>	double subset
U+022D1						<code>\Supset^(a)</code>	double superset
U+022D4						<code>\pitchfork^(a)</code>	pitchfork
U+022D5						<code>\equalparallel</code>	parallel, equal; equal or parallel

USV	L	S	E	P	D	Macro	Description
U+022D6						<code>\lessdot^(a)</code>	less than, with dot
U+022D7						<code>\gtrdot^(a)</code>	greater than, with dot
U+022D8						<code>\lll^(a)</code>	/ll /lll /llless r: triple less-than
U+022D9						<code>\ggg^(a)</code>	/ggg /gg /gggtr r: triple greater-than
U+022DA						<code>\lesseqgtr^(a)</code>	less, equals, greater
U+022DB						<code>\gtreqless^(a)</code>	greater, equals, less
U+022DC						<code>\eqless</code>	equal-or-less
U+022DD						<code>\eqgtr</code>	equal-or-greater
U+022DE						<code>\curlyeqprec^(a)</code>	curly equals, precedes
U+022DF						<code>\curlyeqsucc^(a)</code>	curly equals, succeeds
U+022E0						<code>\npreccurlyeq</code>	not precedes, curly equals
U+022E1						<code>\nsucccurlyeq</code>	not succeeds, curly equals
U+022E2						<code>\nsqsubseteq</code>	not, square subset, equals
U+022E3						<code>\nsqsupseteq</code>	not, square superset, equals
U+022E4						<code>\sqsubsetneq</code>	square subset, not equals
U+022E5						<code>\sqsupsetneq</code>	square superset, not equals
U+022E6						<code>\lnsim^(a)</code>	less, not similar
U+022E7						<code>\gnsim^(a)</code>	greater, not similar
U+022E8						<code>\precnsim^(a)</code>	precedes, not similar
U+022E9						<code>\succnsim^(a)</code>	succeeds, not similar
U+022EA						<code>\nvartriangleleft</code>	not left triangle
U+022EB						<code>\nvartriangleright</code>	not right triangle
U+022EC						<code>\ntrianglelefteq^(a)</code>	not left triangle, equals
U+022ED						<code>\ntrianglerighteq^(a)</code>	not right triangle, equals

USV	L	S	E	P	D	Macro	Description
U+022EE	⋮	⋮	⋮	⋮	⋮	<code>\vdots^(p)</code>	vertical ellipsis
U+022F0	⋯	⋯	⋯	⋯	⋯	<code>\adots</code>	three dots, ascending
U+022F1	⋯	⋯	⋯	⋯	⋯	<code>\ddots^(p)</code>	three dots, descending
U+022F2		⋈				<code>\disin</code>	element of with long horizontal stroke
U+022F3		⋈				<code>\varisins</code>	element of with vertical bar at end of horizontal stroke
U+022F4		⋈				<code>\isins</code>	small element of with vertical bar at end of horizontal stroke
U+022F5		⋈				<code>\isindot</code>	element of with dot above
U+022F6		⋈				<code>\varisinobar</code>	element of with overbar
U+022F7		⋈				<code>\isinobar</code>	small element of with overbar
U+022F8		⋈				<code>\isinvb</code>	element of with underbar
U+022F9		⋈				<code>\isinE</code>	element of with two horizontal strokes
U+022FA		⋈				<code>\nisd</code>	contains with long horizontal stroke
U+022FB		⋈				<code>\varnis</code>	contains with vertical bar at end of horizontal stroke
U+022FC		⋈				<code>\nis</code>	small contains with vertical bar at end of horizontal stroke
U+022FD		⋈				<code>\varniobar</code>	contains with overbar
U+022FE		⋈				<code>\niobar</code>	small contains with overbar
U+022FF		⋈				<code>\bagmember</code>	z notation bag membership
U+02322	⌒	⌒	⌒	⌒	⌒	<code>\frown^(p)</code>	down curve
U+02323	⌓	⌓	⌓	⌓	⌓	<code>\smile^(p)</code>	up curve
U+0233F		⌚				<code>\APLnotslash</code>	solidus, bar through (apl functional symbol slash bar)
U+025B5		△	△			<code>\vartriangle^(a)</code>	/triangle - up triangle, open
U+027C2	⊥	⊥	⊥	⊥	⊥	<code>\perp^(p)</code>	perpendicular
U+027C8		⊃				<code>\bsolhsub</code>	reverse solidus preceding subset

USV	L	S	E	P	D	Macro	Description
U+027C9		↯				\supsol	superset preceding solidus
U+027D2		↶				\upin	element of opening upwards
U+027D3		↷				\pullback	lower right corner with dot
U+027D4		↵				\pushout	upper left corner with dot
U+027DA	↯	↯	↯	↯	↯	\DashVDash	left and right double turnstile
U+027DB	↯	↯	↯	↯	↯	\dashVdash	left and right tack
U+027DC	↯	↯	↯	↯	↯	\multimapinv	left multimap
U+027DD	↯	↯	↯	↯	↯	\vlongdash	long left tack
U+027DE	↯	↯	↯	↯	↯	\longdashv	long right tack
U+027DF		↯				\cirbot	up tack with circle above
U+027F0		↯				\Uparrow	upwards quadruple arrow
U+027F1		↯				\Downarrow	downwards quadruple arrow
U+027F2		↯				\acwgapcirclearrow	anticlockwise gapped circle arrow
U+027F3		↯				\cwgapcirclearrow	clockwise gapped circle arrow
U+027F4	↯	↯	↯	↯	↯	\rightarrowonoplus	right arrow with circled plus
U+027F5	↯	↯	↯	↯	↯	\longleftarrow ^(p)	long leftwards arrow
U+027F6	↯	↯	↯	↯	↯	\longrightarrow ^(p)	long rightwards arrow
U+027F7	↯	↯	↯	↯	↯	\longlefttrightarrow ^(p)	long left right arrow
U+027F8	↯	↯	↯	↯	↯	\Longleftarrow ^(p)	long leftwards double arrow
U+027F9	↯	↯	↯	↯	↯	\Longrightarrow ^(p)	long rightwards double arrow
U+027FA	↯	↯	↯	↯	↯	\Longlefttrightarrow ^(p)	long left right double arrow
U+027FB	↯	↯	↯	↯	↯	\longmapsfrom	long leftwards arrow from bar
U+027FC	↯	↯	↯	↯	↯	\longmapsto ^(p)	long rightwards arrow from bar
U+027FD	↯	↯	↯	↯	↯	\Longmapsfrom	long leftwards double arrow from bar

USV	L	S	E	P	D	Macro	Description
U+027FE						<code>\Longmapsto</code>	long rightwards double arrow from bar
U+027FF						<code>\longrightsquigarrow</code>	long rightwards squiggle arrow
U+02900						<code>\nVtwoheadrightarrow</code>	rightwards two-headed arrow with vertical stroke
U+02901						<code>\nVtwoheadrightarrow</code>	rightwards two-headed arrow with double vertical stroke
U+02902						<code>\nvLeftarrow</code>	leftwards double arrow with vertical stroke
U+02903						<code>\nvRrightarrow</code>	rightwards double arrow with vertical stroke
U+02904						<code>\nvLeftrightarrow</code>	left right double arrow with vertical stroke
U+02905						<code>\twoheadmapsto</code>	rightwards two-headed arrow from bar
U+02906						<code>\Mapsfrom</code>	leftwards double arrow from bar
U+02907						<code>\Mapsto</code>	rightwards double arrow from bar
U+02908						<code>\downarrowbarred</code>	downwards arrow with horizontal stroke
U+02909						<code>\uparrowbarred</code>	upwards arrow with horizontal stroke
U+0290A						<code>\Uparrow</code>	upwards triple arrow
U+0290B						<code>\Ddownarrow</code>	downwards triple arrow
U+0290C						<code>\leftbkarrow</code>	leftwards double dash arrow
U+0290D						<code>\rightbkarrow</code>	rightwards double dash arrow
U+0290E						<code>\leftdbkarrow</code>	leftwards triple dash arrow
U+0290F						<code>\dbkarrow</code>	rightwards triple dash arrow
U+02910						<code>\drbkarrow</code>	rightwards two-headed triple dash arrow
U+02911						<code>\rightdotarrow</code>	rightwards arrow with dotted stem
U+02912						<code>\baruparrow</code>	upwards arrow to bar
U+02913						<code>\downarrowbar</code>	downwards arrow to bar
U+02914						<code>\nvrightarrowtail</code>	rightwards arrow with tail with vertical stroke

usv	L	S	E	P	D	Macro	Description
U+02915		➤				\nVrightarrowtail	rightwards arrow with tail with double vertical stroke
U+02916		➤				\twoheadrightarrowtail	rightwards two-headed arrow with tail
U+02917		➤				\nvtwoheadrightarrowtail	rightwards two-headed arrow with tail with vertical stroke
U+02918		➤				\nVtwoheadrightarrowtail	rightwards two-headed arrow with tail with double vertical stroke
U+02919		↵				\lefttail	leftwards arrow-tail
U+0291A		↶				\righttail	rightwards arrow-tail
U+0291B		↵				\leftdbltail	leftwards double arrow-tail
U+0291C		↶				\rightdbltail	rightwards double arrow-tail
U+0291D		↵				\diamondleftarrow	leftwards arrow to black diamond
U+0291E		➤				\rightarrowdiamond	rightwards arrow to black diamond
U+0291F		↵				\diamondleftarrowbar	leftwards arrow from bar to black diamond
U+02920		➤				\barrightarrowdiamond	rightwards arrow from bar to black diamond
U+02921		↖				\nwsearrow	north west and south east arrow
U+02922		↗				\neswarrow	north east and south west arrow
U+02923		↖				\hknwarrow	north west arrow with hook
U+02924		↗				\hknesarrow	north east arrow with hook
U+02925		↘				\hksearrow	south east arrow with hook
U+02926		↙				\hkswarrow	south west arrow with hook
U+02927		↖				\tona	north west arrow and north east arrow
U+02928		↗				\toea	north east arrow and south east arrow
U+02929		↘				\tosa	south east arrow and south west arrow
U+0292A		↙				\towa	south west arrow and north west arrow
U+02933		➤	↪			\rightarrowcurvedarrow	wave arrow pointing directly right

usv	L	S	E	P	D	Macro	Description
U+02936						<code>\leftdowncurvedarrow</code>	arrow pointing downwards then curving leftwards
U+02937						<code>\rightdowncurvedarrow</code>	arrow pointing downwards then curving rightwards
U+02938						<code>\cwrightarcarrow</code>	right-side arc clockwise arrow
U+02939						<code>\acwleftarcarrow</code>	left-side arc anticlockwise arrow
U+0293A						<code>\acwoverarcarrow</code>	top arc anticlockwise arrow
U+0293B						<code>\acwunderarcarrow</code>	bottom arc anticlockwise arrow
U+0293C						<code>\curvearrowrightminus</code>	top arc clockwise arrow with minus
U+0293D						<code>\curvearrowleftplus</code>	top arc anticlockwise arrow with plus
U+0293E						<code>\cwundercurvearrow</code>	lower right semicircular clockwise arrow
U+0293F						<code>\ccwundercurvearrow</code>	lower left semicircular anticlockwise arrow
U+02940						<code>\acwcirculararrow</code>	anticlockwise closed circle arrow
U+02941						<code>\cwcirculararrow</code>	clockwise closed circle arrow
U+02942						<code>\rightarrowshortleftarrow</code>	rightwards arrow above short leftwards arrow
U+02943						<code>\leftarrowshortrightarrow</code>	leftwards arrow above short rightwards arrow
U+02944						<code>\shortrightarrowleftarrow</code>	short rightwards arrow above leftwards arrow
U+02945						<code>\rightarrowplus</code>	rightwards arrow with plus below
U+02946						<code>\leftarrowplus</code>	leftwards arrow with plus below
U+02947						<code>\rightarrowx</code>	rightwards arrow through x
U+02948						<code>\leftrightarrowcircle</code>	left right arrow through small circle
U+02949						<code>\twoheaduparrowcircle</code>	upwards two-headed arrow from small circle
U+0294A						<code>\leftrightharpoonupdown</code>	left barb up right barb down harpoon
U+0294B						<code>\leftrightharpoondownup</code>	left barb down right barb up harpoon
U+0294C						<code>\updownharpoonrightleft</code>	up barb right down barb left harpoon

usv	L	S	E	P	D	Macro	Description
U+0294D		↱				\updownharpoonleftrightarrow	up barb left down barb right harpoon
U+0294E		↰				\leftrightharpoonupup	left barb up right barb up harpoon
U+0294F		↲				\updownharpoonrightright	up barb right down barb right harpoon
U+02950		↴				\leftrightharpoondowndown	left barb down right barb down harpoon
U+02951		↰				\updownharpoonleftleft	up barb left down barb left harpoon
U+02952		↰				\barleftharpoonup	leftwards harpoon with barb up to bar
U+02953		↲				\rightharpoonupbar	rightwards harpoon with barb up to bar
U+02954		↱				\barupharpoonright	upwards harpoon with barb right to bar
U+02955		↲				\downharpoonrightbar	downwards harpoon with barb right to bar
U+02956		↰				\barleftharpoondown	leftwards harpoon with barb down to bar
U+02957		↲				\rightharpoondownbar	rightwards harpoon with barb down to bar
U+02958		↱				\barupharpoonleft	upwards harpoon with barb left to bar
U+02959		↲				\downharpoonleftbar	downwards harpoon with barb left to bar
U+0295A		↰				\leftharpoonupbar	leftwards harpoon with barb up from bar
U+0295B		↲				\barriightharpoonup	rightwards harpoon with barb up from bar
U+0295C		↱				\upharpoonrightbar	upwards harpoon with barb right from bar
U+0295D		↲				\bardownharpoonright	downwards harpoon with barb right from bar
U+0295E		↰				\leftharpoondownbar	leftwards harpoon with barb down from bar
U+0295F		↲				\barriightharpoondown	rightwards harpoon with barb down from bar
U+02960		↱				\upharpoonleftbar	upwards harpoon with barb left from bar
U+02961		↲				\bardownharpoonleft	downwards harpoon with barb left from bar
U+02962		⇐				\leftharpoonsupdown	leftwards harpoon with barb up above leftwards harpoon with barb down
U+02963		⇑				\upharpoonsleftrightarrow	upwards harpoon with barb left beside upwards harpoon with barb right

usv	L	S	E	P	D	Macro	Description
U+02964		⇒				\rightharpoonsupdown	rightwards harpoon with barb up above rightwards harpoon with barb down
U+02965		⇓				\downharpoonsleftright	downwards harpoon with barb left beside downwards harpoon with barb right
U+02966		⇐				\leftrightharpoonsup	leftwards harpoon with barb up above right- wards harpoon with barb up
U+02967		⇐				\leftrightharpoonsdown	leftwards harpoon with barb down above rightwards harpoon with barb down
U+02968		⇒				\rightleftharpoonsup	rightwards harpoon with barb up above leftwards harpoon with barb up
U+02969		⇒				\rightleftharpoonsdown	rightwards harpoon with barb down above leftwards harpoon with barb down
U+0296A		⇐				\leftharpoonupdash	leftwards harpoon with barb up above long dash
U+0296B		⇐				\dashleftharpoondown	leftwards harpoon with barb down below long dash
U+0296C		⇒				\rightharpoonupdash	rightwards harpoon with barb up above long dash
U+0296D		⇒				\dashrightharpoondown	rightwards harpoon with barb down below long dash
U+0296E		⇕				\updownharpoonsleftright	upwards harpoon with barb left beside downwards harpoon with barb right
U+0296F		⇕				\downupharpoonsleftright	downwards harpoon with barb left beside upwards harpoon with barb right
U+02970		⇒				\rightimply	right double arrow with rounded head
U+02971		⇒				\equalrightarrow	equals sign above rightwards arrow
U+02972		⇒				\similarrightarrow	tilde operator above rightwards arrow
U+02973		⇐				\leftarrowsimilar	leftwards arrow above tilde operator
U+02974		⇐				\rightarrowsimilar	rightwards arrow above tilde operator
U+02975		⇐				\rightarrowapprox	rightwards arrow above almost equal to
U+02976		⇐				\ltlarr	less-than above leftwards arrow
U+02977		⇐				\leftarrowless	leftwards arrow through less-than

USV	L	S	E	P	D	Macro	Description
U+02978		➤				<code>\gtrarr</code>	greater-than above rightwards arrow
U+02979		⊆				<code>\subrarr</code>	subset above rightwards arrow
U+0297A		⊆				<code>\leftarrowsubset</code>	leftwards arrow through subset
U+0297B		⊇				<code>\suplarr</code>	superset above leftwards arrow
U+0297C		↵				<code>\leftfishtail</code>	left fish tail
U+0297D		↶				<code>\rightfishtail</code>	right fish tail
U+0297E		↗				<code>\upfishtail</code>	up fish tail
U+0297F		↘				<code>\downfishtail</code>	down fish tail
U+02982		⋈				<code>\typecolon</code>	z notation type colon
U+029CE		⏊				<code>\rtriltri</code>	right triangle above left triangle
U+029CF		⏊				<code>\ltrivb</code>	left triangle beside vertical bar
U+029D0		⏊				<code>\vbrtri</code>	vertical bar beside right triangle
U+029D1		⌘				<code>\lfbowtie</code>	left black bowtie
U+029D2		⌘				<code>\rfbowtie</code>	right black bowtie
U+029D3		⌘				<code>\fbowtie</code>	black bowtie
U+029D4		⌘				<code>\lftimes</code>	left black times
U+029D5		⌘				<code>\rftimes</code>	right black times
U+029DF		⌘				<code>\dualmap</code>	double-ended multimap
U+029E1		⌘				<code>\lrtriangleeq</code>	increases as
U+029E3		⌘				<code>\eparsl</code>	equals sign and slanted parallel
U+029E4		⌘				<code>\smeparsl</code>	equals sign and slanted parallel with tilde above
U+029E5		⌘				<code>\eqvparsl</code>	identical to and slanted parallel
U+029E6		⌘				<code>\gleichstark</code>	gleich stark
U+029F4		⌘				<code>\ruledelayed</code>	rule-delayed

























USV	L	S	E	P	D	Macro	Description
U+02A59		⋈				<code>\veeonwedge</code>	logical or overlapping logical and
U+02A66		≐				<code>\eqdot</code>	equals sign with dot below
U+02A67		≐̇				<code>\dotequiv</code>	identical with dot above
U+02A68		≡				<code>\equivVert</code>	triple horizontal bar with double vertical stroke
U+02A69		≡				<code>\equivVvert</code>	triple horizontal bar with triple vertical stroke
U+02A6A		≈̇				<code>\dotsim</code>	tilde operator with dot above
U+02A6B		≈̈				<code>\simrdots</code>	tilde operator with rising dots
U+02A6C		≈-				<code>\simminusim</code>	similar minus similar
U+02A6D		≡̇				<code>\congdot</code>	congruent with dot above
U+02A6E		≡*				<code>\asteq</code>	equals with asterisk
U+02A6F		≈̂				<code>\hatapprox</code>	almost equal to with circumflex accent
U+02A70		≈				<code>\approxqq</code>	approximately equal or equal to
U+02A73		≈̃				<code>\eqqsim</code>	equals sign above tilde operator
U+02A74		∴				<code>\Coloneq</code>	double colon equal
U+02A75		==				<code>\eqeq</code>	two consecutive equals signs
U+02A76		===				<code>\eqeqeq</code>	three consecutive equals signs
U+02A77		≡̈				<code>\ddotseq</code>	equals sign with two dots above and two dots below
U+02A78		≡̈				<code>\equivDD</code>	equivalent with four dots above
U+02A79		⋈				<code>\ltcir</code>	less-than with circle inside
U+02A7A		⋈				<code>\gtcir</code>	greater-than with circle inside
U+02A7B		⋈?				<code>\ltquest</code>	less-than with question mark above
U+02A7C		⋈?				<code>\gtquest</code>	greater-than with question mark above
U+02A7D	⋈	⋈	⋈	⋈	⋈	<code>\leqslant^(a)</code>	less-than or slanted equal to

USV	L	S	E	P	D	Macro	Description
U+02A7E	➤	➤	➤	➤	➤	<code>\geqslant^(a)</code>	greater-than or slanted equal to
U+02A7F		⋈				<code>\lesdot</code>	less-than or slanted equal to with dot inside
U+02A80		⋈				<code>\gesdot</code>	greater-than or slanted equal to with dot inside
U+02A81		⋈				<code>\lesdoto</code>	less-than or slanted equal to with dot above
U+02A82		⋈				<code>\gesdoto</code>	greater-than or slanted equal to with dot above
U+02A83		⋈				<code>\lesdotor</code>	less-than or slanted equal to with dot above right
U+02A84		⋈				<code>\gesdoto1</code>	greater-than or slanted equal to with dot above left
U+02A85	⋈	⋈	⋈	⋈	⋈	<code>\lessapprox^(a)</code>	less-than or approximate
U+02A86	⋈	⋈	⋈	⋈	⋈	<code>\gtrapprox^(a)</code>	greater-than or approximate
U+02A87	⋈	⋈	⋈	⋈	⋈	<code>\lneq^(a)</code>	less-than and single-line not equal to
U+02A88	⋈	⋈	⋈	⋈	⋈	<code>\gneq^(a)</code>	greater-than and single-line not equal to
U+02A89	⋈	⋈	⋈	⋈	⋈	<code>\lnapprox^(a)</code>	less-than and not approximate
U+02A8A	⋈	⋈	⋈	⋈	⋈	<code>\gnapprox^(a)</code>	greater-than and not approximate
U+02A8B	⋈	⋈	⋈	⋈	⋈	<code>\lesseqgtr^(a)</code>	less-than above double-line equal above greater-than
U+02A8C	⋈	⋈	⋈	⋈	⋈	<code>\gtreqless^(a)</code>	greater-than above double-line equal above less-than
U+02A8D		⋈				<code>\lsime</code>	less-than above similar or equal
U+02A8E		⋈				<code>\gsime</code>	greater-than above similar or equal
U+02A8F		⋈				<code>\lsimg</code>	less-than above similar above greater-than
U+02A90		⋈				<code>\gsiml</code>	greater-than above similar above less-than
U+02A91		⋈				<code>\lgE</code>	less-than above greater-than above double-line equal
U+02A92		⋈				<code>\glE</code>	greater-than above less-than above double-line equal

USV	L	S	E	P	D	Macro	Description
U+02A93		≪				<code>\lesges</code>	less-than above slanted equal above greater-than above slanted equal
U+02A94		≫				<code>\gesles</code>	greater-than above slanted equal above less-than above slanted equal
U+02A95	⋈	⋈	⋈	⋈	⋈	<code>\eqslantless^(a)</code>	slanted equal to or less-than
U+02A96	⋉	⋉	⋉	⋉	⋉	<code>\eqslantgtr^(a)</code>	slanted equal to or greater-than
U+02A97		⋈				<code>\elsdot</code>	slanted equal to or less-than with dot inside
U+02A98		⋉				<code>\egsdot</code>	slanted equal to or greater-than with dot inside
U+02A99		≡				<code>\eqqless</code>	double-line equal to or less-than
U+02A9A		≡				<code>\eqqgtr</code>	double-line equal to or greater-than
U+02A9B		≡				<code>\eqqslantless</code>	double-line slanted equal to or less-than
U+02A9C		≡				<code>\eqqslantgtr</code>	double-line slanted equal to or greater-than
U+02A9D		≈				<code>\simless</code>	similar or less-than
U+02A9E		≈				<code>\simgtr</code>	similar or greater-than
U+02A9F		≈				<code>\simlE</code>	similar above less-than above equals sign
U+02AA0		≈				<code>\simgE</code>	similar above greater-than above equals sign
U+02AA1		⋈				<code>\Lt</code>	double nested less-than
U+02AA2		⋉				<code>\Gt</code>	double nested greater-than
U+02AA3		⋈				<code>\partialmeetcontraction</code>	double less-than with underbar
U+02AA4		⋈				<code>\glj</code>	greater-than overlapping less-than
U+02AA5		⋈				<code>\gla</code>	greater-than beside less-than
U+02AA6		⋈				<code>\ltcc</code>	less-than closed by curve
U+02AA7		⋉				<code>\gtcc</code>	greater-than closed by curve
U+02AA8		⋈				<code>\lescc</code>	less-than closed by curve above slanted equal
U+02AA9		⋉				<code>\gescc</code>	greater-than closed by curve above slanted equal

USV	L	S	E	P	D	Macro	Description
U+02AAA		⋈				\smt	smaller than
U+02AAB		⋉				\lat	larger than
U+02AAC		⋊				\smte	smaller than or equal to
U+02AAD		⋋				\late	larger than or equal to
U+02AAE		⋌				\bumpeq	equals sign with bumpy above
U+02AAF	⋍	⋊	⋎	⋏	⋐	\preceq ^(p)	precedes above single-line equals sign
U+02AB0	⋍	⋋	⋎	⋏	⋐	\succeq ^(p)	succeeds above single-line equals sign
U+02AB1		⋊	⋎			\precneq	precedes above single-line not equal to
U+02AB2		⋋	⋎			\succneq	succeeds above single-line not equal to
U+02AB3		⋊	⋎			\preceqq	precedes above equals sign
U+02AB4		⋋	⋎			\succeqq	succeeds above equals sign
U+02AB5		⋊	⋎			\precneqq ^(a)	precedes above not equal to
U+02AB6		⋋	⋎			\succneqq ^(a)	succeeds above not equal to
U+02AB7		⋊	⋎			\precapprox ^(a)	precedes above almost equal to
U+02AB8		⋋	⋎			\succapprox ^(a)	succeeds above almost equal to
U+02AB9		⋊	⋎			\precnapprox ^(a)	precedes above not almost equal to
U+02ABA		⋋	⋎			\succnapprox ^(a)	succeeds above not almost equal to
U+02ABB		⋊				\Prec	double precedes
U+02ABC		⋋				\Succ	double succeeds
U+02ABD		⋊				\subsetdot	subset with dot
U+02ABE		⋋				\supsetdot	superset with dot
U+02ABF		⋊				\subsetplus	subset with plus sign below
U+02AC0		⋋				\supsetplus	superset with plus sign below
U+02AC1		⋊				\submult	subset with multiplication sign below

USV	L	S	E	P	D	Macro	Description
U+02AC2		⊃̘				<code>\supmult</code>	superset with multiplication sign below
U+02AC3		⊆̇				<code>\subedot</code>	subset of or equal to with dot above
U+02AC4		⊇̇				<code>\supedot</code>	superset of or equal to with dot above
U+02AC5		⊆≡	⊆≡			<code>\subseteqq^(a)</code>	subset of above equals sign
U+02AC6		⊇≡	⊇≡			<code>\supseteqq^(a)</code>	superset of above equals sign
U+02AC7		⊆̃				<code>\subsim</code>	subset of above tilde operator
U+02AC8		⊇̃				<code>\supsim</code>	superset of above tilde operator
U+02AC9		⊆≈				<code>\subsetapprox</code>	subset of above almost equal to
U+02ACA		⊇≈				<code>\supsetapprox</code>	superset of above almost equal to
U+02ACB		⊆≠	⊆≠			<code>\subsetneqq^(a)</code>	subset of above not equal to
U+02ACC		⊇≠	⊇≠			<code>\supsetneqq^(a)</code>	superset of above not equal to
U+02ACD		⌊				<code>\lsqhook</code>	square left open box operator
U+02ACE		⌋				<code>\rsqhook</code>	square right open box operator
U+02ACF		⊐				<code>\csub</code>	closed subset
U+02AD0		⊑				<code>\csup</code>	closed superset
U+02AD1		⊑̅				<code>\csube</code>	closed subset or equal to
U+02AD2		⊑̅				<code>\csupe</code>	closed superset or equal to
U+02AD3		⊆⊃				<code>\subsup</code>	subset above superset
U+02AD4		⊃⊆				<code>\supsub</code>	superset above subset
U+02AD5		⊆⊂				<code>\subsub</code>	subset above subset
U+02AD6		⊃⊇				<code>\supsup</code>	superset above superset
U+02AD7		⊃⊂				<code>\suphsub</code>	superset beside subset
U+02AD8		⊃⊂̅				<code>\supdsub</code>	superset beside and joined by dash with subset
U+02AD9		⌋				<code>\forkv</code>	element of opening downwards

USV	L	S	E	P	D	Macro	Description
U+02ADA						<code>\topfork</code>	pitchfork with tee top
U+02ADB						<code>\mlcp</code>	transversal intersection
U+02ADC						<code>\forks</code>	forking
U+02ADD						<code>\forksnot</code>	nonforking
U+02ADE						<code>\shortlefttack</code>	short left tack
U+02ADF						<code>\shortdowntack</code>	short down tack
U+02AE0						<code>\shortuptack</code>	short up tack
U+02AE2						<code>\vDdash</code>	vertical bar triple right turnstile
U+02AE3						<code>\dashV</code>	double vertical bar left turnstile
U+02AE4						<code>\Dashv</code>	vertical bar double left turnstile
U+02AE5						<code>\DashV</code>	double vertical bar double left turnstile
U+02AE6						<code>\varVdash</code>	long dash from left member of double vertical
U+02AE7						<code>\Barv</code>	short down tack with overbar
U+02AE8						<code>\vBar</code>	short up tack with underbar
U+02AE9						<code>\vBarv</code>	short up tack above short down tack
U+02AEA						<code>\barV</code>	double down tack
U+02AEB						<code>\Vbar</code>	double up tack
U+02AEC						<code>\Not</code>	double stroke not sign
U+02AED						<code>\bNot</code>	reversed double stroke not sign
U+02AEE						<code>\revnmid</code>	does not divide with reversed negation slash
U+02AEF						<code>\cirmid</code>	vertical line with circle above
U+02AF0						<code>\midcir</code>	vertical line with circle below
U+02AF2						<code>\nhpar</code>	parallel with horizontal stroke
U+02AF3						<code>\parsim</code>	parallel with tilde operator

USV	L	S	E	P	D	Macro	Description
U+02AF7		⇐⇐⇐				<code>\lllneq</code>	stacked very much less-than
U+02AF8		⇒⇒⇒				<code>\gggneq</code>	stacked very much greater-than
U+02AF9		⇐⇐	⇒⇒			<code>\leqqslant</code>	double-line slanted less-than or equal to
U+02AFA		⇒⇒	⇐⇐			<code>\geqqslant</code>	double-line slanted greater-than or equal to
U+02B30		⇐⊖				<code>\circlearrowleft</code>	left arrow with small circle
U+02B31	⇐⇐⇐	⇐⇐⇐	⇒⇒⇒	⇐⇐⇐	⇒⇒⇒	<code>\leftthreetimes</code>	three leftwards arrows
U+02B32		⇐⊕				<code>\leftarrowonoplus</code>	left arrow with circled plus
U+02B33	⇐⇐⇐	⇐⇐⇐	⇒⇒⇒	⇐⇐⇐	⇒⇒⇒	<code>\longleftsquigarrow</code>	long leftwards squiggle arrow
U+02B34		⇐⇐				<code>\nvtwoheadleftarrow</code>	leftwards two-headed arrow with vertical stroke
U+02B35		⇐⇐				<code>\nVtwoheadleftarrow</code>	leftwards two-headed arrow with double vertical stroke
U+02B36		⇐⇐				<code>\twoheadmapsfrom</code>	leftwards two-headed arrow from bar
U+02B37		⇐⇐⇐				<code>\twoheadleftdbkarrow</code>	leftwards two-headed triple-dash arrow
U+02B38		⇐⇐⇐				<code>\leftdotarrow</code>	leftwards arrow with dotted stem
U+02B39		⇐⇐				<code>\nvleftarrowtail</code>	leftwards arrow with tail with vertical stroke
U+02B3A		⇐⇐				<code>\nVleftarrowtail</code>	leftwards arrow with tail with double vertical stroke
U+02B3B		⇐⇐				<code>\twoheadleftarrowtail</code>	leftwards two-headed arrow with tail
U+02B3C		⇐⇐				<code>\nvtwoheadleftarrowtail</code>	leftwards two-headed arrow with tail with vertical stroke
U+02B3D		⇐⇐				<code>\nVtwoheadleftarrowtail</code>	leftwards two-headed arrow with tail with double vertical stroke
U+02B3E		⇐⇐				<code>\leftarrowx</code>	leftwards arrow through x
U+02B3F		⇐	⇐			<code>\leftcurvedarrow</code>	wave arrow pointing directly left
U+02B40		⇐⇐				<code>\eqlleftarrow</code>	equals sign above leftwards arrow
U+02B41		⇐				<code>\bsimilarleftarrow</code>	reverse tilde operator above leftwards arrow
U+02B42		⇐⇐				<code>\leftarrowbackapprox</code>	leftwards arrow above reverse almost equal to

USV	L	S	E	P	D	Macro	Description
U+02B43		➤				<code>\rightarrowgtr</code>	rightwards arrow through greater-than
U+02B44		➤				<code>\rightarrowsupset</code>	rightwards arrow through subset
U+02B45		⇐				<code>\Lleftarrow</code>	leftwards quadruple arrow
U+02B46		⇒				<code>\Rrightarrow</code>	rightwards quadruple arrow
U+02B47		↗				<code>\bsimilarrightarrow</code>	reverse tilde operator above rightwards arrow
U+02B48		↗				<code>\rightarrowbackapprox</code>	rightwards arrow above reverse almost equal to
U+02B49		↖				<code>\similarleftarrow</code>	tilde operator above leftwards arrow
U+02B4A		↖				<code>\leftarrowapprox</code>	leftwards arrow above almost equal to
U+02B4B		↖				<code>\leftarrowbsimilar</code>	leftwards arrow above reverse tilde operator
U+02B4C		↗				<code>\rightarrowbsimilar</code>	rightwards arrow above reverse tilde operator

15 Alphabetical symbols, \mathalpha

15.1 Normal weight

15.1.1 Upright Greek, uppercase

USV	L	S	E	P	D	Macro	Description
U+00391	Α	Α	Α	Α	Α	\mupAlpha	capital alpha, greek
U+00392	Β	Β	Β	Β	Β	\mupBeta	capital beta, greek
U+00393	Γ	Γ	Γ	Γ	Γ	\mupGamma	capital gamma, greek
U+00394	Δ	Δ	Δ	Δ	Δ	\mupDelta	capital delta, greek
U+00395	Ε	Ε	Ε	Ε	Ε	\mupEpsilon	capital epsilon, greek
U+00396	Ζ	Ζ	Ζ	Ζ	Ζ	\mupZeta	capital zeta, greek
U+00397	Η	Η	Η	Η	Η	\mupEta	capital eta, greek
U+00398	Θ	Θ	Θ	Θ	Θ	\mupTheta	capital theta, greek
U+00399	Ι	Ι	Ι	Ι	Ι	\mupIota	capital iota, greek
U+0039A	Κ	Κ	Κ	Κ	Κ	\mupKappa	capital kappa, greek
U+0039B	Λ	Λ	Λ	Λ	Λ	\mupLambda	capital lambda, greek
U+0039C	Μ	Μ	Μ	Μ	Μ	\mupMu	capital mu, greek
U+0039D	Ν	Ν	Ν	Ν	Ν	\mupNu	capital nu, greek
U+0039E	Ξ	Ξ	Ξ	Ξ	Ξ	\mupXi	capital xi, greek
U+0039F	Ο	Ο	Ο	Ο	Ο	\mupOmicron	capital omicron, greek
U+003A0	Π	Π	Π	Π	Π	\mupPi	capital pi, greek
U+003A1	Ρ	Ρ	Ρ	Ρ	Ρ	\mupRho	capital rho, greek
U+003A3	Σ	Σ	Σ	Σ	Σ	\mupSigma	capital sigma, greek
U+003A4	Τ	Τ	Τ	Τ	Τ	\mupTau	capital tau, greek
U+003A5	Υ	Υ	Υ	Υ	Υ	\mupUpsilon	capital upsilon, greek
U+003A6	Φ	Φ	Φ	Φ	Φ	\mupPhi	capital phi, greek

USV	L	S	E	P	D	Macro	Description
U+003A7	Χ	Χ	Χ	Χ	Χ	\mupChi	capital chi, greek
U+003A8	Ψ	Ψ	Ψ	Ψ	Ψ	\mupPsi	capital psi, greek
U+003A9	Ω	Ω	Ω	Ω	Ω	\mupOmega	capital omega, greek

15.1.2 Upright Greek, lowercase

USV	L	S	E	P	D	Macro	Description
U+003B1	α	α	α	α	α	\mupalpha	small alpha, greek
U+003B2	β	β	β	β	β	\mupbeta	small beta, greek
U+003B3	γ	γ	γ	γ	γ	\mupgamma	small gamma, greek
U+003B4	δ	δ	δ	δ	δ	\mupdelta	small delta, greek
U+003B5	ε	ε	ε	ε	ε	\mupvarepsilon	rounded small varepsilon, greek
U+003B6	ζ	ζ	ζ	ζ	ζ	\mupzeta	small zeta, greek
U+003B7	η	η	η	η	η	\mupeta	small eta, greek
U+003B8	θ	θ	θ	θ	θ	\muptheta	straight theta, small theta, greek
U+003B9	ι	ι	ι	ι	ι	\mupiota	small iota, greek
U+003BA	κ	κ	κ	κ	κ	\mupkappa	small kappa, greek
U+003BB	λ	λ	λ	λ	λ	\muplambda	small lambda, greek
U+003BC	μ	μ	μ	μ	μ	\mupmu	small mu, greek
U+003BD	ν	ν	ν	ν	ν	\mupnu	small nu, greek
U+003BE	ξ	ξ	ξ	ξ	ξ	\mupxi	small xi, greek
U+003BF	ο	ο	ο	ο	ο	\mupomicron	small omicron, greek
U+003C0	π	π	π	π	π	\muppi	small pi, greek
U+003C1	ρ	ρ	ρ	ρ	ρ	\muprho	small rho, greek
U+003C2	ς	ς	ς	ς	ς	\mupvarsigma	terminal sigma, greek

usv	L	S	E	P	D	Macro	Description
U+003C3	σ	σ	σ	σ	σ	\mupsigma	small sigma, greek
U+003C4	τ	τ	τ	τ	τ	\muptau	small tau, greek
U+003C5	υ	υ	υ	υ	υ	\mupupsilon	small upsilon, greek
U+003C6	φ	φ	φ	φ	φ	\mupvarphi	curly or open small phi, greek
U+003C7	χ	χ	χ	χ	χ	\mupchi	small chi, greek
U+003C8	ψ	ψ	ψ	ψ	ψ	\muppsi	small psi, greek
U+003C9	ω	ω	ω	ω	ω	\mupomega	small omega, greek
U+003D1	ϑ	ϑ	ϑ	ϑ	ϑ	\mupvarthetaeta	/varthetaeta - curly or open theta
U+003D5	ϕ	ϕ	ϕ	ϕ	ϕ	\mupphi	/straightphi - small phi, greek
U+003D6	ϖ	ϖ	ϖ	ϖ	ϖ	\mupvarpi	rounded small pi (pomega), greek
U+003DC		Ϛ				\upDigamma	capital digamma
U+003DD		ϛ	ϛ			\updigamma	old greek small letter digamma
U+003F0	ϣ	ϣ	ϣ	ϣ	ϣ	\mupvarkappa	rounded small kappa, greek
U+003F1	ϱ	ϱ	ϱ	ϱ	ϱ	\mupvarrho	rounded small rho, greek
U+003F4	Θ	Θ	Θ	Θ	Θ	\mupvarTheta	greek capital theta symbol
U+003F5	ϵ	ϵ	ϵ	ϵ	ϵ	\mupepsilon	greek lunate varepsilon symbol

15.1.3 Italic, Latin, uppercase

usv	L	S	E	P	D	Macro	Description
U+1D434	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	\mitA	mathematical italic capital a
U+1D435	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	\mitB	mathematical italic capital b
U+1D436	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	\mitC	mathematical italic capital c
U+1D437	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	\mitD	mathematical italic capital d
U+1D438	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	\mitE	mathematical italic capital e

USV	L	S	E	P	D	Macro	Description
U+1D439	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	\mitF	mathematical italic capital f
U+1D43A	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	\mitG	mathematical italic capital g
U+1D43B	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	\mitH	mathematical italic capital h
U+1D43C	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	\mitI	mathematical italic capital i
U+1D43D	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	\mitJ	mathematical italic capital j
U+1D43E	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	\mitK	mathematical italic capital k
U+1D43F	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	\mitL	mathematical italic capital l
U+1D440	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	\mitM	mathematical italic capital m
U+1D441	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	\mitN	mathematical italic capital n
U+1D442	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	\mitO	mathematical italic capital o
U+1D443	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	\mitP	mathematical italic capital p
U+1D444	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	\mitQ	mathematical italic capital q
U+1D445	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	\mitR	mathematical italic capital r
U+1D446	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	\mitS	mathematical italic capital s
U+1D447	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	\mitT	mathematical italic capital t
U+1D448	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	\mitU	mathematical italic capital u
U+1D449	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	\mitV	mathematical italic capital v
U+1D44A	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	\mitW	mathematical italic capital w
U+1D44B	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	\mitX	mathematical italic capital x
U+1D44C	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	\mitY	mathematical italic capital y
U+1D44D	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	\mitZ	mathematical italic capital z

15.1.4 Italic, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D44E	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	\mita	mathematical italic small a
U+1D44F	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	\mitb	mathematical italic small b
U+1D450	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	\mitc	mathematical italic small c
U+1D451	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	\mitd	mathematical italic small d
U+1D452	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	\mite	mathematical italic small e
U+1D453	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	\mitf	mathematical italic small f
U+1D454	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	\mitg	mathematical italic small g
U+1D456	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	\miti	mathematical italic small i
U+1D457	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	\mitj	mathematical italic small j
U+1D458	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	\mitk	mathematical italic small k
U+1D459	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	\mitl	mathematical italic small l
U+1D45A	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	\mitm	mathematical italic small m
U+1D45B	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	\mitn	mathematical italic small n
U+1D45C	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	\mito	mathematical italic small o
U+1D45D	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	\mitp	mathematical italic small p
U+1D45E	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	\mitq	mathematical italic small q
U+1D45F	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	\mitr	mathematical italic small r
U+1D460	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	\mits	mathematical italic small s
U+1D461	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	\mitt	mathematical italic small t
U+1D462	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	\mitu	mathematical italic small u
U+1D463	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	\mitv	mathematical italic small v
U+1D464	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	\mitw	mathematical italic small w
U+1D465	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	\mitx	mathematical italic small x
U+1D466	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	\mity	mathematical italic small y

USV	L	S	E	P	D	Macro	Description
U+1D467	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<code>\mitz</code>	mathematical italic small z

15.1.5 Italic Greek, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D6E2	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<code>\mitAlpha</code>	mathematical italic capital alpha
U+1D6E3	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<code>\mitBeta</code>	mathematical italic capital beta
U+1D6E4	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>	<code>\mitGamma</code>	mathematical italic capital gamma
U+1D6E5	<i>Δ</i>	<i>Δ</i>	<i>Δ</i>	<i>Δ</i>	<i>Δ</i>	<code>\mitDelta</code>	mathematical italic capital delta
U+1D6E6	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<code>\mitEpsilon</code>	mathematical italic capital epsilon
U+1D6E7	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<code>\mitZeta</code>	mathematical italic capital zeta
U+1D6E8	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<code>\mitEta</code>	mathematical italic capital eta
U+1D6E9	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<code>\mitTheta</code>	mathematical italic capital theta
U+1D6EA	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<code>\mitIota</code>	mathematical italic capital iota
U+1D6EB	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<code>\mitKappa</code>	mathematical italic capital kappa
U+1D6EC	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<code>\mitLambda</code>	mathematical italic capital lambda
U+1D6ED	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<code>\mitMu</code>	mathematical italic capital mu
U+1D6EE	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<code>\mitNu</code>	mathematical italic capital nu
U+1D6EF	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<code>\mitXi</code>	mathematical italic capital xi
U+1D6F0	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<code>\mitOmicron</code>	mathematical italic capital omicron
U+1D6F1	<i>Π</i>	<i>Π</i>	<i>Π</i>	<i>Π</i>	<i>Π</i>	<code>\mitPi</code>	mathematical italic capital pi
U+1D6F2	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<code>\mitRho</code>	mathematical italic capital rho
U+1D6F3	<i>θ</i>	<i>θ</i>	<i>θ</i>	<i>θ</i>	<i>θ</i>	<code>\mitvarTheta</code>	mathematical italic capital theta symbol
U+1D6F4	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<code>\mitSigma</code>	mathematical italic capital sigma
U+1D6F5	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<code>\mitTau</code>	mathematical italic capital tau

USV	L	S	E	P	D	Macro	Description
U+1D6F6	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<code>\mitUpsilon</code>	mathematical italic capital upsilon
U+1D6F7	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<code>\mitPhi</code>	mathematical italic capital phi
U+1D6F8	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<code>\mitChi</code>	mathematical italic capital chi
U+1D6F9	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<code>\mitPsi</code>	mathematical italic capital psi
U+1D6FA	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<code>\mitOmega</code>	mathematical italic capital omega

15.1.6 Italic Greek, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D6FC	<i>α</i>	<i>α</i>	<i>α</i>	<i>α</i>	<i>α</i>	<code>\mitalpha</code>	mathematical italic small alpha
U+1D6FD	<i>β</i>	<i>β</i>	<i>β</i>	<i>β</i>	<i>β</i>	<code>\mitbeta</code>	mathematical italic small beta
U+1D6FE	<i>γ</i>	<i>γ</i>	<i>γ</i>	<i>γ</i>	<i>γ</i>	<code>\mitgamma</code>	mathematical italic small gamma
U+1D6FF	<i>δ</i>	<i>δ</i>	<i>δ</i>	<i>δ</i>	<i>δ</i>	<code>\mitdelta</code>	mathematical italic small delta
U+1D700	<i>ε</i>	<i>ε</i>	<i>ε</i>	<i>ε</i>	<i>ε</i>	<code>\mitvarepsilon</code>	mathematical italic small varepsilon
U+1D701	<i>ζ</i>	<i>ζ</i>	<i>ζ</i>	<i>ζ</i>	<i>ζ</i>	<code>\mitzeta</code>	mathematical italic small zeta
U+1D702	<i>η</i>	<i>η</i>	<i>η</i>	<i>η</i>	<i>η</i>	<code>\miteta</code>	mathematical italic small eta
U+1D703	<i>θ</i>	<i>θ</i>	<i>θ</i>	<i>θ</i>	<i>θ</i>	<code>\mittheta</code>	mathematical italic small theta
U+1D704	<i>ι</i>	<i>ι</i>	<i>ι</i>	<i>ι</i>	<i>ι</i>	<code>\mitiota</code>	mathematical italic small iota
U+1D705	<i>κ</i>	<i>κ</i>	<i>κ</i>	<i>κ</i>	<i>κ</i>	<code>\mitkappa</code>	mathematical italic small kappa
U+1D706	<i>λ</i>	<i>λ</i>	<i>λ</i>	<i>λ</i>	<i>λ</i>	<code>\mitlambda</code>	mathematical italic small lambda
U+1D707	<i>μ</i>	<i>μ</i>	<i>μ</i>	<i>μ</i>	<i>μ</i>	<code>\mitmu</code>	mathematical italic small mu
U+1D708	<i>ν</i>	<i>ν</i>	<i>ν</i>	<i>ν</i>	<i>ν</i>	<code>\mitnu</code>	mathematical italic small nu
U+1D709	<i>ξ</i>	<i>ξ</i>	<i>ξ</i>	<i>ξ</i>	<i>ξ</i>	<code>\mitxi</code>	mathematical italic small xi
U+1D70A	<i>ο</i>	<i>ο</i>	<i>ο</i>	<i>ο</i>	<i>ο</i>	<code>\mitomicron</code>	mathematical italic small omicron
U+1D70B	<i>π</i>	<i>π</i>	<i>π</i>	<i>π</i>	<i>π</i>	<code>\mitpi</code>	mathematical italic small pi

USV	L	S	E	P	D	Macro	Description
U+1D70C	<i>ρ</i>	<i>ρ</i>	<i>ρ</i>	<i>ρ</i>	<i>ρ</i>	<code>\mitrho</code>	mathematical italic small rho
U+1D70D	<i>ς</i>	<i>ς</i>	<i>ς</i>	<i>ς</i>	<i>ς</i>	<code>\mitvarsigma</code>	mathematical italic small final sigma
U+1D70E	<i>σ</i>	<i>σ</i>	<i>σ</i>	<i>σ</i>	<i>σ</i>	<code>\mitsigma</code>	mathematical italic small sigma
U+1D70F	<i>τ</i>	<i>τ</i>	<i>τ</i>	<i>τ</i>	<i>τ</i>	<code>\mittau</code>	mathematical italic small tau
U+1D710	<i>υ</i>	<i>υ</i>	<i>υ</i>	<i>υ</i>	<i>υ</i>	<code>\mitupsilon</code>	mathematical italic small upsilon
U+1D711	<i>φ</i>	<i>φ</i>	<i>φ</i>	<i>φ</i>	<i>φ</i>	<code>\mitvarphi</code>	mathematical italic small phi
U+1D712	<i>χ</i>	<i>χ</i>	<i>χ</i>	<i>χ</i>	<i>χ</i>	<code>\mitchi</code>	mathematical italic small chi
U+1D713	<i>ψ</i>	<i>ψ</i>	<i>ψ</i>	<i>ψ</i>	<i>ψ</i>	<code>\mitpsi</code>	mathematical italic small psi
U+1D714	<i>ω</i>	<i>ω</i>	<i>ω</i>	<i>ω</i>	<i>ω</i>	<code>\mitomega</code>	mathematical italic small omega
U+1D715	<i>∂</i>	<i>∂</i>	<i>∂</i>	<i>∂</i>	<i>∂</i>	<code>\mitpartial</code>	mathematical italic partial differential
U+1D716	<i>ε</i>	<i>ε</i>	<i>ε</i>	<i>ε</i>	<i>ε</i>	<code>\mitepsilon</code>	mathematical italic varepsilon symbol
U+1D717	<i>θ</i>	<i>θ</i>	<i>θ</i>	<i>θ</i>	<i>θ</i>	<code>\mitvartheta</code>	mathematical italic theta symbol
U+1D718	<i>κ</i>	<i>κ</i>	<i>κ</i>	<i>κ</i>	<i>κ</i>	<code>\mitvarkappa</code>	mathematical italic kappa symbol
U+1D719	<i>φ</i>	<i>φ</i>	<i>φ</i>	<i>φ</i>	<i>φ</i>	<code>\mitphi</code>	mathematical italic phi symbol
U+1D71A	<i>ρ</i>	<i>ρ</i>	<i>ρ</i>	<i>ρ</i>	<i>ρ</i>	<code>\mitvarrho</code>	mathematical italic rho symbol
U+1D71B	<i>π</i>	<i>π</i>	<i>π</i>	<i>π</i>	<i>π</i>	<code>\mitvarpi</code>	mathematical italic pi symbol

15.1.7 Script, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D49C	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<code>\mscrA</code>	mathematical script capital a
U+1D49E	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<code>\mscrC</code>	mathematical script capital c
U+1D49F	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<code>\mscrD</code>	mathematical script capital d
U+1D4A2	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<code>\mscrG</code>	mathematical script capital g
U+1D4A5	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<code>\mscrJ</code>	mathematical script capital j

USV	L	S	E	P	D	Macro	Description
U+1D4A6	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<code>\mscrK</code>	mathematical script capital k
U+1D4A9	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<code>\mscrN</code>	mathematical script capital n
U+1D4AA	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<code>\mscrO</code>	mathematical script capital o
U+1D4AB	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<code>\mscrP</code>	mathematical script capital p
U+1D4AC	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<code>\mscrQ</code>	mathematical script capital q
U+1D4AE	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<code>\mscrS</code>	mathematical script capital s
U+1D4AF	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<code>\mscrT</code>	mathematical script capital t
U+1D4B0	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<code>\mscrU</code>	mathematical script capital u
U+1D4B1	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<code>\mscrV</code>	mathematical script capital v
U+1D4B2	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<code>\mscrW</code>	mathematical script capital w
U+1D4B3	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<code>\mscrX</code>	mathematical script capital x
U+1D4B4	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<code>\mscrY</code>	mathematical script capital y
U+1D4B5	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<code>\mscrZ</code>	mathematical script capital z

15.1.8 Script, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D4B6		<i>a</i>		<i>a</i>	<i>a</i>	<code>\mscra</code>	mathematical script small a
U+1D4B7		<i>b</i>		<i>b</i>	<i>b</i>	<code>\mscrb</code>	mathematical script small b
U+1D4B8		<i>c</i>		<i>c</i>	<i>c</i>	<code>\mscra</code>	mathematical script small c
U+1D4B9		<i>d</i>		<i>d</i>	<i>d</i>	<code>\mscrd</code>	mathematical script small d
U+1D4BB		<i>f</i>		<i>f</i>	<i>f</i>	<code>\mscrf</code>	mathematical script small f
U+1D4BD		<i>h</i>		<i>h</i>	<i>h</i>	<code>\mscrh</code>	mathematical script small h
U+1D4BE		<i>i</i>		<i>i</i>	<i>i</i>	<code>\mscri</code>	mathematical script small i
U+1D4BF		<i>j</i>		<i>j</i>	<i>j</i>	<code>\mscrj</code>	mathematical script small j

USV	L	S	E	P	D	Macro	Description
U+1D4C0		<i>k</i>		<i>k</i>	<i>k</i>	<code>\mscrk</code>	mathematical script small k
U+1D4C1		<i>l</i>		<i>l</i>	<i>l</i>	<code>\mscrl</code>	mathematical script small l
U+1D4C2		<i>m</i>		<i>m</i>	<i>m</i>	<code>\mscrm</code>	mathematical script small m
U+1D4C3		<i>n</i>		<i>n</i>	<i>n</i>	<code>\mscrn</code>	mathematical script small n
U+1D4C5		<i>p</i>		<i>p</i>	<i>p</i>	<code>\mscrp</code>	mathematical script small p
U+1D4C6		<i>q</i>		<i>q</i>	<i>q</i>	<code>\mscrq</code>	mathematical script small q
U+1D4C7		<i>r</i>		<i>r</i>	<i>r</i>	<code>\mscrr</code>	mathematical script small r
U+1D4C8		<i>s</i>		<i>s</i>	<i>s</i>	<code>\mscrs</code>	mathematical script small s
U+1D4C9		<i>t</i>		<i>t</i>	<i>t</i>	<code>\mscrt</code>	mathematical script small t
U+1D4CA		<i>u</i>		<i>u</i>	<i>u</i>	<code>\mscru</code>	mathematical script small u
U+1D4CB		<i>v</i>		<i>v</i>	<i>v</i>	<code>\mscrv</code>	mathematical script small v
U+1D4CC		<i>w</i>		<i>w</i>	<i>w</i>	<code>\mscrw</code>	mathematical script small w
U+1D4CD		<i>x</i>		<i>x</i>	<i>x</i>	<code>\mscrx</code>	mathematical script small x
U+1D4CE		<i>y</i>		<i>y</i>	<i>y</i>	<code>\mscry</code>	mathematical script small y
U+1D4CF		<i>z</i>		<i>z</i>	<i>z</i>	<code>\mscrz</code>	mathematical script small z

15.1.9 Fraktur, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D504	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<code>\mfrakA</code>	mathematical fraktur capital a
U+1D505	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<code>\mfrakB</code>	mathematical fraktur capital b
U+1D507	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<code>\mfrakD</code>	mathematical fraktur capital d
U+1D508	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<code>\mfrakE</code>	mathematical fraktur capital e
U+1D509	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<code>\mfrakF</code>	mathematical fraktur capital f
U+1D50A	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<code>\mfrakG</code>	mathematical fraktur capital g

USV	L	S	E	P	D	Macro	Description
U+1D50D	𝔍	𝔖	𝔈	𝔓	𝔡	<code>\mfracJ</code>	mathematical fraktur capital j
U+1D50E	𝔖	𝔗	𝔉	𝔔	𝔞	<code>\mfracK</code>	mathematical fraktur capital k
U+1D50F	𝔗	𝔘	𝔇	𝔡	𝔞	<code>\mfracL</code>	mathematical fraktur capital l
U+1D510	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracM</code>	mathematical fraktur capital m
U+1D511	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracN</code>	mathematical fraktur capital n
U+1D512	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracO</code>	mathematical fraktur capital o
U+1D513	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracP</code>	mathematical fraktur capital p
U+1D514	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracQ</code>	mathematical fraktur capital q
U+1D516	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracS</code>	mathematical fraktur capital s
U+1D517	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracT</code>	mathematical fraktur capital t
U+1D518	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracU</code>	mathematical fraktur capital u
U+1D519	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracV</code>	mathematical fraktur capital v
U+1D51A	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracW</code>	mathematical fraktur capital w
U+1D51B	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracX</code>	mathematical fraktur capital x
U+1D51C	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfracY</code>	mathematical fraktur capital y

15.1.10 Fraktur, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D51E	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfraka</code>	mathematical fraktur small a
U+1D51F	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfrakb</code>	mathematical fraktur small b
U+1D520	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfrakc</code>	mathematical fraktur small c
U+1D521	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfrakd</code>	mathematical fraktur small d
U+1D522	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfrage</code>	mathematical fraktur small e
U+1D523	𝔞	𝔞	𝔞	𝔞	𝔞	<code>\mfrakf</code>	mathematical fraktur small f

usv	L	S	E	P	D	Macro	Description
U+1D524	g	g	g	g	g	\mfrakg	mathematical fraktur small g
U+1D525	h	h	h	h	h	\mfrakh	mathematical fraktur small h
U+1D526	i	i	i	i	i	\mfraki	mathematical fraktur small i
U+1D527	j	j	j	j	j	\mfrakj	mathematical fraktur small j
U+1D528	k	k	k	k	k	\mfrakk	mathematical fraktur small k
U+1D529	l	l	l	l	l	\mfrakl	mathematical fraktur small l
U+1D52A	m	m	m	m	m	\mfrakm	mathematical fraktur small m
U+1D52B	n	n	n	n	n	\mfrakn	mathematical fraktur small n
U+1D52C	o	o	o	o	o	\mfrako	mathematical fraktur small o
U+1D52D	p	p	p	p	p	\mfrakp	mathematical fraktur small p
U+1D52E	q	q	q	q	q	\mfrakq	mathematical fraktur small q
U+1D52F	r	r	r	r	r	\mfrakr	mathematical fraktur small r
U+1D530	s	s	s	s	s	\mfraks	mathematical fraktur small s
U+1D531	t	t	t	t	t	\mfrakt	mathematical fraktur small t
U+1D532	u	u	u	u	u	\mfraku	mathematical fraktur small u
U+1D533	v	v	v	v	v	\mfrakv	mathematical fraktur small v
U+1D534	w	w	w	w	w	\mfrakw	mathematical fraktur small w
U+1D535	x	x	x	x	x	\mfrakx	mathematical fraktur small x
U+1D536	y	y	y	y	y	\mfraky	mathematical fraktur small y
U+1D537	z	z	z	z	z	\mfrakz	mathematical fraktur small z

15.1.11 Blackboard, Latin, uppercase

usv	L	S	E	P	D	Macro	Description
U+1D538	A	A	A	A	A	\BbbA	mathematical double-struck capital a

usv	L	S	E	P	D	Macro	Description
U+1D539	B	B	B	B	B	\BbbB	mathematical double-struck capital b
U+1D53B	D	D	D	D	D	\BbbD	mathematical double-struck capital d
U+1D53C	E	E	E	E	E	\BbbE	mathematical double-struck capital e
U+1D53D	F	F	F	F	F	\BbbF	mathematical double-struck capital f
U+1D53E	G	G	G	G	G	\BbbG	mathematical double-struck capital g
U+1D540	I	I	I	I	I	\BbbI	mathematical double-struck capital i
U+1D541	J	J	J	J	J	\BbbJ	mathematical double-struck capital j
U+1D542	K	K	K	K	K	\BbbK	mathematical double-struck capital k
U+1D543	L	L	L	L	L	\BbbL	mathematical double-struck capital l
U+1D544	M	M	M	M	M	\BbbM	mathematical double-struck capital m
U+1D546	O	O	O	O	O	\BbbO	mathematical double-struck capital o
U+1D54A	S	S	S	S	S	\BbbS	mathematical double-struck capital s
U+1D54B	T	T	T	T	T	\BbbT	mathematical double-struck capital t
U+1D54C	U	U	U	U	U	\BbbU	mathematical double-struck capital u
U+1D54D	V	V	V	V	V	\BbbV	mathematical double-struck capital v
U+1D54E	W	W	W	W	W	\BbbW	mathematical double-struck capital w
U+1D54F	X	X	X	X	X	\BbbX	mathematical double-struck capital x
U+1D550	Y	Y	Y	Y	Y	\BbbY	mathematical double-struck capital y

15.1.12 Blackboard, Latin, lowercase

usv	L	S	E	P	D	Macro	Description
U+1D552	a	a	a	a	a	\Bbba	mathematical double-struck small a
U+1D553	b	b	b	b	b	\Bbbb	mathematical double-struck small b
U+1D554	c	c	c	c	c	\Bbbc	mathematical double-struck small c

usv	L	S	E	P	D	Macro	Description
U+1D555	d	d	d	d	d	\Bbbd	mathematical double-struck small d
U+1D556	e	e	e	e	e	\Bbbe	mathematical double-struck small e
U+1D557	f	f	f	f	f	\Bbbf	mathematical double-struck small f
U+1D558	g	g	g	g	g	\Bbbg	mathematical double-struck small g
U+1D559	h	h	h	h	h	\Bbbh	mathematical double-struck small h
U+1D55A	i	i	i	i	i	\Bbbi	mathematical double-struck small i
U+1D55B	j	j	j	j	j	\Bbbj	mathematical double-struck small j
U+1D55C	k	k	k	k	k	\Bbbk ^(a)	mathematical double-struck small k
U+1D55D	l	l	l	l	l	\Bbb l	mathematical double-struck small l
U+1D55E	m	m	m	m	m	\Bbbm	mathematical double-struck small m
U+1D55F	n	n	n	n	n	\Bbbn	mathematical double-struck small n
U+1D560	o	o	o	o	o	\Bbbo	mathematical double-struck small o
U+1D561	p	p	p	p	p	\Bbbp	mathematical double-struck small p
U+1D562	q	q	q	q	q	\Bbbq	mathematical double-struck small q
U+1D563	r	r	r	r	r	\Bbbr	mathematical double-struck small r
U+1D564	s	s	s	s	s	\Bbbs	mathematical double-struck small s
U+1D565	t	t	t	t	t	\Bbbt	mathematical double-struck small t
U+1D566	u	u	u	u	u	\Bbbu	mathematical double-struck small u
U+1D567	v	v	v	v	v	\Bbbv	mathematical double-struck small v
U+1D568	w	w	w	w	w	\Bbbw	mathematical double-struck small w
U+1D569	x	x	x	x	x	\Bbbx	mathematical double-struck small x
U+1D56A	y	y	y	y	y	\Bbby	mathematical double-struck small y
U+1D56B	z	z	z	z	z	\Bbbz	mathematical double-struck small z

15.1.13 Sans serif, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D5A0	A	A	A	A	A	\msansA	mathematical sans-serif capital a
U+1D5A1	B	B	B	B	B	\msansB	mathematical sans-serif capital b
U+1D5A2	C	C	C	C	C	\msansC	mathematical sans-serif capital c
U+1D5A3	D	D	D	D	D	\msansD	mathematical sans-serif capital d
U+1D5A4	E	E	E	E	E	\msansE	mathematical sans-serif capital e
U+1D5A5	F	F	F	F	F	\msansF	mathematical sans-serif capital f
U+1D5A6	G	G	G	G	G	\msansG	mathematical sans-serif capital g
U+1D5A7	H	H	H	H	H	\msansH	mathematical sans-serif capital h
U+1D5A8	I	I	I	I	I	\msansI	mathematical sans-serif capital i
U+1D5A9	J	J	J	J	J	\msansJ	mathematical sans-serif capital j
U+1D5AA	K	K	K	K	K	\msansK	mathematical sans-serif capital k
U+1D5AB	L	L	L	L	L	\msansL	mathematical sans-serif capital l
U+1D5AC	M	M	M	M	M	\msansM	mathematical sans-serif capital m
U+1D5AD	N	N	N	N	N	\msansN	mathematical sans-serif capital n
U+1D5AE	O	O	O	O	O	\msansO	mathematical sans-serif capital o
U+1D5AF	P	P	P	P	P	\msansP	mathematical sans-serif capital p
U+1D5B0	Q	Q	Q	Q	Q	\msansQ	mathematical sans-serif capital q
U+1D5B1	R	R	R	R	R	\msansR	mathematical sans-serif capital r
U+1D5B2	S	S	S	S	S	\msansS	mathematical sans-serif capital s
U+1D5B3	T	T	T	T	T	\msansT	mathematical sans-serif capital t
U+1D5B4	U	U	U	U	U	\msansU	mathematical sans-serif capital u
U+1D5B5	V	V	V	V	V	\msansV	mathematical sans-serif capital v
U+1D5B6	W	W	W	W	W	\msansW	mathematical sans-serif capital w

USV	L	S	E	P	D	Macro	Description
U+1D5B7	X	X	X	X	X	\msansX	mathematical sans-serif capital x
U+1D5B8	Y	Y	Y	Y	Y	\msansY	mathematical sans-serif capital y
U+1D5B9	Z	Z	Z	Z	Z	\msansZ	mathematical sans-serif capital z

15.1.14 Sans serif, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D5BA	a	a	a	a	a	\msansa	mathematical sans-serif small a
U+1D5BB	b	b	b	b	b	\msansb	mathematical sans-serif small b
U+1D5BC	c	c	c	c	c	\msansc	mathematical sans-serif small c
U+1D5BD	d	d	d	d	d	\msansd	mathematical sans-serif small d
U+1D5BE	e	e	e	e	e	\msanse	mathematical sans-serif small e
U+1D5BF	f	f	f	f	f	\msansf	mathematical sans-serif small f
U+1D5C0	g	g	g	g	g	\msansg	mathematical sans-serif small g
U+1D5C1	h	h	h	h	h	\msansh	mathematical sans-serif small h
U+1D5C2	i	i	i	i	i	\msansi	mathematical sans-serif small i
U+1D5C3	j	j	j	j	j	\msansj	mathematical sans-serif small j
U+1D5C4	k	k	k	k	k	\msansk	mathematical sans-serif small k
U+1D5C5	l	l	l	l	l	\msansl	mathematical sans-serif small l
U+1D5C6	m	m	m	m	m	\msansm	mathematical sans-serif small m
U+1D5C7	n	n	n	n	n	\msansn	mathematical sans-serif small n
U+1D5C8	o	o	o	o	o	\msanso	mathematical sans-serif small o
U+1D5C9	p	p	p	p	p	\msansp	mathematical sans-serif small p
U+1D5CA	q	q	q	q	q	\msansq	mathematical sans-serif small q
U+1D5CB	r	r	r	r	r	\msansr	mathematical sans-serif small r

USV	L	S	E	P	D	Macro	Description
U+1D5CC	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<code>\msanss</code>	mathematical sans-serif small s
U+1D5CD	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<code>\msanst</code>	mathematical sans-serif small t
U+1D5CE	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<code>\msansu</code>	mathematical sans-serif small u
U+1D5CF	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<code>\msansv</code>	mathematical sans-serif small v
U+1D5D0	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<code>\msansw</code>	mathematical sans-serif small w
U+1D5D1	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<code>\msansx</code>	mathematical sans-serif small x
U+1D5D2	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<code>\msansy</code>	mathematical sans-serif small y
U+1D5D3	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<code>\msansz</code>	mathematical sans-serif small z

15.1.15 Italic sans serif, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D608	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<code>\mitsansA</code>	mathematical sans-serif italic capital a
U+1D609	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<code>\mitsansB</code>	mathematical sans-serif italic capital b
U+1D60A	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<code>\mitsansC</code>	mathematical sans-serif italic capital c
U+1D60B	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<code>\mitsansD</code>	mathematical sans-serif italic capital d
U+1D60C	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<code>\mitsansE</code>	mathematical sans-serif italic capital e
U+1D60D	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<code>\mitsansF</code>	mathematical sans-serif italic capital f
U+1D60E	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<code>\mitsansG</code>	mathematical sans-serif italic capital g
U+1D60F	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<code>\mitsansH</code>	mathematical sans-serif italic capital h
U+1D610	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<code>\mitsansI</code>	mathematical sans-serif italic capital i
U+1D611	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<code>\mitsansJ</code>	mathematical sans-serif italic capital j
U+1D612	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<code>\mitsansK</code>	mathematical sans-serif italic capital k
U+1D613	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<code>\mitsansL</code>	mathematical sans-serif italic capital l
U+1D614	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<code>\mitsansM</code>	mathematical sans-serif italic capital m

USV	L	S	E	P	D	Macro	Description
U+1D615	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	\mitsansN	mathematical sans-serif italic capital n
U+1D616	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	\mitsansO	mathematical sans-serif italic capital o
U+1D617	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	\mitsansP	mathematical sans-serif italic capital p
U+1D618	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	\mitsansQ	mathematical sans-serif italic capital q
U+1D619	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	\mitsansR	mathematical sans-serif italic capital r
U+1D61A	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	\mitsansS	mathematical sans-serif italic capital s
U+1D61B	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	\mitsansT	mathematical sans-serif italic capital t
U+1D61C	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	\mitsansU	mathematical sans-serif italic capital u
U+1D61D	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	\mitsansV	mathematical sans-serif italic capital v
U+1D61E	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	\mitsansW	mathematical sans-serif italic capital w
U+1D61F	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	\mitsansX	mathematical sans-serif italic capital x
U+1D620	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	\mitsansY	mathematical sans-serif italic capital y
U+1D621	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	\mitsansZ	mathematical sans-serif italic capital z

15.1.16 Italic sans serif, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D622	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	\mitsansa	mathematical sans-serif italic small a
U+1D623	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	\mitsansb	mathematical sans-serif italic small b
U+1D624	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	\mitsansc	mathematical sans-serif italic small c
U+1D625	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	\mitsansd	mathematical sans-serif italic small d
U+1D626	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	\mitsanse	mathematical sans-serif italic small e
U+1D627	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	\mitsansf	mathematical sans-serif italic small f
U+1D628	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	\mitsansg	mathematical sans-serif italic small g
U+1D629	<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	\mitsansh	mathematical sans-serif italic small h

usv	L	S	E	P	D	Macro	Description
U+1D62A	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<code>\mitsansi</code>	mathematical sans-serif italic small i
U+1D62B	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<code>\mitsansj</code>	mathematical sans-serif italic small j
U+1D62C	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<code>\mitsansk</code>	mathematical sans-serif italic small k
U+1D62D	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<code>\mitsansl</code>	mathematical sans-serif italic small l
U+1D62E	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<code>\mitsansm</code>	mathematical sans-serif italic small m
U+1D62F	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<code>\mitsansn</code>	mathematical sans-serif italic small n
U+1D630	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<code>\mitsanso</code>	mathematical sans-serif italic small o
U+1D631	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<code>\mitsansp</code>	mathematical sans-serif italic small p
U+1D632	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<code>\mitsansq</code>	mathematical sans-serif italic small q
U+1D633	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<code>\mitsansr</code>	mathematical sans-serif italic small r
U+1D634	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<code>\mitsanss</code>	mathematical sans-serif italic small s
U+1D635	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<code>\mitsanst</code>	mathematical sans-serif italic small t
U+1D636	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<code>\mitsansu</code>	mathematical sans-serif italic small u
U+1D637	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<code>\mitsansv</code>	mathematical sans-serif italic small v
U+1D638	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<code>\mitsansw</code>	mathematical sans-serif italic small w
U+1D639	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<code>\mitsansx</code>	mathematical sans-serif italic small x
U+1D63A	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<code>\mitsansy</code>	mathematical sans-serif italic small y
U+1D63B	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<code>\mitsansz</code>	mathematical sans-serif italic small z

15.1.17 Typewriter, Latin, uppercase

usv	L	S	E	P	D	Macro	Description
U+1D670	A	A	A	A	A	<code>\mttA</code>	mathematical monospace capital a
U+1D671	B	B	B	B	B	<code>\mttB</code>	mathematical monospace capital b
U+1D672	C	C	C	C	C	<code>\mttC</code>	mathematical monospace capital c

usv	L	S	E	P	D	Macro	Description
U+1D673	D	D	D	D	D	\mttD	mathematical monospace capital d
U+1D674	E	E	E	E	E	\mttE	mathematical monospace capital e
U+1D675	F	F	F	F	F	\mttF	mathematical monospace capital f
U+1D676	G	G	G	G	G	\mttG	mathematical monospace capital g
U+1D677	H	H	H	H	H	\mttH	mathematical monospace capital h
U+1D678	I	I	I	I	I	\mttI	mathematical monospace capital i
U+1D679	J	J	J	J	J	\mttJ	mathematical monospace capital j
U+1D67A	K	K	K	K	K	\mttK	mathematical monospace capital k
U+1D67B	L	L	L	L	L	\mttL	mathematical monospace capital l
U+1D67C	M	M	M	M	M	\mttM	mathematical monospace capital m
U+1D67D	N	N	N	N	N	\mttN	mathematical monospace capital n
U+1D67E	O	O	O	O	O	\mttO	mathematical monospace capital o
U+1D67F	P	P	P	P	P	\mttP	mathematical monospace capital p
U+1D680	Q	Q	Q	Q	Q	\mttQ	mathematical monospace capital q
U+1D681	R	R	R	R	R	\mttR	mathematical monospace capital r
U+1D682	S	S	S	S	S	\mttS	mathematical monospace capital s
U+1D683	T	T	T	T	T	\mttT	mathematical monospace capital t
U+1D684	U	U	U	U	U	\mttU	mathematical monospace capital u
U+1D685	V	V	V	V	V	\mttV	mathematical monospace capital v
U+1D686	W	W	W	W	W	\mttW	mathematical monospace capital w
U+1D687	X	X	X	X	X	\mttX	mathematical monospace capital x
U+1D688	Y	Y	Y	Y	Y	\mttY	mathematical monospace capital y
U+1D689	Z	Z	Z	Z	Z	\mttZ	mathematical monospace capital z

15.1.18 Typewriter, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D68A	a	a	a	a	a	\mtta	mathematical monospace small a
U+1D68B	b	b	b	b	b	\mttb	mathematical monospace small b
U+1D68C	c	c	c	c	c	\mttc	mathematical monospace small c
U+1D68D	d	d	d	d	d	\mttd	mathematical monospace small d
U+1D68E	e	e	e	e	e	\mtte	mathematical monospace small e
U+1D68F	f	f	f	f	f	\mttf	mathematical monospace small f
U+1D690	g	g	g	g	g	\mttg	mathematical monospace small g
U+1D691	h	h	h	h	h	\mtth	mathematical monospace small h
U+1D692	i	i	i	i	i	\mtti	mathematical monospace small i
U+1D693	j	j	j	j	j	\mttj	mathematical monospace small j
U+1D694	k	k	k	k	k	\mttk	mathematical monospace small k
U+1D695	l	l	l	l	l	\mttl	mathematical monospace small l
U+1D696	m	m	m	m	m	\mttm	mathematical monospace small m
U+1D697	n	n	n	n	n	\mttn	mathematical monospace small n
U+1D698	o	o	o	o	o	\mtto	mathematical monospace small o
U+1D699	p	p	p	p	p	\mttp	mathematical monospace small p
U+1D69A	q	q	q	q	q	\mttq	mathematical monospace small q
U+1D69B	r	r	r	r	r	\mttr	mathematical monospace small r
U+1D69C	s	s	s	s	s	\mtts	mathematical monospace small s
U+1D69D	t	t	t	t	t	\mttt	mathematical monospace small t
U+1D69E	u	u	u	u	u	\mttu	mathematical monospace small u
U+1D69F	v	v	v	v	v	\mttv	mathematical monospace small v
U+1D6A0	w	w	w	w	w	\mttw	mathematical monospace small w

USV	L	S	E	P	D	Macro	Description
U+1D6A1	x	x	x	x	x	\mttx	mathematical monospace small x
U+1D6A2	y	y	y	y	y	\mtty	mathematical monospace small y
U+1D6A3	z	z	z	z	z	\mttz	mathematical monospace small z

15.2 Bold

15.2.1 Bold, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D400	A	A	A	A	A	\mbfA	mathematical bold capital a
U+1D401	B	B	B	B	B	\mbfB	mathematical bold capital b
U+1D402	C	C	C	C	C	\mbfC	mathematical bold capital c
U+1D403	D	D	D	D	D	\mbfD	mathematical bold capital d
U+1D404	E	E	E	E	E	\mbfE	mathematical bold capital e
U+1D405	F	F	F	F	F	\mbfF	mathematical bold capital f
U+1D406	G	G	G	G	G	\mbfG	mathematical bold capital g
U+1D407	H	H	H	H	H	\mbfH	mathematical bold capital h
U+1D408	I	I	I	I	I	\mbfI	mathematical bold capital i
U+1D409	J	J	J	J	J	\mbfJ	mathematical bold capital j
U+1D40A	K	K	K	K	K	\mbfK	mathematical bold capital k
U+1D40B	L	L	L	L	L	\mbfL	mathematical bold capital l
U+1D40C	M	M	M	M	M	\mbfM	mathematical bold capital m
U+1D40D	N	N	N	N	N	\mbfN	mathematical bold capital n
U+1D40E	O	O	O	O	O	\mbfO	mathematical bold capital o
U+1D40F	P	P	P	P	P	\mbfP	mathematical bold capital p
U+1D410	Q	Q	Q	Q	Q	\mbfQ	mathematical bold capital q

USV	L	S	E	P	D	Macro	Description
U+1D411	R	R	R	R	R	\mbfR	mathematical bold capital r
U+1D412	S	S	S	S	S	\mbfS	mathematical bold capital s
U+1D413	T	T	T	T	T	\mbfT	mathematical bold capital t
U+1D414	U	U	U	U	U	\mbfU	mathematical bold capital u
U+1D415	V	V	V	V	V	\mbfV	mathematical bold capital v
U+1D416	W	W	W	W	W	\mbfW	mathematical bold capital w
U+1D417	X	X	X	X	X	\mbfX	mathematical bold capital x
U+1D418	Y	Y	Y	Y	Y	\mbfY	mathematical bold capital y
U+1D419	Z	Z	Z	Z	Z	\mbfZ	mathematical bold capital z

15.2.2 Bold, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D41A	a	a	a	a	a	\mbfa	mathematical bold small a
U+1D41B	b	b	b	b	b	\mbfb	mathematical bold small b
U+1D41C	c	c	c	c	c	\mbfc	mathematical bold small c
U+1D41D	d	d	d	d	d	\mbfd	mathematical bold small d
U+1D41E	e	e	e	e	e	\mbfe	mathematical bold small e
U+1D41F	f	f	f	f	f	\mbff	mathematical bold small f
U+1D420	g	g	g	g	g	\mbfg	mathematical bold small g
U+1D421	h	h	h	h	h	\mbfh	mathematical bold small h
U+1D422	i	i	i	i	i	\mbfi	mathematical bold small i
U+1D423	j	j	j	j	j	\mbfj	mathematical bold small j
U+1D424	k	k	k	k	k	\mbfk	mathematical bold small k
U+1D425	l	l	l	l	l	\mbfl	mathematical bold small l

USV	L	S	E	P	D	Macro	Description
U+1D426	m	m	m	m	m	<code>\mbfm</code>	mathematical bold small m
U+1D427	n	n	n	n	n	<code>\mbfn</code>	mathematical bold small n
U+1D428	o	o	o	o	o	<code>\mbfo</code>	mathematical bold small o
U+1D429	p	p	p	p	p	<code>\mbfp</code>	mathematical bold small p
U+1D42A	q	q	q	q	q	<code>\mbfq</code>	mathematical bold small q
U+1D42B	r	r	r	r	r	<code>\mbfr</code>	mathematical bold small r
U+1D42C	s	s	s	s	s	<code>\mbfs</code>	mathematical bold small s
U+1D42D	t	t	t	t	t	<code>\mbft</code>	mathematical bold small t
U+1D42E	u	u	u	u	u	<code>\mbfu</code>	mathematical bold small u
U+1D42F	v	v	v	v	v	<code>\mbfv</code>	mathematical bold small v
U+1D430	w	w	w	w	w	<code>\mbfw</code>	mathematical bold small w
U+1D431	x	x	x	x	x	<code>\mbfx</code>	mathematical bold small x
U+1D432	y	y	y	y	y	<code>\mbfy</code>	mathematical bold small y
U+1D433	z	z	z	z	z	<code>\mbfz</code>	mathematical bold small z

15.2.3 Bold Greek, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D6A8	Α	Α	Α	Α	Α	<code>\mbfAlpha</code>	mathematical bold capital alpha
U+1D6A9	Β	Β	Β	Β	Β	<code>\mbfBeta</code>	mathematical bold capital beta
U+1D6AA	Γ	Γ	Γ	Γ	Γ	<code>\mbfGamma</code>	mathematical bold capital gamma
U+1D6AB	Δ	Δ	Δ	Δ	Δ	<code>\mbfDelta</code>	mathematical bold capital delta
U+1D6AC	Ε	Ε	Ε	Ε	Ε	<code>\mbfEpsilon</code>	mathematical bold capital epsilon
U+1D6AD	Ζ	Ζ	Ζ	Ζ	Ζ	<code>\mbfZeta</code>	mathematical bold capital zeta
U+1D6AE	Η	Η	Η	Η	Η	<code>\mbfEta</code>	mathematical bold capital eta

USV	L	S	E	P	D	Macro	Description
U+1D6AF	Θ	Θ	Θ	Θ	Θ	\mbfTheta	mathematical bold capital theta
U+1D6B0	I	I	I	I	I	\mbfIota	mathematical bold capital iota
U+1D6B1	K	K	K	K	K	\mbfKappa	mathematical bold capital kappa
U+1D6B2	Λ	Λ	Λ	Λ	Λ	\mbfLambda	mathematical bold capital lambda
U+1D6B3	M	M	M	M	M	\mbfMu	mathematical bold capital mu
U+1D6B4	N	N	N	N	N	\mbfNu	mathematical bold capital nu
U+1D6B5	Ξ	Ξ	Ξ	Ξ	Ξ	\mbfXi	mathematical bold capital xi
U+1D6B6	O	O	O	O	O	\mbfOmicron	mathematical bold capital omicron
U+1D6B7	Π	Π	Π	Π	Π	\mbfPi	mathematical bold capital pi
U+1D6B8	P	P	P	P	P	\mbfRho	mathematical bold capital rho
U+1D6B9	Θ	Θ	Θ	Θ	Θ	\mbfvarTheta	mathematical bold capital theta symbol
U+1D6BA	Σ	Σ	Σ	Σ	Σ	\mbfSigma	mathematical bold capital sigma
U+1D6BB	T	T	T	T	T	\mbfTau	mathematical bold capital tau
U+1D6BC	Υ	Υ	Υ	Υ	Υ	\mbfUpsilon	mathematical bold capital upsilon
U+1D6BD	Φ	Φ	Φ	Φ	Φ	\mbfPhi	mathematical bold capital phi
U+1D6BE	Χ	Χ	Χ	Χ	Χ	\mbfChi	mathematical bold capital chi
U+1D6BF	Ψ	Ψ	Ψ	Ψ	Ψ	\mbfPsi	mathematical bold capital psi
U+1D6C0	Ω	Ω	Ω	Ω	Ω	\mbfOmega	mathematical bold capital omega

15.2.4 Bold Greek, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D6C2	α	α	α	α	α	\mbfalpha	mathematical bold small alpha
U+1D6C3	β	β	β	β	β	\mbfbeta	mathematical bold small beta
U+1D6C4	γ	γ	γ	γ	γ	\mbfgamma	mathematical bold small gamma

USV	L	S	E	P	D	Macro	Description
U+1D6C5	δ	δ	δ	δ	δ	\mbfdelta	mathematical bold small delta
U+1D6C6	ε	ε	ε	ε	ε	\mbfvarepsilon	mathematical bold small varepsilon
U+1D6C7	ζ	ζ	ζ	ζ	ζ	\mbfzeta	mathematical bold small zeta
U+1D6C8	η	η	η	η	η	\mbfeta	mathematical bold small eta
U+1D6C9	θ	θ	θ	θ	θ	\mbftheta	mathematical bold small theta
U+1D6CA	ι	ι	ι	ι	ι	\mbfiota	mathematical bold small iota
U+1D6CB	κ	κ	κ	κ	κ	\mbfkappa	mathematical bold small kappa
U+1D6CC	λ	λ	λ	λ	λ	\mbflambda	mathematical bold small lambda
U+1D6CD	μ	μ	μ	μ	μ	\mbfmu	mathematical bold small mu
U+1D6CE	ν	ν	ν	ν	ν	\mbfnu	mathematical bold small nu
U+1D6CF	ξ	ξ	ξ	ξ	ξ	\mbfxi	mathematical bold small xi
U+1D6D0	ο	ο	ο	ο	ο	\mbfomicron	mathematical bold small omicron
U+1D6D1	π	π	π	π	π	\mbfpi	mathematical bold small pi
U+1D6D2	ρ	ρ	ρ	ρ	ρ	\mbfrho	mathematical bold small rho
U+1D6D3	ς	ς	ς	ς	ς	\mbfvarsigma	mathematical bold small final sigma
U+1D6D4	σ	σ	σ	σ	σ	\mbfsigma	mathematical bold small sigma
U+1D6D5	τ	τ	τ	τ	τ	\mbftau	mathematical bold small tau
U+1D6D6	υ	υ	υ	υ	υ	\mbfupsilon	mathematical bold small upsilon
U+1D6D7	φ	φ	φ	φ	φ	\mbfvarphi	mathematical bold small phi
U+1D6D8	χ	χ	χ	χ	χ	\mbfchi	mathematical bold small chi
U+1D6D9	ψ	ψ	ψ	ψ	ψ	\mbfpsi	mathematical bold small psi
U+1D6DA	ω	ω	ω	ω	ω	\mbfomega	mathematical bold small omega
U+1D6DB	∂	∂	∂	∂	∂	\mbfpartial	mathematical bold partial differential
U+1D6DC	€	€	€	€	€	\mbfepsilon	mathematical bold varepsilon symbol

USV	L	S	E	P	D	Macro	Description
U+1D6DD	Θ	ϑ	Ϙ	ϙ	Ϛ	<code>\mbfvartheta</code>	mathematical bold theta symbol
U+1D6DE	κ	ϰ	ϱ	ϲ	ϳ	<code>\mbfvarkappa</code>	mathematical bold kappa symbol
U+1D6DF	ϕ	ϕ	ϕ	ϕ	ϕ	<code>\mbfphi</code>	mathematical bold phi symbol
U+1D6E0	ρ	ϑ	Ϙ	ϙ	Ϛ	<code>\mbfvarrho</code>	mathematical bold rho symbol
U+1D6E1	π	ϰ	ϱ	ϲ	ϳ	<code>\mbfvarpi</code>	mathematical bold pi symbol

15.2.5 Bold italic, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D468	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<code>\mbfitA</code>	mathematical bold italic capital a
U+1D469	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<code>\mbfitB</code>	mathematical bold italic capital b
U+1D46A	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<code>\mbfitC</code>	mathematical bold italic capital c
U+1D46B	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<code>\mbfitD</code>	mathematical bold italic capital d
U+1D46C	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<code>\mbfitE</code>	mathematical bold italic capital e
U+1D46D	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<i>F</i>	<code>\mbfitF</code>	mathematical bold italic capital f
U+1D46E	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<i>G</i>	<code>\mbfitG</code>	mathematical bold italic capital g
U+1D46F	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<code>\mbfitH</code>	mathematical bold italic capital h
U+1D470	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<code>\mbfitI</code>	mathematical bold italic capital i
U+1D471	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<code>\mbfitJ</code>	mathematical bold italic capital j
U+1D472	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<code>\mbfitK</code>	mathematical bold italic capital k
U+1D473	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<code>\mbfitL</code>	mathematical bold italic capital l
U+1D474	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<code>\mbfitM</code>	mathematical bold italic capital m
U+1D475	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<code>\mbfitN</code>	mathematical bold italic capital n
U+1D476	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<code>\mbfitO</code>	mathematical bold italic capital o
U+1D477	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<code>\mbfitP</code>	mathematical bold italic capital p

USV	L	S	E	P	D	Macro	Description
U+1D478	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	\mbfitQ	mathematical bold italic capital q
U+1D479	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	\mbfitR	mathematical bold italic capital r
U+1D47A	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	\mbfitS	mathematical bold italic capital s
U+1D47B	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	\mbfitT	mathematical bold italic capital t
U+1D47C	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	\mbfitU	mathematical bold italic capital u
U+1D47D	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	\mbfitV	mathematical bold italic capital v
U+1D47E	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	\mbfitW	mathematical bold italic capital w
U+1D47F	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	\mbfitX	mathematical bold italic capital x
U+1D480	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	\mbfitY	mathematical bold italic capital y
U+1D481	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	\mbfitZ	mathematical bold italic capital z

15.2.6 Bold italic, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D482	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	\mbfita	mathematical bold italic small a
U+1D483	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	\mbfitb	mathematical bold italic small b
U+1D484	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	\mbfitc	mathematical bold italic small c
U+1D485	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	\mbfitd	mathematical bold italic small d
U+1D486	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	\mbfite	mathematical bold italic small e
U+1D487	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	\mbfitf	mathematical bold italic small f
U+1D488	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	\mbfitg	mathematical bold italic small g
U+1D489	<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	\mbfith	mathematical bold italic small h
U+1D48A	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	\mbfiti	mathematical bold italic small i
U+1D48B	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	\mbfitj	mathematical bold italic small j
U+1D48C	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	\mbfitk	mathematical bold italic small k

USV	L	S	E	P	D	Macro	Description
U+1D48D	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<code>\mbfitl</code>	mathematical bold italic small l
U+1D48E	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<code>\mbfitm</code>	mathematical bold italic small m
U+1D48F	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<code>\mbfitn</code>	mathematical bold italic small n
U+1D490	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<code>\mbfito</code>	mathematical bold italic small o
U+1D491	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<code>\mbfitp</code>	mathematical bold italic small p
U+1D492	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<code>\mbfitq</code>	mathematical bold italic small q
U+1D493	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<code>\mbfitr</code>	mathematical bold italic small r
U+1D494	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<code>\mbfits</code>	mathematical bold italic small s
U+1D495	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<code>\mbfitt</code>	mathematical bold italic small t
U+1D496	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<code>\mbfitu</code>	mathematical bold italic small u
U+1D497	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<code>\mbfitv</code>	mathematical bold italic small v
U+1D498	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<code>\mbfitw</code>	mathematical bold italic small w
U+1D499	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<code>\mbfitx</code>	mathematical bold italic small x
U+1D49A	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<code>\mbfity</code>	mathematical bold italic small y
U+1D49B	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<code>\mbfitz</code>	mathematical bold italic small z

15.2.7 Bold italic Greek, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D71C	<i>Α</i>	<i>Α</i>	<i>Α</i>	<i>Α</i>	<i>Α</i>	<code>\mbfitAlpha</code>	mathematical bold italic capital alpha
U+1D71D	<i>Β</i>	<i>Β</i>	<i>Β</i>	<i>Β</i>	<i>Β</i>	<code>\mbfitBeta</code>	mathematical bold italic capital beta
U+1D71E	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>	<i>Γ</i>	<code>\mbfitGamma</code>	mathematical bold italic capital gamma
U+1D71F	<i>Δ</i>	<i>Δ</i>	<i>Δ</i>	<i>Δ</i>	<i>Δ</i>	<code>\mbfitDelta</code>	mathematical bold italic capital delta
U+1D720	<i>Ε</i>	<i>Ε</i>	<i>Ε</i>	<i>Ε</i>	<i>Ε</i>	<code>\mbfitEpsilon</code>	mathematical bold italic capital epsilon
U+1D721	<i>Ζ</i>	<i>Ζ</i>	<i>Ζ</i>	<i>Ζ</i>	<i>Ζ</i>	<code>\mbfitZeta</code>	mathematical bold italic capital zeta

USV	L	S	E	P	D	Macro	Description
U+1D722	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<code>\mbfitEta</code>	mathematical bold italic capital eta
U+1D723	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<code>\mbfitTheta</code>	mathematical bold italic capital theta
U+1D724	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<i>I</i>	<code>\mbfitIota</code>	mathematical bold italic capital iota
U+1D725	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<code>\mbfitKappa</code>	mathematical bold italic capital kappa
U+1D726	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<code>\mbfitLambda</code>	mathematical bold italic capital lambda
U+1D727	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<code>\mbfitMu</code>	mathematical bold italic capital mu
U+1D728	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<code>\mbfitNu</code>	mathematical bold italic capital nu
U+1D729	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<code>\mbfitXi</code>	mathematical bold italic capital xi
U+1D72A	<i>Ο</i>	<i>Ο</i>	<i>Ο</i>	<i>Ο</i>	<i>Ο</i>	<code>\mbfitOmicron</code>	mathematical bold italic capital omicron
U+1D72B	<i>Π</i>	<i>Π</i>	<i>Π</i>	<i>Π</i>	<i>Π</i>	<code>\mbfitPi</code>	mathematical bold italic capital pi
U+1D72C	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<code>\mbfitRho</code>	mathematical bold italic capital rho
U+1D72D	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<code>\mbfitvarTheta</code>	mathematical bold italic capital theta symbol
U+1D72E	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<code>\mbfitSigma</code>	mathematical bold italic capital sigma
U+1D72F	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<code>\mbfitTau</code>	mathematical bold italic capital tau
U+1D730	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<code>\mbfitUpsilon</code>	mathematical bold italic capital upsilon
U+1D731	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<code>\mbfitPhi</code>	mathematical bold italic capital phi
U+1D732	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<code>\mbfitChi</code>	mathematical bold italic capital chi
U+1D733	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<code>\mbfitPsi</code>	mathematical bold italic capital psi
U+1D734	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<code>\mbfitOmega</code>	mathematical bold italic capital omega

15.2.8 Bold italic Greek, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D736	<i>α</i>	<i>α</i>	<i>α</i>	<i>α</i>	<i>α</i>	<code>\mbfitalpha</code>	mathematical bold italic small alpha
U+1D737	<i>β</i>	<i>β</i>	<i>β</i>	<i>β</i>	<i>β</i>	<code>\mbfitbeta</code>	mathematical bold italic small beta

USV	L	S	E	P	D	Macro	Description
U+1D738	γ	γ	γ	γ	γ	<code>\mbfitgamma</code>	mathematical bold italic small gamma
U+1D739	δ	δ	δ	δ	δ	<code>\mbfitdelta</code>	mathematical bold italic small delta
U+1D73A	ϵ	ϵ	ϵ	ϵ	ϵ	<code>\mbfitvarepsilon</code>	mathematical bold italic small varepsilon
U+1D73B	ζ	ζ	ζ	ζ	ζ	<code>\mbfitzeta</code>	mathematical bold italic small zeta
U+1D73C	η	η	η	η	η	<code>\mbfiteta</code>	mathematical bold italic small eta
U+1D73D	θ	θ	θ	θ	θ	<code>\mbfittheta</code>	mathematical bold italic small theta
U+1D73E	ι	ι	ι	ι	ι	<code>\mbfitiota</code>	mathematical bold italic small iota
U+1D73F	κ	κ	κ	κ	κ	<code>\mbfitkappa</code>	mathematical bold italic small kappa
U+1D740	λ	λ	λ	λ	λ	<code>\mbfitlambda</code>	mathematical bold italic small lambda
U+1D741	μ	μ	μ	μ	μ	<code>\mbfitmu</code>	mathematical bold italic small mu
U+1D742	ν	ν	ν	ν	ν	<code>\mbfitnu</code>	mathematical bold italic small nu
U+1D743	ξ	ξ	ξ	ξ	ξ	<code>\mbfitxi</code>	mathematical bold italic small xi
U+1D744	\omicron	\omicron	\omicron	\omicron	\omicron	<code>\mbfitomicron</code>	mathematical bold italic small omicron
U+1D745	π	π	π	π	π	<code>\mbfitpi</code>	mathematical bold italic small pi
U+1D746	ρ	ρ	ρ	ρ	ρ	<code>\mbfitrho</code>	mathematical bold italic small rho
U+1D747	ς	ς	ς	ς	ς	<code>\mbfitvarsigma</code>	mathematical bold italic small final sigma
U+1D748	σ	σ	σ	σ	σ	<code>\mbfitsigma</code>	mathematical bold italic small sigma
U+1D749	τ	τ	τ	τ	τ	<code>\mbfittau</code>	mathematical bold italic small tau
U+1D74A	υ	υ	υ	υ	υ	<code>\mbfitupsilon</code>	mathematical bold italic small upsilon
U+1D74B	φ	φ	φ	φ	φ	<code>\mbfitvarphi</code>	mathematical bold italic small phi
U+1D74C	χ	χ	χ	χ	χ	<code>\mbfitchi</code>	mathematical bold italic small chi
U+1D74D	ψ	ψ	ψ	ψ	ψ	<code>\mbfitpsi</code>	mathematical bold italic small psi
U+1D74E	ω	ω	ω	ω	ω	<code>\mbfitomega</code>	mathematical bold italic small omega
U+1D74F	∂	∂	∂	∂	∂	<code>\mbfitpartial</code>	mathematical bold italic partial differential

USV	L	S	E	P	D	Macro	Description
U+1D750	€	€	€	€	€	\mbfitepsilon	mathematical bold italic varepsilon symbol
U+1D751	ϑ	ϑ	ϑ	ϑ	ϑ	\mbfitvartheta	mathematical bold italic theta symbol
U+1D752	κ	κ	κ	κ	κ	\mbfitvarkappa	mathematical bold italic kappa symbol
U+1D753	ϕ	ϕ	ϕ	ϕ	ϕ	\mbfitphi	mathematical bold italic phi symbol
U+1D754	ρ	ρ	ρ	ρ	ρ	\mbfitvarrho	mathematical bold italic rho symbol
U+1D755	π	π	π	π	π	\mbfitvarpi	mathematical bold italic pi symbol

15.2.9 Bold script, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D4D0	A	A	A	A	A	\mbfscrA	mathematical bold script capital a
U+1D4D1	B	B	B	B	B	\mbfscrB	mathematical bold script capital b
U+1D4D2	C	C	C	C	C	\mbfscrC	mathematical bold script capital c
U+1D4D3	D	D	D	D	D	\mbfscrD	mathematical bold script capital d
U+1D4D4	E	E	E	E	E	\mbfscrE	mathematical bold script capital e
U+1D4D5	F	F	F	F	F	\mbfscrF	mathematical bold script capital f
U+1D4D6	G	G	G	G	G	\mbfscrG	mathematical bold script capital g
U+1D4D7	H	H	H	H	H	\mbfscrH	mathematical bold script capital h
U+1D4D8	I	I	I	I	I	\mbfscrI	mathematical bold script capital i
U+1D4D9	J	J	J	J	J	\mbfscrJ	mathematical bold script capital j
U+1D4DA	K	K	K	K	K	\mbfscrK	mathematical bold script capital k
U+1D4DB	L	L	L	L	L	\mbfscrL	mathematical bold script capital l
U+1D4DC	M	M	M	M	M	\mbfscrM	mathematical bold script capital m
U+1D4DD	N	N	N	N	N	\mbfscrN	mathematical bold script capital n
U+1D4DE	O	O	O	O	O	\mbfscrO	mathematical bold script capital o

USV	L	S	E	P	D	Macro	Description
U+1D4DF	<i>P</i>	<i>Ṗ</i>	<i>Ṗ</i>	<i>Ṗ</i>	<i>Ṗ</i>	<code>\mbfscrP</code>	mathematical bold script capital p
U+1D4E0	<i>Q</i>	<i>Ṙ</i>	<i>Ṙ</i>	<i>Ṙ</i>	<i>Ṙ</i>	<code>\mbfscrQ</code>	mathematical bold script capital q
U+1D4E1	<i>R</i>	<i>Ṛ</i>	<i>Ṛ</i>	<i>Ṛ</i>	<i>Ṛ</i>	<code>\mbfscrR</code>	mathematical bold script capital r
U+1D4E2	<i>S</i>	<i>Ṣ</i>	<i>Ṣ</i>	<i>Ṣ</i>	<i>Ṣ</i>	<code>\mbfscrS</code>	mathematical bold script capital s
U+1D4E3	<i>T</i>	<i>Ṥ</i>	<i>Ṥ</i>	<i>Ṥ</i>	<i>Ṥ</i>	<code>\mbfscrT</code>	mathematical bold script capital t
U+1D4E4	<i>U</i>	<i>Ṧ</i>	<i>Ṧ</i>	<i>Ṧ</i>	<i>Ṧ</i>	<code>\mbfscrU</code>	mathematical bold script capital u
U+1D4E5	<i>V</i>	<i>Ṩ</i>	<i>Ṩ</i>	<i>Ṩ</i>	<i>Ṩ</i>	<code>\mbfscrV</code>	mathematical bold script capital v
U+1D4E6	<i>W</i>	<i>Ṫ</i>	<i>Ṫ</i>	<i>Ṫ</i>	<i>Ṫ</i>	<code>\mbfscrW</code>	mathematical bold script capital w
U+1D4E7	<i>X</i>	<i>Ṭ</i>	<i>Ṭ</i>	<i>Ṭ</i>	<i>Ṭ</i>	<code>\mbfscrX</code>	mathematical bold script capital x
U+1D4E8	<i>Y</i>	<i>Ṱ</i>	<i>Ṱ</i>	<i>Ṱ</i>	<i>Ṱ</i>	<code>\mbfscrY</code>	mathematical bold script capital y
U+1D4E9	<i>Z</i>	<i>Ṻ</i>	<i>Ṻ</i>	<i>Ṻ</i>	<i>Ṻ</i>	<code>\mbfscrZ</code>	mathematical bold script capital z










































































































15.2.10 Bold script, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D4EA	<i>a</i>	<i>ṁ</i>	<i>a</i>	<i>a</i>	<i>a</i>	<code>\mbfscra</code>	mathematical bold script small a
U+1D4EB	<i>b</i>	<i>ṃ</i>	<i>b</i>	<i>b</i>	<i>b</i>	<code>\mbfscrb</code>	mathematical bold script small b
U+1D4EC	<i>c</i>	<i>ṅ</i>	<i>c</i>	<i>c</i>	<i>c</i>	<code>\mbfscrc</code>	mathematical bold script small c
U+1D4ED	<i>d</i>	<i>ṅ</i>	<i>d</i>	<i>d</i>	<i>d</i>	<code>\mbfscrd</code>	mathematical bold script small d
U+1D4EE	<i>e</i>	<i>ṅ</i>	<i>e</i>	<i>e</i>	<i>e</i>	<code>\mbfscre</code>	mathematical bold script small e
U+1D4EF	<i>f</i>	<i>ṅ</i>	<i>f</i>	<i>f</i>	<i>f</i>	<code>\mbfscrff</code>	mathematical bold script small f
U+1D4F0	<i>g</i>	<i>ṅ</i>	<i>g</i>	<i>g</i>	<i>g</i>	<code>\mbfscrg</code>	mathematical bold script small g
U+1D4F1	<i>h</i>	<i>ṅ</i>	<i>h</i>	<i>h</i>	<i>h</i>	<code>\mbfscrh</code>	mathematical bold script small h
U+1D4F2	<i>i</i>	<i>ṅ</i>	<i>i</i>	<i>i</i>	<i>i</i>	<code>\mbfscri</code>	mathematical bold script small i
U+1D4F3	<i>j</i>	<i>ṅ</i>	<i>j</i>	<i>j</i>	<i>j</i>	<code>\mbfscrj</code>	mathematical bold script small j

USV	L	S	E	P	D	Macro	Description
U+1D4F4		<i>k</i>		<i>k</i>	<i>k</i>	<code>\mbfscrk</code>	mathematical bold script small k
U+1D4F5		<i>l</i>		<i>l</i>	<i>l</i>	<code>\mbfscr1</code>	mathematical bold script small l
U+1D4F6		<i>m</i>		<i>m</i>	<i>m</i>	<code>\mbfscrm</code>	mathematical bold script small m
U+1D4F7		<i>n</i>		<i>n</i>	<i>n</i>	<code>\mbfscrn</code>	mathematical bold script small n
U+1D4F8		<i>o</i>		<i>o</i>	<i>o</i>	<code>\mbfscro</code>	mathematical bold script small o
U+1D4F9		<i>p</i>		<i>p</i>	<i>p</i>	<code>\mbfscrp</code>	mathematical bold script small p
U+1D4FA		<i>q</i>		<i>q</i>	<i>q</i>	<code>\mbfscrq</code>	mathematical bold script small q
U+1D4FB		<i>r</i>		<i>r</i>	<i>r</i>	<code>\mbfscrr</code>	mathematical bold script small r
U+1D4FC		<i>s</i>		<i>s</i>	<i>s</i>	<code>\mbfscrs</code>	mathematical bold script small s
U+1D4FD		<i>t</i>		<i>t</i>	<i>t</i>	<code>\mbfscrt</code>	mathematical bold script small t
U+1D4FE		<i>u</i>		<i>u</i>	<i>u</i>	<code>\mbfscru</code>	mathematical bold script small u
U+1D4FF		<i>v</i>		<i>v</i>	<i>v</i>	<code>\mbfscr v</code>	mathematical bold script small v
U+1D500		<i>w</i>		<i>w</i>	<i>w</i>	<code>\mbfscrw</code>	mathematical bold script small w
U+1D501		<i>x</i>		<i>x</i>	<i>x</i>	<code>\mbfscrx</code>	mathematical bold script small x
U+1D502		<i>y</i>		<i>y</i>	<i>y</i>	<code>\mbfscry</code>	mathematical bold script small y
U+1D503		<i>z</i>		<i>z</i>	<i>z</i>	<code>\mbfscrz</code>	mathematical bold script small z

15.2.11 Bold fraktur, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D56C	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<i>A</i>	<code>\mbffrakA</code>	mathematical bold fraktur capital a
U+1D56D	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<code>\mbffrakB</code>	mathematical bold fraktur capital b
U+1D56E	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>	<code>\mbffrakC</code>	mathematical bold fraktur capital c
U+1D56F	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<i>D</i>	<code>\mbffrakD</code>	mathematical bold fraktur capital d
U+1D570	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<i>E</i>	<code>\mbffrakE</code>	mathematical bold fraktur capital e

USV	L	S	E	P	D	Macro	Description
U+1D571						<code>\mbffrakF</code>	mathematical bold fraktur capital f
U+1D572						<code>\mbffrakG</code>	mathematical bold fraktur capital g
U+1D573						<code>\mbffrakH</code>	mathematical bold fraktur capital h
U+1D574						<code>\mbffrakI</code>	mathematical bold fraktur capital i
U+1D575						<code>\mbffrakJ</code>	mathematical bold fraktur capital j
U+1D576						<code>\mbffrakK</code>	mathematical bold fraktur capital k
U+1D577						<code>\mbffrakL</code>	mathematical bold fraktur capital l
U+1D578						<code>\mbffrakM</code>	mathematical bold fraktur capital m
U+1D579						<code>\mbffrakN</code>	mathematical bold fraktur capital n
U+1D57A						<code>\mbffrakO</code>	mathematical bold fraktur capital o
U+1D57B						<code>\mbffrakP</code>	mathematical bold fraktur capital p
U+1D57C						<code>\mbffrakQ</code>	mathematical bold fraktur capital q
U+1D57D						<code>\mbffrakR</code>	mathematical bold fraktur capital r
U+1D57E						<code>\mbffrakS</code>	mathematical bold fraktur capital s
U+1D57F						<code>\mbffrakT</code>	mathematical bold fraktur capital t
U+1D580						<code>\mbffrakU</code>	mathematical bold fraktur capital u
U+1D581						<code>\mbffrakV</code>	mathematical bold fraktur capital v
U+1D582						<code>\mbffrakW</code>	mathematical bold fraktur capital w
U+1D583						<code>\mbffrakX</code>	mathematical bold fraktur capital x
U+1D584						<code>\mbffrakY</code>	mathematical bold fraktur capital y
U+1D585						<code>\mbffrakZ</code>	mathematical bold fraktur capital z

15.2.12 Bold fraktur, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D586	ᵃ	ᵃ	ᵃ	ᵃ	ᵃ	<code>\mbffraka</code>	mathematical bold fraktur small a
U+1D587	ᵇ	ᵇ	ᵇ	ᵇ	ᵇ	<code>\mbffrakb</code>	mathematical bold fraktur small b
U+1D588	ᶜ	ᶜ	ᶜ	ᶜ	ᶜ	<code>\mbffrakc</code>	mathematical bold fraktur small c
U+1D589	ᵈ	ᵈ	ᵈ	ᵈ	ᵈ	<code>\mbffrakd</code>	mathematical bold fraktur small d
U+1D58A	ᵉ	ᵉ	ᵉ	ᵉ	ᵉ	<code>\mbffrake</code>	mathematical bold fraktur small e
U+1D58B	ᶠ	ᶠ	ᶠ	ᶠ	ᶠ	<code>\mbffrakf</code>	mathematical bold fraktur small f
U+1D58C	ᵍ	ᵍ	ᵍ	ᵍ	ᵍ	<code>\mbffrakg</code>	mathematical bold fraktur small g
U+1D58D	ᶜ	ᶜ	ᶜ	ᶜ	ᶜ	<code>\mbffrakh</code>	mathematical bold fraktur small h
U+1D58E	ᶦ	ᶦ	ᶦ	ᶦ	ᶦ	<code>\mbffraki</code>	mathematical bold fraktur small i
U+1D58F	ᶰ	ᶰ	ᶰ	ᶰ	ᶰ	<code>\mbffrakj</code>	mathematical bold fraktur small j
U+1D590	ᵏ	ᵏ	ᵏ	ᵏ	ᵏ	<code>\mbffrakk</code>	mathematical bold fraktur small k
U+1D591	ᶫ	ᶫ	ᶫ	ᶫ	ᶫ	<code>\mbffrakl</code>	mathematical bold fraktur small l
U+1D592	ᵐ	ᵐ	ᵐ	ᵐ	ᵐ	<code>\mbffrakm</code>	mathematical bold fraktur small m
U+1D593	ᵑ	ᵑ	ᵑ	ᵑ	ᵑ	<code>\mbffrakn</code>	mathematical bold fraktur small n
U+1D594	ᵒ	ᵒ	ᵒ	ᵒ	ᵒ	<code>\mbffrako</code>	mathematical bold fraktur small o
U+1D595	ᵖ	ᵖ	ᵖ	ᵖ	ᵖ	<code>\mbffrakp</code>	mathematical bold fraktur small p
U+1D596	ᵓ	ᵓ	ᵓ	ᵓ	ᵓ	<code>\mbffrakq</code>	mathematical bold fraktur small q
U+1D597	ᵚ	ᵚ	ᵚ	ᵚ	ᵚ	<code>\mbffrakr</code>	mathematical bold fraktur small r
U+1D598	ᵛ	ᵛ	ᵛ	ᵛ	ᵛ	<code>\mbffraks</code>	mathematical bold fraktur small s
U+1D599	ᵗ	ᵗ	ᵗ	ᵗ	ᵗ	<code>\mbffrakt</code>	mathematical bold fraktur small t
U+1D59A	ᵘ	ᵘ	ᵘ	ᵘ	ᵘ	<code>\mbffraku</code>	mathematical bold fraktur small u
U+1D59B	ᵞ	ᵞ	ᵞ	ᵞ	ᵞ	<code>\mbffrakv</code>	mathematical bold fraktur small v
U+1D59C	ᵞ	ᵞ	ᵞ	ᵞ	ᵞ	<code>\mbffrakw</code>	mathematical bold fraktur small w
U+1D59D	ᵟ	ᵟ	ᵟ	ᵟ	ᵟ	<code>\mbffrakx</code>	mathematical bold fraktur small x

USV	L	S	E	P	D	Macro	Description
U+1D59E	ŧ	ŧ	ŧ	ŧ	ŧ	\mbffraky	mathematical bold fraktur small y
U+1D59F	Ẓ	Ẓ	Ẓ	Ẓ	Ẓ	\mbffrakz	mathematical bold fraktur small z

15.2.13 Bold sans serif, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D5D4	A	A	A	A	A	\mbfsansA	mathematical sans-serif bold capital a
U+1D5D5	B	B	B	B	B	\mbfsansB	mathematical sans-serif bold capital b
U+1D5D6	C	C	C	C	C	\mbfsansC	mathematical sans-serif bold capital c
U+1D5D7	D	D	D	D	D	\mbfsansD	mathematical sans-serif bold capital d
U+1D5D8	E	E	E	E	E	\mbfsansE	mathematical sans-serif bold capital e
U+1D5D9	F	F	F	F	F	\mbfsansF	mathematical sans-serif bold capital f
U+1D5DA	G	G	G	G	G	\mbfsansG	mathematical sans-serif bold capital g
U+1D5DB	H	H	H	H	H	\mbfsansH	mathematical sans-serif bold capital h
U+1D5DC	I	I	I	I	I	\mbfsansI	mathematical sans-serif bold capital i
U+1D5DD	J	J	J	J	J	\mbfsansJ	mathematical sans-serif bold capital j
U+1D5DE	K	K	K	K	K	\mbfsansK	mathematical sans-serif bold capital k
U+1D5DF	L	L	L	L	L	\mbfsansL	mathematical sans-serif bold capital l
U+1D5E0	M	M	M	M	M	\mbfsansM	mathematical sans-serif bold capital m
U+1D5E1	N	N	N	N	N	\mbfsansN	mathematical sans-serif bold capital n
U+1D5E2	O	O	O	O	O	\mbfsansO	mathematical sans-serif bold capital o
U+1D5E3	P	P	P	P	P	\mbfsansP	mathematical sans-serif bold capital p
U+1D5E4	Q	Q	Q	Q	Q	\mbfsansQ	mathematical sans-serif bold capital q
U+1D5E5	R	R	R	R	R	\mbfsansR	mathematical sans-serif bold capital r
U+1D5E6	S	S	S	S	S	\mbfsansS	mathematical sans-serif bold capital s

USV	L	S	E	P	D	Macro	Description
U+1D5E7	T	T	T	T	T	<code>\mbfsansT</code>	mathematical sans-serif bold capital t
U+1D5E8	U	U	U	U	U	<code>\mbfsansU</code>	mathematical sans-serif bold capital u
U+1D5E9	V	V	V	V	V	<code>\mbfsansV</code>	mathematical sans-serif bold capital v
U+1D5EA	W	W	W	W	W	<code>\mbfsansW</code>	mathematical sans-serif bold capital w
U+1D5EB	X	X	X	X	X	<code>\mbfsansX</code>	mathematical sans-serif bold capital x
U+1D5EC	Y	Y	Y	Y	Y	<code>\mbfsansY</code>	mathematical sans-serif bold capital y
U+1D5ED	Z	Z	Z	Z	Z	<code>\mbfsansZ</code>	mathematical sans-serif bold capital z

15.2.14 Bold sans serif, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D5EE	a	a	a	a	a	<code>\mbfsansa</code>	mathematical sans-serif bold small a
U+1D5EF	b	b	b	b	b	<code>\mbfsansb</code>	mathematical sans-serif bold small b
U+1D5F0	c	c	c	c	c	<code>\mbfsansc</code>	mathematical sans-serif bold small c
U+1D5F1	d	d	d	d	d	<code>\mbfsansd</code>	mathematical sans-serif bold small d
U+1D5F2	e	e	e	e	e	<code>\mbfsanse</code>	mathematical sans-serif bold small e
U+1D5F3	f	f	f	f	f	<code>\mbfsansf</code>	mathematical sans-serif bold small f
U+1D5F4	g	g	g	g	g	<code>\mbfsansg</code>	mathematical sans-serif bold small g
U+1D5F5	h	h	h	h	h	<code>\mbfsansh</code>	mathematical sans-serif bold small h
U+1D5F6	i	i	i	i	i	<code>\mbfsansi</code>	mathematical sans-serif bold small i
U+1D5F7	j	j	j	j	j	<code>\mbfsansj</code>	mathematical sans-serif bold small j
U+1D5F8	k	k	k	k	k	<code>\mbfsansk</code>	mathematical sans-serif bold small k
U+1D5F9	l	l	l	l	l	<code>\mbfsansl</code>	mathematical sans-serif bold small l
U+1D5FA	m	m	m	m	m	<code>\mbfsansm</code>	mathematical sans-serif bold small m
U+1D5FB	n	n	n	n	n	<code>\mbfsansn</code>	mathematical sans-serif bold small n

USV	L	S	E	P	D	Macro	Description
U+1D5FC	o	o	o	o	o	<code>\mbfsanso</code>	mathematical sans-serif bold small o
U+1D5FD	p	p	p	p	p	<code>\mbfsansp</code>	mathematical sans-serif bold small p
U+1D5FE	q	q	q	q	q	<code>\mbfsansq</code>	mathematical sans-serif bold small q
U+1D5FF	r	r	r	r	r	<code>\mbfsansr</code>	mathematical sans-serif bold small r
U+1D600	s	s	s	s	s	<code>\mbfsanss</code>	mathematical sans-serif bold small s
U+1D601	t	t	t	t	t	<code>\mbfsanst</code>	mathematical sans-serif bold small t
U+1D602	u	u	u	u	u	<code>\mbfsansu</code>	mathematical sans-serif bold small u
U+1D603	v	v	v	v	v	<code>\mbfsansv</code>	mathematical sans-serif bold small v
U+1D604	w	w	w	w	w	<code>\mbfsansw</code>	mathematical sans-serif bold small w
U+1D605	x	x	x	x	x	<code>\mbfsansx</code>	mathematical sans-serif bold small x
U+1D606	y	y	y	y	y	<code>\mbfsansy</code>	mathematical sans-serif bold small y
U+1D607	z	z	z	z	z	<code>\mbfsansz</code>	mathematical sans-serif bold small z

15.2.15 Bold italic sans serif, Latin, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D63C	A	A	A	A	A	<code>\mbfitsansA</code>	mathematical sans-serif bold italic capital a
U+1D63D	B	B	B	B	B	<code>\mbfitsansB</code>	mathematical sans-serif bold italic capital b
U+1D63E	C	C	C	C	C	<code>\mbfitsansC</code>	mathematical sans-serif bold italic capital c
U+1D63F	D	D	D	D	D	<code>\mbfitsansD</code>	mathematical sans-serif bold italic capital d
U+1D640	E	E	E	E	E	<code>\mbfitsansE</code>	mathematical sans-serif bold italic capital e
U+1D641	F	F	F	F	F	<code>\mbfitsansF</code>	mathematical sans-serif bold italic capital f
U+1D642	G	G	G	G	G	<code>\mbfitsansG</code>	mathematical sans-serif bold italic capital g
U+1D643	H	H	H	H	H	<code>\mbfitsansH</code>	mathematical sans-serif bold italic capital h
U+1D644	I	I	I	I	I	<code>\mbfitsansI</code>	mathematical sans-serif bold italic capital i

USV	L	S	E	P	D	Macro	Description
U+1D645	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<i>J</i>	<code>\mbfitsansJ</code>	mathematical sans-serif bold italic capital j
U+1D646	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<code>\mbfitsansK</code>	mathematical sans-serif bold italic capital k
U+1D647	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<code>\mbfitsansL</code>	mathematical sans-serif bold italic capital l
U+1D648	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<code>\mbfitsansM</code>	mathematical sans-serif bold italic capital m
U+1D649	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<code>\mbfitsansN</code>	mathematical sans-serif bold italic capital n
U+1D64A	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<code>\mbfitsansO</code>	mathematical sans-serif bold italic capital o
U+1D64B	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<code>\mbfitsansP</code>	mathematical sans-serif bold italic capital p
U+1D64C	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<i>Q</i>	<code>\mbfitsansQ</code>	mathematical sans-serif bold italic capital q
U+1D64D	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	<i>R</i>	<code>\mbfitsansR</code>	mathematical sans-serif bold italic capital r
U+1D64E	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<i>S</i>	<code>\mbfitsansS</code>	mathematical sans-serif bold italic capital s
U+1D64F	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>T</i>	<code>\mbfitsansT</code>	mathematical sans-serif bold italic capital t
U+1D650	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<i>U</i>	<code>\mbfitsansU</code>	mathematical sans-serif bold italic capital u
U+1D651	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>	<code>\mbfitsansV</code>	mathematical sans-serif bold italic capital v
U+1D652	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<i>W</i>	<code>\mbfitsansW</code>	mathematical sans-serif bold italic capital w
U+1D653	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<code>\mbfitsansX</code>	mathematical sans-serif bold italic capital x
U+1D654	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<code>\mbfitsansY</code>	mathematical sans-serif bold italic capital y
U+1D655	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<i>Z</i>	<code>\mbfitsansZ</code>	mathematical sans-serif bold italic capital z

15.2.16 Bold italic sans serif, Latin, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D656	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<code>\mbfitsansa</code>	mathematical sans-serif bold italic small a
U+1D657	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	<i>b</i>	<code>\mbfitsansb</code>	mathematical sans-serif bold italic small b
U+1D658	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	<code>\mbfitsansc</code>	mathematical sans-serif bold italic small c
U+1D659	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	<code>\mbfitsansd</code>	mathematical sans-serif bold italic small d

USV	L	S	E	P	D	Macro	Description
U+1D65A	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	<code>\mbfitsanse</code>	mathematical sans-serif bold italic small e
U+1D65B	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	<code>\mbfitsansf</code>	mathematical sans-serif bold italic small f
U+1D65C	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	<code>\mbfitsansg</code>	mathematical sans-serif bold italic small g
U+1D65D	<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	<code>\mbfitsansh</code>	mathematical sans-serif bold italic small h
U+1D65E	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<code>\mbfitsansi</code>	mathematical sans-serif bold italic small i
U+1D65F	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<code>\mbfitsansj</code>	mathematical sans-serif bold italic small j
U+1D660	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<code>\mbfitsansk</code>	mathematical sans-serif bold italic small k
U+1D661	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<code>\mbfitsansl</code>	mathematical sans-serif bold italic small l
U+1D662	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<code>\mbfitsansm</code>	mathematical sans-serif bold italic small m
U+1D663	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<code>\mbfitsansn</code>	mathematical sans-serif bold italic small n
U+1D664	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<code>\mbfitsanso</code>	mathematical sans-serif bold italic small o
U+1D665	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<code>\mbfitsansp</code>	mathematical sans-serif bold italic small p
U+1D666	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<code>\mbfitsansq</code>	mathematical sans-serif bold italic small q
U+1D667	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<code>\mbfitsansr</code>	mathematical sans-serif bold italic small r
U+1D668	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<code>\mbfitsanss</code>	mathematical sans-serif bold italic small s
U+1D669	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<code>\mbfitsanst</code>	mathematical sans-serif bold italic small t
U+1D66A	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<code>\mbfitsansu</code>	mathematical sans-serif bold italic small u
U+1D66B	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<code>\mbfitsansv</code>	mathematical sans-serif bold italic small v
U+1D66C	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<code>\mbfitsansw</code>	mathematical sans-serif bold italic small w
U+1D66D	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<code>\mbfitsansx</code>	mathematical sans-serif bold italic small x
U+1D66E	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<code>\mbfitsansy</code>	mathematical sans-serif bold italic small y
U+1D66F	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<code>\mbfitsansz</code>	mathematical sans-serif bold italic small z

15.2.17 Bold sans serif Greek, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D756	Α	Α	Α	Α	Α	\mbfsansAlpha	mathematical sans-serif bold capital alpha
U+1D757	Β	Β	Β	Β	Β	\mbfsansBeta	mathematical sans-serif bold capital beta
U+1D758	Γ	Γ	Γ	Γ	Γ	\mbfsansGamma	mathematical sans-serif bold capital gamma
U+1D759	Δ	Δ	Δ	Δ	Δ	\mbfsansDelta	mathematical sans-serif bold capital delta
U+1D75A	Ε	Ε	Ε	Ε	Ε	\mbfsansEpsilon	mathematical sans-serif bold capital epsilon
U+1D75B	Ζ	Ζ	Ζ	Ζ	Ζ	\mbfsansZeta	mathematical sans-serif bold capital zeta
U+1D75C	Η	Η	Η	Η	Η	\mbfsansEta	mathematical sans-serif bold capital eta
U+1D75D	Θ	Θ	Θ	Θ	Θ	\mbfsansTheta	mathematical sans-serif bold capital theta
U+1D75E	Ι	Ι	Ι	Ι	Ι	\mbfsansIota	mathematical sans-serif bold capital iota
U+1D75F	Κ	Κ	Κ	Κ	Κ	\mbfsansKappa	mathematical sans-serif bold capital kappa
U+1D760	Λ	Λ	Λ	Λ	Λ	\mbfsansLambda	mathematical sans-serif bold capital lambda
U+1D761	Μ	Μ	Μ	Μ	Μ	\mbfsansMu	mathematical sans-serif bold capital mu
U+1D762	Ν	Ν	Ν	Ν	Ν	\mbfsansNu	mathematical sans-serif bold capital nu
U+1D763	Ξ	Ξ	Ξ	Ξ	Ξ	\mbfsansXi	mathematical sans-serif bold capital xi
U+1D764	Ο	Ο	Ο	Ο	Ο	\mbfsansOmicron	mathematical sans-serif bold capital omicron
U+1D765	Π	Π	Π	Π	Π	\mbfsansPi	mathematical sans-serif bold capital pi
U+1D766	Ρ	Ρ	Ρ	Ρ	Ρ	\mbfsansRho	mathematical sans-serif bold capital rho
U+1D767	Θ	Θ	Θ	Θ	Θ	\mbfsansvarTheta	mathematical sans-serif bold capital theta symbol
U+1D768	Σ	Σ	Σ	Σ	Σ	\mbfsansSigma	mathematical sans-serif bold capital sigma
U+1D769	Τ	Τ	Τ	Τ	Τ	\mbfsansTau	mathematical sans-serif bold capital tau
U+1D76A	Υ	Υ	Υ	Υ	Υ	\mbfsansUpsilon	mathematical sans-serif bold capital upsilon
U+1D76B	Φ	Φ	Φ	Φ	Φ	\mbfsansPhi	mathematical sans-serif bold capital phi
U+1D76C	Χ	Χ	Χ	Χ	Χ	\mbfsansChi	mathematical sans-serif bold capital chi
U+1D76D	Ψ	Ψ	Ψ	Ψ	Ψ	\mbfsansPsi	mathematical sans-serif bold capital psi

USV	L	S	E	P	D	Macro	Description
U+1D76E	Ω	Ω	Ω	Ω	Ω	\mbfsansOmega	mathematical sans-serif bold capital omega

15.2.18 Bold sans serif Greek, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D770	α	α	α	α	α	\mbfsansalpha	mathematical sans-serif bold small alpha
U+1D771	β	β	β	β	β	\mbfsansbeta	mathematical sans-serif bold small beta
U+1D772	γ	γ	γ	γ	γ	\mbfsansgamma	mathematical sans-serif bold small gamma
U+1D773	δ	δ	δ	δ	δ	\mbfsansdelta	mathematical sans-serif bold small delta
U+1D774	ε	ε	ε	ε	ε	\mbfsansvarepsilon	mathematical sans-serif bold small varepsilon
U+1D775	ζ	ζ	ζ	ζ	ζ	\mbfsanszeta	mathematical sans-serif bold small zeta
U+1D776	η	η	η	η	η	\mbfsanseta	mathematical sans-serif bold small eta
U+1D777	θ	θ	θ	θ	θ	\mbfsanstheta	mathematical sans-serif bold small theta
U+1D778	ι	ι	ι	ι	ι	\mbfsansiota	mathematical sans-serif bold small iota
U+1D779	κ	κ	κ	κ	κ	\mbfsanskappa	mathematical sans-serif bold small kappa
U+1D77A	λ	λ	λ	λ	λ	\mbfsanslambda	mathematical sans-serif bold small lambda
U+1D77B	μ	μ	μ	μ	μ	\mbfsansmu	mathematical sans-serif bold small mu
U+1D77C	ν	ν	ν	ν	ν	\mbfsansnu	mathematical sans-serif bold small nu
U+1D77D	ξ	ξ	ξ	ξ	ξ	\mbfsansxi	mathematical sans-serif bold small xi
U+1D77E	ο	ο	ο	ο	ο	\mbfsansomicron	mathematical sans-serif bold small omicron
U+1D77F	π	π	π	π	π	\mbfsanspi	mathematical sans-serif bold small pi
U+1D780	ρ	ρ	ρ	ρ	ρ	\mbfsansrho	mathematical sans-serif bold small rho
U+1D781	ς	ς	ς	ς	ς	\mbfsansvarsigma	mathematical sans-serif bold small final sigma
U+1D782	σ	ς	σ	σ	σ	\mbfsanssigma	mathematical sans-serif bold small sigma
U+1D783	τ	τ	τ	τ	τ	\mbfsanstau	mathematical sans-serif bold small tau

USV	L	S	E	P	D	Macro	Description
U+1D784	υ	υ	υ	υ	υ	\mbfsansupsilon	mathematical sans-serif bold small upsilon
U+1D785	φ	φ	φ	φ	φ	\mbfsansvarphi	mathematical sans-serif bold small phi
U+1D786	χ	χ	χ	χ	χ	\mbfsanschi	mathematical sans-serif bold small chi
U+1D787	ψ	ψ	ψ	ψ	ψ	\mbfsanspsi	mathematical sans-serif bold small psi
U+1D788	ω	ω	ω	ω	ω	\mbfsansomega	mathematical sans-serif bold small omega
U+1D789	∂	∂	∂	∂	∂	\mbfsanspartial	mathematical sans-serif bold partial differential
U+1D78A	ε	ε	ε	ε	ε	\mbfsansepsilon	mathematical sans-serif bold varepsilon symbol
U+1D78B	θ	θ	θ	θ	θ	\mbfsansvartheta	mathematical sans-serif bold theta symbol
U+1D78C	κ	κ	κ	κ	κ	\mbfsansvarkappa	mathematical sans-serif bold kappa symbol
U+1D78D	φ	φ	φ	φ	φ	\mbfsansphi	mathematical sans-serif bold phi symbol
U+1D78E	ρ	ρ	ρ	ρ	ρ	\mbfsansvarrho	mathematical sans-serif bold rho symbol
U+1D78F	π	π	π	π	π	\mbfsansvarpi	mathematical sans-serif bold pi symbol

15.2.19 Bold italic sans serif Greek, uppercase

USV	L	S	E	P	D	Macro	Description
U+1D790	Α	Α	Α	Α	Α	\mbfitsansAlpha	mathematical sans-serif bold italic capital alpha
U+1D791	Β	Β	Β	Β	Β	\mbfitsansBeta	mathematical sans-serif bold italic capital beta
U+1D792	Γ	Γ	Γ	Γ	Γ	\mbfitsansGamma	mathematical sans-serif bold italic capital gamma
U+1D793	Δ	Δ	Δ	Δ	Δ	\mbfitsansDelta	mathematical sans-serif bold italic capital delta
U+1D794	Ε	Ε	Ε	Ε	Ε	\mbfitsansEpsilon	mathematical sans-serif bold italic capital epsilon
U+1D795	Ζ	Ζ	Ζ	Ζ	Ζ	\mbfitsansZeta	mathematical sans-serif bold italic capital zeta
U+1D796	Η	Η	Η	Η	Η	\mbfitsansEta	mathematical sans-serif bold italic capital eta
U+1D797	Θ	Θ	Θ	Θ	Θ	\mbfitsansTheta	mathematical sans-serif bold italic capital theta
U+1D798	Ι	Ι	Ι	Ι	Ι	\mbfitsansIota	mathematical sans-serif bold italic capital iota

USV	L	S	E	P	D	Macro	Description
U+1D799	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	<i>K</i>	\mbfitsansKappa	mathematical sans-serif bold italic capital kappa
U+1D79A	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	<i>Λ</i>	\mbfitsansLambda	mathematical sans-serif bold italic capital lambda
U+1D79B	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>M</i>	\mbfitsansMu	mathematical sans-serif bold italic capital mu
U+1D79C	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	\mbfitsansNu	mathematical sans-serif bold italic capital nu
U+1D79D	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	<i>Ξ</i>	\mbfitsansXi	mathematical sans-serif bold italic capital xi
U+1D79E	<i>Ο</i>	<i>Ο</i>	<i>Ο</i>	<i>Ο</i>	<i>Ο</i>	\mbfitsansOmicron	mathematical sans-serif bold italic capital omicron
U+1D79F	<i>Π</i>	<i>Π</i>	<i>Π</i>	<i>Π</i>	<i>Π</i>	\mbfitsansPi	mathematical sans-serif bold italic capital pi
U+1D7A0	<i>Ρ</i>	<i>Ρ</i>	<i>Ρ</i>	<i>Ρ</i>	<i>Ρ</i>	\mbfitsansRho	mathematical sans-serif bold italic capital rho
U+1D7A1	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	<i>Θ</i>	\mbfitsansvarTheta	mathematical sans-serif bold italic capital theta symbol
U+1D7A2	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	<i>Σ</i>	\mbfitsansSigma	mathematical sans-serif bold italic capital sigma
U+1D7A3	<i>Τ</i>	<i>Τ</i>	<i>Τ</i>	<i>Τ</i>	<i>Τ</i>	\mbfitsansTau	mathematical sans-serif bold italic capital tau
U+1D7A4	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	<i>Υ</i>	\mbfitsansUpsilon	mathematical sans-serif bold italic capital upsilon
U+1D7A5	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	<i>Φ</i>	\mbfitsansPhi	mathematical sans-serif bold italic capital phi
U+1D7A6	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	<i>Χ</i>	\mbfitsansChi	mathematical sans-serif bold italic capital chi
U+1D7A7	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	<i>Ψ</i>	\mbfitsansPsi	mathematical sans-serif bold italic capital psi
U+1D7A8	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	<i>Ω</i>	\mbfitsansOmega	mathematical sans-serif bold italic capital omega

15.2.20 Bold italic sans serif Greek, lowercase

USV	L	S	E	P	D	Macro	Description
U+1D7AA	<i>α</i>	<i>α</i>	<i>α</i>	<i>α</i>	<i>α</i>	\mbfitsansalpha	mathematical sans-serif bold italic small alpha
U+1D7AB	<i>β</i>	<i>β</i>	<i>β</i>	<i>β</i>	<i>β</i>	\mbfitsansbeta	mathematical sans-serif bold italic small beta
U+1D7AC	<i>γ</i>	<i>γ</i>	<i>γ</i>	<i>γ</i>	<i>γ</i>	\mbfitsansgamma	mathematical sans-serif bold italic small gamma
U+1D7AD	<i>δ</i>	<i>δ</i>	<i>δ</i>	<i>δ</i>	<i>δ</i>	\mbfitsansdelta	mathematical sans-serif bold italic small delta
U+1D7AE	<i>ε</i>	<i>ε</i>	<i>ε</i>	<i>ε</i>	<i>ε</i>	\mbfitsansvarepsilon	mathematical sans-serif bold italic small varepsilon

USV	L	S	E	P	D	Macro	Description
U+1D7AF	ζ	ζ	ζ	ζ	ζ	\mbfitsanszeta	mathematical sans-serif bold italic small zeta
U+1D7B0	η	η	η	η	η	\mbfitsanseta	mathematical sans-serif bold italic small eta
U+1D7B1	θ	θ	θ	θ	θ	\mbfitsanstheta	mathematical sans-serif bold italic small theta
U+1D7B2	ι	ι	ι	ι	ι	\mbfitsansiota	mathematical sans-serif bold italic small iota
U+1D7B3	κ	κ	κ	κ	κ	\mbfitsanskappa	mathematical sans-serif bold italic small kappa
U+1D7B4	λ	λ	λ	λ	λ	\mbfitsanslambda	mathematical sans-serif bold italic small lambda
U+1D7B5	μ	μ	μ	μ	μ	\mbfitsansmu	mathematical sans-serif bold italic small mu
U+1D7B6	ν	ν	ν	ν	ν	\mbfitsansnu	mathematical sans-serif bold italic small nu
U+1D7B7	ξ	ξ	ξ	ξ	ξ	\mbfitsansxi	mathematical sans-serif bold italic small xi
U+1D7B8	ο	ο	ο	ο	ο	\mbfitsansomicron	mathematical sans-serif bold italic small omicron
U+1D7B9	π	π	π	π	π	\mbfitsanspi	mathematical sans-serif bold italic small pi
U+1D7BA	ρ	ρ	ρ	ρ	ρ	\mbfitsansrho	mathematical sans-serif bold italic small rho
U+1D7BB	ς	ς	ς	ς	ς	\mbfitsansvarsigma	mathematical sans-serif bold italic small final sigma
U+1D7BC	σ	σ	σ	σ	σ	\mbfitsanssigma	mathematical sans-serif bold italic small sigma
U+1D7BD	τ	τ	τ	τ	τ	\mbfitsanstau	mathematical sans-serif bold italic small tau
U+1D7BE	υ	υ	υ	υ	υ	\mbfitsansupsilon	mathematical sans-serif bold italic small upsilon
U+1D7BF	φ	φ	φ	φ	φ	\mbfitsansvarphi	mathematical sans-serif bold italic small phi
U+1D7C0	χ	χ	χ	χ	χ	\mbfitsanschi	mathematical sans-serif bold italic small chi
U+1D7C1	ψ	ψ	ψ	ψ	ψ	\mbfitsanspsi	mathematical sans-serif bold italic small psi
U+1D7C2	ω	ω	ω	ω	ω	\mbfitsansomega	mathematical sans-serif bold italic small omega
U+1D7C3	∂	∂	∂	∂	∂	\mbfitsanspartial	mathematical sans-serif bold italic partial differential
U+1D7C4	ε	ε	ε	ε	ε	\mbfitsansepsilon	mathematical sans-serif bold italic varepsilon symbol
U+1D7C5	ϑ	ϑ	ϑ	ϑ	ϑ	\mbfitsansvartheta	mathematical sans-serif bold italic theta symbol
U+1D7C6	κ	κ	κ	κ	κ	\mbfitsansvarkappa	mathematical sans-serif bold italic kappa symbol

USV	L	S	E	P	D	Macro	Description
U+1D7C7	ϕ	ϕ	ϕ	ϕ	ϕ	<code>\mbfitsansphi</code>	mathematical sans-serif bold italic phi symbol
U+1D7C8	ϱ	ϱ	ϱ	ϱ	ϱ	<code>\mbfitsansvarrho</code>	mathematical sans-serif bold italic rho symbol
U+1D7C9	ϖ	ϖ	ϖ	ϖ	ϖ	<code>\mbfitsansvarpi</code>	mathematical sans-serif bold italic pi symbol

15.3 Miscellaneous

USV	L	S	E	P	D	Macro	Description
U+000F0	ð	ð	ð	ð	ð	<code>\matheth</code>	eth
U+02010	-	-	-	-	-	<code>\mathhyphen</code>	hyphen
U+02102	Ɔ	Ɔ	Ɔ	Ɔ	Ɔ	<code>\BbbC</code>	/bbb c, open face c
U+0210A		ɡ	ɡ	ɡ	ɡ	<code>\mscrɡ</code>	/scr g, script letter g
U+0210B	ℋ	ℋ	ℋ	ℋ	ℋ	<code>\mscrH</code>	hamiltonian (script capital h)
U+0210C	ℋ	ℋ	ℋ	ℋ	ℋ	<code>\mfracH</code>	/frac h, upper case h
U+0210D	ℋ	ℋ	ℋ	ℋ	ℋ	<code>\BbbH</code>	/bbb h, open face h
U+0210F	ℏ	ℏ	ℏ	ℏ	ℏ	<code>\hslash^(a)</code>	/hslash - variant planck's over 2pi
U+02110	ℐ	ℐ	ℐ	ℐ	ℐ	<code>\mscrI</code>	/scr i, script letter i
U+02111	ℑ	ℑ	ℑ	ℑ	ℑ	<code>\Im^(p)</code>	imaginary part
U+02112	ℒ	ℒ	ℒ	ℒ	ℒ	<code>\mscrL</code>	lagrangian (script capital l)
U+02113	ℓ	ℓ	ℓ	ℓ	ℓ	<code>\ell^(p)</code>	cursive small l
U+02115	ℕ	ℕ	ℕ	ℕ	ℕ	<code>\BbbN</code>	/bbb n, open face n
U+02118	ℙ	ℙ	ℙ	ℙ	ℙ	<code>\wp^(p)</code>	weierstrass p
U+02119	ℙ	ℙ	ℙ	ℙ	ℙ	<code>\BbbP</code>	/bbb p, open face p
U+0211A	ℚ	ℚ	ℚ	ℚ	ℚ	<code>\BbbQ</code>	/bbb q, open face q
U+0211B	ℛ	ℛ	ℛ	ℛ	ℛ	<code>\mscrR</code>	/scr r, script letter r
U+0211C	ℜ	ℜ	ℜ	ℜ	ℜ	<code>\Re^(p)</code>	real part

USV	L	S	E	P	D	Macro	Description
U+0211D	\mathbb{R}	\mathbb{R}	\mathbb{R}	\mathbb{R}	\mathbb{R}	<code>\BbbR</code>	/bbb r, open face r
U+02124	\mathbb{Z}	\mathbb{Z}	\mathbb{Z}	\mathbb{Z}	\mathbb{Z}	<code>\BbbZ</code>	/bbb z, open face z
U+02128	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	<code>\mfracZ</code>	/frak z, upper case z
U+02129		ι				<code>\turnediota</code>	turned iota
U+0212B	\AA	\AA	\AA	\AA	\AA	<code>\Angstrom</code>	angstrom capital a, ring
U+0212C	\mathcal{B}	\mathcal{B}	\mathcal{B}	\mathcal{B}	\mathcal{B}	<code>\mscrB</code>	bernoulli function (script capital b)
U+0212D	\mathfrak{C}	\mathfrak{C}	\mathfrak{C}	\mathfrak{C}	\mathfrak{C}	<code>\mfracC</code>	black-letter capital c
U+0212F		\mathfrak{e}	\mathfrak{e}	\mathfrak{e}	\mathfrak{e}	<code>\mscre</code>	/scr e, script letter e
U+02130	\mathcal{E}	\mathcal{E}	\mathcal{E}	\mathcal{E}	\mathcal{E}	<code>\mscrE</code>	/scr e, script letter e
U+02131	\mathcal{F}	\mathcal{F}	\mathcal{F}	\mathcal{F}	\mathcal{F}	<code>\mscrF</code>	/scr f, script letter f
U+02133	\mathcal{M}	\mathcal{M}	\mathcal{M}	\mathcal{M}	\mathcal{M}	<code>\mscrM</code>	physics m-matrix (script capital m)
U+02134		\mathfrak{o}	\mathfrak{o}	\mathfrak{o}	\mathfrak{o}	<code>\mscro</code>	order of (script small o)
U+02135	\aleph	\aleph	\aleph	\aleph	\aleph	<code>\aleph^(p)</code>	aleph, hebrew
U+02136	\beth	\beth	\beth	\beth	\beth	<code>\beth^(a)</code>	beth, hebrew
U+02137	\gimel	\gimel	\gimel	\gimel	\gimel	<code>\gimel^(a)</code>	gimel, hebrew
U+02138	\daleth	\daleth	\daleth	\daleth	\daleth	<code>\daleth^(a)</code>	daleth, hebrew
U+0213D	\mathbb{G}	\mathbb{G}	\mathbb{G}	\mathbb{G}	\mathbb{G}	<code>\Bbbgamma</code>	double-struck small gamma
U+0213E	\mathbb{G}	\mathbb{G}	\mathbb{G}	\mathbb{G}	\mathbb{G}	<code>\BbbGamma</code>	double-struck capital gamma
U+0213F	\mathbb{P}	\mathbb{P}	\mathbb{P}	\mathbb{P}	\mathbb{P}	<code>\BbbPi</code>	double-struck capital pi
U+02202	∂	∂	∂	∂	∂	<code>\partial^(p)</code>	partial differential
U+02207	∇	∇	∇	∇	∇	<code>\nabla^(p)</code>	nabla, del, hamilton operator
U+1D6A4	\mathfrak{i}	\mathfrak{i}	\mathfrak{i}	\mathfrak{i}	\mathfrak{i}	<code>\imath^(p)</code>	mathematical italic small dotless i
U+1D6A5	\mathfrak{j}	\mathfrak{j}	\mathfrak{j}	\mathfrak{j}	\mathfrak{j}	<code>\jmath^(p)</code>	mathematical italic small dotless j
U+1D6C1	∇	∇	∇	∇	∇	<code>\mbfnabla</code>	mathematical bold nabla

USV	L	S	E	P	D	Macro	Description
U+1D6FB	↵	↴	↵	↴	↴	<code>\mitnabla</code>	mathematical italic nabla
U+1D735	↵	↴	↵	↴	↴	<code>\mbfitnabla</code>	mathematical bold italic nabla
U+1D76F	↵	↴	↵	↴	↴	<code>\mbfsansnabla</code>	mathematical sans-serif bold nabla
U+1D7A9	↵	↴	↵	↴	↴	<code>\mbfitsansnabla</code>	mathematical sans-serif bold italic nabla
U+1D7CA		Ɽ				<code>\mbfDigamma</code>	mathematical bold capital digamma
U+1D7CB		ⱦ				<code>\mbfdigamma</code>	mathematical bold small digamma