

This file lists the prefixes which have been registered with the L<sup>A</sup>T<sub>E</sub>X team for use in expl3 code. Programmers are invited to register their (public) prefix use by contacting the team at

`modules@latex-project.org`

with the relevant information for the .csv file, i.e., *Prefix, Module or package, Registrant, Homepage, Source repository, Issue tracker*.

We recommend that short prefixes are avoided as there are a limited number of these very general names available. The file `l3prefixes.csv` contains more details on each module, for example any information on source repository or issue tracker.

Prefix	Module	Registrant
ENdiagram	endiagram	Clemens Niederberger
GS	gs1	Markus Kohm
MOdiagram	modiagram	Clemens Niederberger
UFca	citeall	Ulrike Fischer
acro	acro	Clemens Niederberger
akshar	akshar	Vu Van Dung
algotbox	algotbox	Julien Rivaud
alignment	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
alloc	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
ampersand	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
apfs	apfontspec	Qing Lee
arch	archaeologie	Lukas C. Bossert
array	hobby	Andrew Stacey
atsign	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
avm	langsci-avm	Felix Kopecky
backend	l3backend	The L <sup>A</sup> T <sub>E</sub> X3 Project
backslash	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
bearwear	bearwear	Ulrike Fischer
bool	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
box	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
bxjh	BXjaholiday	Takuto Asakura
catcode	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
cctab	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
cellprops	cellprops	Julien Rivaud
char	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
chemformula	chemformula	Clemens Niederberger
chemmacros	chemmacros	Clemens Niederberger
chemnum	chemnum	Clemens Niederberger
chk	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
circumflex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
classics	classics	Eduardo C. Lourenço de Lima
clist	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project

Prefix	Module	Registrant
codedoc	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
coffin	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
	xcoffins	
colon	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
color	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
conseq	conseq	Joachim Breitner
cookingunits	cooking-units	Ben Vitecek
cs	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
csvsim	csvsimple	Thomas F. Sturm
ctex	ctex	Qing Lee
ctuthesis	ctuthesis	Tom Hejda
debug	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
denisbdoc	denisbdoc	Denis Bitouzé
deriv	derivative	Simon Jensen
diffcoeff	diffcoeff	Andrew Parsloe
dim	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
document	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
dollar	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
driver	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
dry	dry	Michiel Helvensteijn
ducksay	ducksay	Jonathan P. Spratte
duckuments	duckuments	Jonathan P. Spratte
e	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
else	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
emoji	emoji	Xiangdong Zeng
emojicite	emojicite	Leon Sixt
empty	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
enotez	enotez	Clemens Niederberger
etex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
exp	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
expl	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
exsheets	exsheets	Clemens Niederberger
extblx	biblatex-ext	Moritz Wemheuer
exwf	exwrapfig	Takuto Asakura
fdu	fduthesis	Xiangdong Zeng
fdudoc	fduthesis	Xiangdong Zeng
fdulogo	fduthesis	Xiangdong Zeng
fi	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
file	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
flag	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
fltr	newlrm	Paul Thomson
fmdug	dashundergaps	Frank Mittelbach
fmuft	unicodfonttable	Frank Mittelbach
fmwao	widows-and-orphans	Frank Mittelbach

Prefix	Module	Registrant
fnpct	fnpct	Clemens Niederberger
fontsizes	fontsizes	Julien Rivaud
fontspec	fontspec	Will Robertson
fp	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
galley	l3galley	The L <sup>A</sup> T <sub>E</sub> X3 Project
gatherenum	gatherenum	Julien Rivaud
getree	genealogytree	Thomas F. Sturm
ghsystem	ghsystem	Clemens Niederberger
graph	lt3graph	Michiel Helvensteijn
group	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
gtl	gtl	Bruno Le Floch
gzt	gzt	Denis Bitouzé
hash	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
hbox	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
hcoffin	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
hobete	hobete	Tobias Görlach
hook	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
if	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
inf	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
insert	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
int	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
intarray	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
ior	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
iow	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
kernel	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
keys	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
	l3keys2e	
keyval	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
kgl	kantlipsum	Enrico Gregorio
left	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
lltxmath	lualatex-math	Philipp Stephani
log	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
lua	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
luatex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
jiazhu	jiazhu	Qing Lee
mark	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
marks	l3kernel/xmarks	The L <sup>A</sup> T <sub>E</sub> X3 Project
math	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
max	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
mcrule	multicolrule	Karl Hagen
mermap	mercatormap	Thomas F. Sturm
mhchem	mhchem	Martin Hensel
minibox	minibox	Will Robertson
minus	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project

Prefix	Module	Registrant
<code>mix</code>	<code>media9</code>	Alexander Grah
<code>mode</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>morewrites</code>	<code>morewrites</code>	Bruno Le Floch
<code>msg</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>msvg</code>	<code>media4svg</code>	Alexander Grah
<code>muskip</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>nan</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>nicematrix</code>	<code>nicematrix</code>	François Pantigny
<code>nil</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>no</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>notestobib</code>	<code>notes2bib</code>	Joseph Wright
<code>novalue</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>nwejm</code>	<code>nwejm</code>	Denis Bitouzé
<code>ocgbase</code>	<code>ocgx2</code>	Alexander Grah
<code>ocgxii</code>	<code>ocgx2</code>	Alexander Grah
<code>one</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>or</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>overleaf</code>	<code>overleaf</code>	Overleaf
<code>parameter</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>pbs</code>	<code>media9</code>	Alexander Grah
<code>pdf</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>pdftex</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>peek</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>percent</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>pi</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>pkgploader</code>	<code>pkgploader</code>	Michiel Helvensteijn
<code>polyglossia</code>	<code>polyglossia</code>	Arthur Reutenauer
<code>prg</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>primargs</code>	<code>morewrites</code>	Bruno Le Floch
<code>prop</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>pseudo</code>	<code>pseudo</code>	Magnus Lie Hetland
<code>ptex</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>quark</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>randomwalk</code>	<code>randomwalk</code>	Bruno Le Floch
<code>recursion</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>regex</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>reverse</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>right</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>rivbook</code>	<code>rivbook</code>	Julien Rivaud
<code>rivmath</code>	<code>rivmath</code>	Julien Rivaud
<code>scan</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project
<code>scontents</code>	<code>scontents</code>	Pablo González
<code>sdaps</code>	<code>sdaps</code>	Benjamin Berg
<code>seq</code>	<code>l3kernel</code>	The L <sup>A</sup> T <sub>E</sub> X3 Project

Prefix	Module	Registrant
siunitx	siunitx	Joseph Wright
skip	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
sort	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
space	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
statistics	statistics	Julien Rivaud
stm	lt3-stm	CV Radhakrishnan
stop	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
str	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
	l3str	
	l3str-format	
substances	substances	Clemens Niederberger
sys	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
tag	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
tasks	tasks	Clemens Niederberger
tcobox	tcobox	Thomas F. Sturm
term	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
tex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
text	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
tikzsymbols	tikzsymbols	Ben Vitecek
tilde	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
tl	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
	l3tl-analysis	
	l3tl-build	
tmpa	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
tmpb	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
token	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
ufcombo	combofont	Ulrike Fischer
ufgrid	returntogrid	Ulrike Fischer
uftag	tagpdf	Ulrike Fischer
um	unicode-math	Will Robertson
underscore	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
unravel	unravel	Bruno Le Floch
uptex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
use	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
utex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
vbox	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
vcoffin	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
withargs	withargs	Michiel Helvensteijn
witharrows	witharrows	François Pantigny
xeCJK	xecjk	Qing Lee
xetex	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
xfrac	xfrac	The L <sup>A</sup> T <sub>E</sub> X3 Project
xparse	xparse	The L <sup>A</sup> T <sub>E</sub> X3 Project
xpatch	regexpatch	Enrico Gregorio

Prefix	Module	Registrant
	xpatch	
xpeek	xpeek	Joel C. Salomon
xpinyin	xpinyin	Qing Lee
xsb	xsavebox	Alexander Grahn
xsim	xsim	Clemens Niederberger
xtemplate	xtemplate	The L <sup>A</sup> T <sub>E</sub> X3 Project
yoin	yoin	Tom Hejda
zero	l3kernel	The L <sup>A</sup> T <sub>E</sub> X3 Project
zhlipsum	zhlipsum	Xiangdong Zeng
zhnum	zhnumber	Qing Lee
zxjt	zxjatype	Takayuki Yato