

First aid for external files and packages that need updating*

Frank Mittelbach, L^AT_EX Project

October 4, 2020

Abstract

This file contains some first aid for packages or classes that require updates because of internal changes to L^AT_EX but that aren't yet reflected in the package/class code.

Contents

1	Introduction	1
2	The Implementation	2
2.1	The <code>filehook</code> package first aid	2
2.2	The <code>bid</code> i package first aid	4
2.3	The <code>dinbrief</code> class first aid	5
2.4	Fixing a problem with B ^I B ^T _E X	5

1 Introduction

Over the years package writers have hooked into various parts of internal L^AT_EX commands (largely because proper interfaces were missing in important places) and if we are now gradually adding such interfaces these internal commands do change and as a result patching into them stops working.

As part of making such internal changes the L^AT_EX Project team attempts to check for such usage in packages, alert the package maintainers and ensures that the packages get updated alongside the core L^AT_EX system. However it is not always possible to get packages that will fail with a new kernel updated in time and if that is the case we try to provide a temporary fix in this file for them. Once the package gets updated the fix will then be removed again.

For that reason, it is put into a separate bundle so that we can update it easily without requiring the CTAN maintainers to install a new full LaTeX system just because we take out (or add) a fix for a package here.

In the best case scenario the file documented here should be empty. In practice it will probably always contain one or the other fix while we are waiting for the package to get updated.

*

Important notice: The fixes provided here are not meant to be a permanent solution, but are only provided to support the transition period. They are (usually) neither complete nor necessarily the best solution! Furthermore, as they are done from the “outside”, they usually add some burden and slow down L^AT_EX processing, even if the package/class is not used in the document.

We will therefore remove such code as soon as possible again. In practice this means that if some package never gets updated/corrected, then it will eventually fail to work, because after one or at most two L^AT_EX releases we will take out the transition code to ensure that this “first aid patching” doesn’t get out of bounds.

2 The Implementation

This file is meant to be loaded during format generation which is why we give it the extension `.ltx`.

```

1 <*kernel>
2 \def\LaTeXFirstAidDate{2020/10/03}
3 \def\LaTeXFirstAidVersion{v1.0d}
4 \ProvidesFile{latex2e-first-aid-for-external-files.ltx}
5           [\LaTeXFirstAidDate\space \LaTeXFirstAidVersion\space
6           LaTeX kernel fixes to external files and packages]

```

`\FirstAidNeededT` This is a very simple help to ensure that we only apply first aid to an unmodified package or class. It only works in the case the file has already been loaded and the csname `\ver@#1.#2` got defined (holding the current date, version, and short description info). We then compare its content to a frozen string and make the modification `#3` only if both agree. If they differ we assume that the package/class in question got updated by its maintainer.

```

7 \ExplSyntaxOn
8 \cs_new:Npn\FirstAidNeededT#1#2#3{
9   \exp_args:Nc\str_if_eq:ont{\ver@#1.#2}{#3}
10 }
11 \ExplSyntaxOff
12 </kernel>

```

2.1 The filehook package first aid

The `filehook` package implements hooks into file loading commands. These days this is already provided by the kernel albeit not with the same user interface. Until that package gets updated (to use the kernel interfaces) we provide a substitution. This does not offer all hooks from `filehook` but all that have been used in packages available in T_EX Live.

Note that this doesn’t fix `currfile` because that package uses `filehook` but relies on the internals of the old implementation.

The package has now got an update so we aren’t activating the first aid. However, it basically bypasses the new hook mechanism and puts the old hooks in thereby disabling, for example, the possibility to reorder code through rules.

We therefore keep filehook-ltx.sty around as a guideline for further updates.

```

13 <*kernel>
14 %\declare@file@substitution{filehook.sty}{filehook-ltx.sty}
15 </kernel>
16 %    \End{macrocode}
17 %
18 %    If a new filehook package becomes available it can be tested
19 %    simply by undoing the above substitution via
20 %    \begin{verbatim}
21 % \undeclare@file@substitution{filehook.sty}
22 % \end{verbatim}
23 %    Once ready this will then taken out of the first aid file.
24 %
25 %    What follows is a partial implementation of the \pkg{filehook}
26 %    interfaces.
27 %
28 %    Not implemented are:
29 %\begin{verbatim}
30 % \AtBeginOfFiles
31 % \AtEndOfFiles
32 % \AtBeginOfInputs
33 % \AtEndOfInputs
34 % \AtBeginOfInputFile
35 % \AtEndOfInputFile
36 %\end{verbatim}
37 %
38 %    \begin{macrocode}
39 <*filehook>
40 \newcommand\AtBeginOfEveryFile [1]
41   {\AddToHook{file/before}{#1}}
42 \newcommand\AtEndOfEveryFile [1]
43   {\AddToHook{file/after}{#1}}
44 \newcommand\AtBeginOfIncludes [1]
45   {\AddToHook{include/before}{#1}}
46 \newcommand\AtEndOfIncludes [1]
47   {\AddToHook{include/end}{#1}}
48 \newcommand\AfterIncludes [1]
49   {\AddToHook{include/after}{#1}}
50 \newcommand\AtBeginOfPackages [1]
51   {\AddToHook{package/before}{#1}}
52 \newcommand\AtEndOfPackages [1]
53   {\AddToHook{package/after}{#1}}
54 \newcommand\AtBeginOfClasses [1]
55   {\AddToHook{class/before}{#1}}
56 \newcommand\AtEndOfClasses [1]
57   {\AddToHook{class/after}{#1}}

```

For normal files we drop the .tex extension for now:

```

58 \newcommand\AtBeginOfFile [2]
59   {\AddToHook{file/before/#1}{#2}}
60 \newcommand\AtEndOfFile [2]
61   {\AddToHook{file/after/#1}{#2}}

```

```

62 \DeclareDocumentCommand \AtBeginOfPackageFile {smm}
63   {\IfBooleanTF{#1}%
64     {\@ifpackageloaded{#2}%
65       {#3}%
66       {\AddToHook{package/before/#2}{#3}}}%
67     {\AddToHook{package/before/#2}{#3}}%
68   }
69 \DeclareDocumentCommand \AtEndOfPackageFile {smm}
70   {\IfBooleanTF{#1}%
71     {\@ifpackageloaded{#2}%
72       {#3}%
73       {\AddToHook{package/after/#2}{#3}}}%
74     {\AddToHook{package/after/#2}{#3}}%
75   }

```

Are the * forms here of any use? I know they are use 3–4 times on CTAN but I wonder if those are real or mistaken usages.

```

76 \DeclareDocumentCommand \AtBeginOfClassFile {smm}
77   {\IfBooleanTF{#1}%
78     {\@ifclassloaded{#2}%
79       {#3}%
80       {\AddToHook{class/before/#2}{#3}}}%
81     {\AddToHook{class/before/#2}{#3}}%
82   }
83 \DeclareDocumentCommand \AtEndOfClassFile {smm}
84   {\IfBooleanTF{#1}%
85     {\@ifclassloaded{#2}%
86       {#3}%
87       {\AddToHook{class/after/#2}{#3}}}%
88     {\AddToHook{class/after/#2}{#3}}%
89   }

90 \newcommand\AtBeginOfIncludeFile [2]
91   {\AddToHook{include/before/#1}{#2}}
92 \newcommand\AtEndOfIncludeFile [2]
93   {\AddToHook{include/end/#1}{#2}}
94 \newcommand\AfterIncludeFile [2]
95   {\AddToHook{include/after/#1}{#2}}

96 \filehook

```

2.2 The bidi package first aid

The `bidi` package adds a lot of hooks in various places and those added to `\document` and `\enddocument` are now no longer necessary as the kernel already provides the right hooks there.

However, we aren't trying to change that but instead only make sure that the existing patches still work by adding some first aid after `biditools` has been loaded.

If the package gets updated one can easily take that out simply through

```
\RemoveFromHook{file/after/biditools.sty}[firstaid]
```

This makes it easy to test new `bidi` code while the first aid code is still in the kernel.

```

97 \AddToHook{file/after/biditools.sty}[firstaid]{%
98   \FirstAidNeededT{biditools}{sty}%
99   {2020/05/13 v2 Programming tools for bidi package}%
100  {

```

bidi adds some code to the beginning of `\document` which contains `\endgroup` and `\begingroup` which is no longer correct.

Patching `\document` using `\bidi@patchcmd` doesn't work so we take the extra groups out by hand:

```

101  \def\firstaid@bidi@document@patch
102      \endgroup#1\begingroup#2\firstaid@bidi@document@patch
103      {\unexpanded{#1#2}}%
104  \edef\document{\expandafter\firstaid@bidi@document@patch\document
105      \firstaid@bidi@document@patch}%

```

There are also some patches into `\enddocument`, some continue to go in but one fails, so we add that now into the right place.

```

106  \AddToHook{enddocument/info}%
107      {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
108      \bidi@afterenddocumentchecklabelsrerunhook}%
109  }
110 }
111 \<*kernel>

```

2.3 The dinbrief class first aid

Again a case of a no longer correct `\endgroup` in document. Here the fix is simply though.

```

112 \AddToHook{file/after/dinbrief.cls}[firstaid]{%
113   \FirstAidNeededT{dinbrief}{cls}{2000/03/02 LaTeX2e class}%
114   {\AddToHook{env/document/begin}{\begingroup}}%
115 }

```

2.4 Fixing a problem with Bib_{TEX}

This will become a patch release for the kernel but for the moment we put it here in case some other issues show up. Bib_{TEX} expects `.aux` files to contain lines `\@input{filename.aux}` but the new new L^A_{TEX} unnecessarily writes `\@input{"filename.aux"}` and this upsets Bib_{TEX} greatly. As it isn't necessary we take it out.

```

116 \def\@include#1 {%
117   \clearpage
118   \if@files
119     \immediate\write\@mainaux{\string\@input{#1.aux}}%
120   \fi
121   \@tempswtrue
122   \if@partsw
123     \@tempswfalse
124     \edef\reserved@a{\@partlist}
125     \@for\reserved@a:=\@partlist\do
126     {\ifx\reserved@a\reserved@b\@tempswtrue\fi}%
127   \fi

```

```

128 \if@tempwa
129 \let\@auxout\@partaux
130 \if@filesw
131 \immediate\openout\@partaux "#1.aux"
132 \immediate\write\@partaux{\relax}%
133 \fi
134 \@filehook@set@CurrentFile
135 \UseHook{include/before}%
136 \UseHook{include/before/#1}%
137 \input@{#1.tex}%
138 \UseHook{include/end/#1}%
139 \UseHook{include/end}%
140 \clearpage
141 \UseHook{include/after/#1}%
142 \UseHook{include/after}%
143 \clearpage
144 \@writeckpt{#1}%
145 \if@filesw
146 \immediate\closeout\@partaux
147 \fi
148 \else
149 \deadcycles\z@
150 \@nameuse{cp@#1}%
151 \fi
152 \let\@auxout\@mainaux}
153 </kernel>

```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	A	
\@auxout 129, 152	\AddToHook 41,	\AtBeginOfInputs . . 32
\@filehook@set@CurrentFile 134	43, 45, 47, 49,	\AtBeginOfPackageFile 62
	51, 53, 55, 57,	\AtBeginOfPackages . . 50
\@firstofone 107	59, 61, 66, 67,	\AtEndOfClasses . . . 56
\@for 125	73, 74, 80, 81,	\AtEndOfClassFile . . 83
\@ifclassloaded . . 78, 85	87, 88, 91, 93,	\AtEndOfEveryFile . . 42
\@ifpackageloaded 64, 71	95, 97, 106, 112, 114	\AtEndOfFile 60
\@include 116	\AfterIncludeFile . . 94	\AtEndOfFiles 31
\@input 119	\AfterIncludes 48	\AtEndOfIncludeFile 92
\@input@ 137	\AtBeginOfClasses . . 54	\AtEndOfIncludes . . 46
\@mainaux 119, 152	\AtBeginOfClassFile 76	\AtEndOfInputFile . . 35
\@nameuse 150	\AtBeginOfEveryFile 40	\AtEndOfInputs 33
\@partaux	\AtBeginOfFile 58	\AtEndOfPackageFile 69
. 129, 131, 132, 146	\AtBeginOfFiles . . . 30	\AtEndOfPackages . . 52
\@partlist 125	\AtBeginOfIncludeFile	
\@tempswafalse 123 90	B
\@tempwattrue . . 121, 126	\AtBeginOfIncludes . . 44	\begin 20, 29, 38
\@writeckpt 144	\AtBeginOfInputFile 34	\begingroup . . . 102, 114

<code>\bidi@AfterEndDocumentCheckLabelsRerun</code>	F		O
..... 107	<code>\fi</code> 120, 126,		<code>\openout</code> 131
<code>\bidi@afterenddocumentchecklabels</code> 125, 130, 147, 151		
..... 108	<code>\firstaid@bidi@document@patch</code>	P	
 101, 102, 104, 105	<code>\pkg</code> 25	
C	<code>\FirstAidNeededT</code> ..	<code>\ProvidesFile</code> 4	
<code>\clearpage</code> 117, 140, 143 7, 98, 113		
<code>\closeout</code> 146		R	
<code>\cs</code> 8	I	<code>\relax</code> 132	
	<code>\if@filesw</code> 118, 130, 145	<code>\reserved@a</code> ... 125, 126	
D	<code>\if@partsw</code> 122	<code>\reserved@b</code> ... 124, 126	
<code>\deadcycles</code> 149	<code>\if@tempswa</code> 128		
<code>\declare@file@substitution</code>	<code>\IfBooleanTF</code>	S	
..... 14 63, 70, 77, 84	<code>\space</code> 5	
<code>\DeclareDocumentCommand</code>	<code>\ifx</code> 126	<code>\str</code> 9	
..... 62, 69, 76, 83	<code>\immediate</code>	<code>\string</code> 119	
<code>\def</code> 2, 3, 101, 116 119, 131, 132, 146		
<code>\do</code> 125		U	
<code>\document</code> 104	L	<code>\undeclare@file@substitution</code>	
	<code>\LaTeXFirstAidDate</code> 2, 5 21	
E	<code>\LaTeXFirstAidVersion</code>	<code>\unexpanded</code> 103	
<code>\edef</code> 104, 124 3, 5	<code>\UseHook</code> .. 135, 136,	
<code>\else</code> 148	<code>\let</code> 107, 129, 152	138, 139, 141, 142	
<code>\End</code> 16			
<code>\end</code> 22, 36	N	W	
<code>\endgroup</code> 102	<code>\newcommand</code> 40,	<code>\write</code> 119, 132	
<code>\exp</code> 9	42, 44, 46, 48,		
<code>\expandafter</code> 104	50, 52, 54, 56,	Z	
<code>\ExplSyntaxOff</code> 11	58, 60, 90, 92, 94	<code>\z@</code> 149	
<code>\ExplSyntaxOn</code> 7			