

# Package hvfloat

## Controlling captions, fullpage and doublepage floats

### ver 2.32


Herbert Voß\*

June 29, 2021

The package hvfloat defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed on the first pages, which is only for some demonstration here and has no additional sense!

To compare the place of the definition of the floating objects in the source and the output a marginnote `\float` is set into the margin. This is done also only for demonstration!



---

\*[hvoss@tug.org](mailto:hvoss@tug.org)

Thanks to Karl Berry, Frank Mittelbach, Rolf Niepraschk

## Contents

<b>1</b>	<b>The package options</b>	<b>7</b>
<b>2</b>	<b>The Macros and optional arguments</b>	<b>7</b>
<b>3</b>	<b>The default use of floating environments</b>	<b>9</b>
<b>4</b>	<b>Caption width</b>	<b>10</b>
4.1	Default – natural width . . . . .	10
4.2	Relative linewidth . . . . .	11
4.3	Identical object and caption width . . . . .	12
4.4	caption width to height of the object . . . . .	12
<b>5</b>	<b>Caption left or right of the object</b>	<b>12</b>
5.1	Caption right with specific length . . . . .	12
5.2	Caption left and rotated . . . . .	13
<b>6</b>	<b>Caption inner or outer</b>	<b>14</b>
<b>7</b>	<b>Vertical Position of the Caption</b>	<b>16</b>
<b>8</b>	<b>Caption format</b>	<b>17</b>
<b>9</b>	<b>Horizontal Position of the Float</b>	<b>18</b>
<b>10</b>	<b>Wide floats</b>	<b>20</b>
<b>11</b>	<b>The star version \hvFloat*</b>	<b>22</b>
<b>12</b>	<b>Full Page Width in Landscape Mode</b>	<b>22</b>
<b>13</b>	<b>The nonFloat Option</b>	<b>24</b>
<b>14</b>	<b>Tabulars as Objects</b>	<b>26</b>
<b>15</b>	<b>Text and objects</b>	<b>27</b>
<b>16</b>	<b>Environment hvFloatEnv</b>	<b>28</b>
<b>17</b>	<b>Full page objects in onecolumn mode</b>	<b>29</b>
17.1	Using the textarea . . . . .	29
17.1.1	Using the default or capPos=before . . . . .	29
17.1.2	Using capPos=after . . . . .	32
17.1.3	Using capPos=evenPage — caption on an even page . . . . .	33
17.1.4	Using capPos=oddPage — caption on an odd page . . . . .	34
17.1.5	Using capPos=inner or capPos=outer — caption on the inner or outer side	34
17.2	Using the paper size . . . . .	35
17.3	Multifloats . . . . .	37
<b>18</b>	<b>Subfloat page</b>	<b>39</b>

<b>19 Full page objects in twocolumn mode</b>	<b>41</b>
19.1 Default setting . . . . .	41
19.1.1 Using capPos=after . . . . .	42
19.1.2 Using capPos=evenPage — caption on an even page . . . . .	44
19.1.3 Using capPos=oddPage — caption on an odd page . . . . .	45
19.1.4 Using capPos=inner — caption in the inner column . . . . .	46
19.1.5 Using capPos=outer — caption on the outer column . . . . .	47
19.2 Using full page in twocolumn mode . . . . .	48
19.3 Multifloats . . . . .	49
<b>20 Subfloat page</b>	<b>50</b>
<b>21 Doublepage objects – images and/or tabulars</b>	<b>53</b>
21.1 doubleFULLPAGE . . . . .	53
21.2 doublePAGE . . . . .	75
21.3 doublePage . . . . .	79
21.4 Tabulars . . . . .	88
<b>22 References to the page</b>	<b>91</b>
<b>23 Defining a style</b>	<b>92</b>
<b>24 Global float setting</b>	<b>93</b>
<b>25 The Package Source</b>	<b>99</b>

## List of Tables

1	The Caption without sense ...	7
2	The optional keywords for the macro \hvFloat	8
3	With the only Option capPos=top to place the caption on top of the table, which is often the default.	10
4	Demonstration of the use0Box Parameter	27
5	Demonstration of the use0Box Parameter	28
6	A caption for a nice table	28
7	A caption for a nice table	29
8	Valid optional arguments for a full page object.	30
9	A doublepage tabular with a caption on the right side of the right part.	91

## List of Figures

1	<div style="border: 1px solid black; padding: 2px; display: inline-block;">What a nice Caption :-)</div>	1
2	Without any keywords (only the fbox package option)	9
3	Default caption width setting, which is the natural width with respect to the current linewidth.	10
4	Caption right beside with a <i>natural</i> width, which is given by the width of the object, the separation between object and caption, and the current linewidth.	11
5	Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.	11
6	Caption right beside with a width setting of $0.9\text{\linewidth}$ which is too big for this example and therefore corrected by the macro to the maximal width.	12
7	Caption below with a width of the given object which may be a problem if it is a very small object.	12
8	Caption beside with a width of the given object height which may be a problem if it is a very small object.	13
9	Caption beside object and vertically centered	13
10	Centered Caption beside Object	14
11	Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.	14
12	Centered Caption on the inner side	15
13	Centered Caption on the inner side	15
14	Centered Caption beside Object	15
15	Centered Caption beside Object	16
16	Caption at bottom right beside the float	17
17	Caption at top left beside the float	17
18	Caption centered right beside the float	17
19	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.	18
20	Caption at top right beside the float and object position left	18

21	Caption at top right beside the float and object position left . . . . .	19
22	Caption at top left beside the float and object position right . . . . .	19
23	Caption at top right beside the float and object position left and the option wide.	20
24	Caption at top left beside the object and object position left and the option wide.	20
25	Caption at top and inner beside the float and object position right and the option wide. . . . .	21
26	Caption at top inner beside the float and object position right and the option wide.	21
27	Caption at top inner beside the float and object position right and the option wide.	21
28	Output of default1s2c (pages 2–5) . . . . .	22
29	Object and Caption in landscape mode . . . . .	23
30	Rotated Caption in Landscape . . . . .	25
31	Nonfloat Captions . . . . .	26
32	Output of fullpage1s2c (pages 1–8) . . . . .	30
33	Output of default1s1c (pages 2–9) . . . . .	31
34	Output of after1s1c (pages 2–9) . . . . .	32
35	Output of even1s1c (pages 2–9) . . . . .	33
36	Output of odd1s1c (pages 2–9) . . . . .	34
37	Output of paper-default1s1c (pages 2–9) . . . . .	35
38	Output of paper-after1s1c (pages 2–9) . . . . .	36
39	Output of multi-default1s1c (pages 4–11) . . . . .	38
40	Output of multi-after1s1c (pages 4–11) . . . . .	38
41	Output of sub-default1s1c (pages 4–11) . . . . .	40
42	Output of sub-after1s1c (pages 4–11) . . . . .	40
43	Output of default2s2c (pages 2–9) . . . . .	41
44	Output of left2s2c (pages 2–9) . . . . .	42
45	Output of after2s2c (pages 2–9) . . . . .	43
46	Output of right2s2c (pages 2–9) . . . . .	43
47	Output of even2s2c (pages 2–9) . . . . .	44
48	Output of odd2s2c (pages 2–9) . . . . .	45
49	Output of inner2s2c (pages 2–9) . . . . .	46
50	Output of outer2s2c (pages 2–9) . . . . .	47
51	Output of paper-default2s2c (pages 2–9) . . . . .	48
52	Output of paper-inner2s2c (pages 2–9) . . . . .	49
53	Output of multi-default2s2c (pages 2–9) . . . . .	50
54	Output of multi-inner2s2c (pages 2–9) . . . . .	51
55	Output of sub-default2s2c (pages 2–9) . . . . .	52
56	Output of sub-after2s2c (pages 2–9) . . . . .	52
57	A doublepage image with a caption on the image. . . . .	55
58	A doublepage image with a caption on the image. . . . .	61
59	A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE . . . . .	65
60	A caption for a double-sided image that will be placed <b>after</b> the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE . . .	70
61	A caption for a double-sided image that will be placed <b>before</b> the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE . . .	71

## *List of Figures*

62	A doublepage image with a caption below the right part. . . . .	77
63	A doublepage image with a caption on the right side of the right part. . . . .	81
64	A doublepage image with a caption on the right side of the right part. . . . .	85
65	A doublepage image with a caption on the right side of the right part. . . . .	87
66	Caption at bottom right beside the float with a caption width of $0.5\text{\columnwidth}$ . . . . .	92
67	A float which needs the complete paper width and height. . . . .	94

# 1 The package options

fbox	The objects and captions are put into a <code>\fbox</code> command, like in this documentation. This doesn't make real sense and is only for some demonstration useful or for locating problems if images seems to have too much whitespace.
hyperref	Load package <code>hyperref</code> .
nostfloats	do not load package <code>stfloats</code> .

The length `\belowcaptionskip` is set by  $\LaTeX$  to 0pt and changed in `hvfloat` to the same value than `\abovecaptionskip`. This length can be changed to another value in the usual way with `\setlength` or `\addtolength`.

The following packages are loaded by `hvfloat` and the optional argument `hypcap` is passed to the packages `caption` and `subcaption`:

`caption`, `subcaption`, `atbegshi`, `stfloats`, `expl3`, `multido`, `graphicx`, `xkeyval`, `ifoddpage`, and `afterpage`.

# 2 The Macros and optional arguments

The syntax for the macros and `\hvFloatSetDefaults`, `\hvFloatSet`, and `\hvFloat` is

```
\hvFloatSet{key=value list}
\hvFloatSetDefaults
\hvFloat* [Options] + {float type}{floating object} [short caption] {long caption}{label}
```

The star version is explained in section 11 on page 22 and 19.2 on page 48 and the optional `+` is explained in section 17.3 on page 37.

`\hvFloatSet` allows the global setting of keywords and `\hvFloatSetDefaults` sets all keywords to its default value as shown in Table 2 on the next page.

If `\hvFloat` has an empty second parameter `<float type>`, then `\hvFloat` switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the `\listoffigures`.

There are some more macros defined, more or less for internally use in `hvfloat`, but they can be used for own purposes.

```
\figcaption[short caption text]{caption text}
\tabcaption[short caption text]{caption text}
\tabcaptionbelow[short caption text]{caption text}
```

They are used for the `nonFloat` keyword, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the `\tabcaption` command to place a caption anywhere, like here in an inlined mode:

**Table 1:** A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 2 is no problem.

```
[...] It is no problem to use the \verb|\tabcaption|
command to place a caption anywhere,
like here in an inlined mode:
\tabcaption[The Caption without sense ...]%
```

## 2 The Macros and optional arguments

{A Caption without any sense and any object}\label{dummy} A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table-\ref{dummy} is no problem.

With the macro \hvDefFloatStyle one can define a style which can be used instead of the individual setting:

\hvDefFloatStyle{*name*}{*setting*}

Internally the style is saved in a macro named \hv@<name>.

There are the following keywords:

**Table 2:** The optional keywords for the macro \hvFloat

<i>Keyword</i>	<i>Default</i>	<i>Description</i>
floatPos	tbp	This is the same default placement setting as in standard L <sup>A</sup> T <sub>E</sub> X; maybe not always the best setting.
rotAngle	0	The value for the angle if both the object and the caption should be rotated together.
capWidth	n	The width of the caption. Can be n for a natural width given by the current linewidth, w for the width of the object, h for the height of the object, or a scale factor for \columnwidth.
capAngle	0	The integer value for the angle if the caption should be rotated. Positive is counter-clockwise.
capPos	bottom	The position of the caption relative to the object. Possible values: before: <i>always</i> before (left) from the object. top: <i>always</i> on top of the object. left: <i>always</i> before (left) from the object, but on the same page in twocolumn mode. after: <i>always</i> after (right) from the object. bottom: <i>always</i> on the bottom of the object. right: <i>always</i> after (right) from the object, but on the same page in twocolumn mode. inner: in twoside mode always typeset at the inner margin. outer: in twoside mode always typeset at the outer margin. evenPage: in twoside mode with fullpage objects always on an even page. oddPage: in twoside mode with fullpage objects always on an odd page.
capVPos	center	Only used when capPos=left   right; in these cases, the caption can be vertically placed at the bottom, center or top.
objectPos	center	Horizontal placement of the object relative to the document. Possible values are (l)eft, (c)enter, (r)ight.
objectAngle	0	Integer value for the angle if the object should be rotated. Positive is counter-clockwise.
floatCapSep	5pt	Additional space between the object and a left- or right-placed caption.
useOBox	false	Instead of passing the object as a parameter to \hvFloat, with useOBox=true the contents of the predefined box \hvOBox is used.
onlyText	false	The caption is printed as normal text with no entry in any list of ...
nonFloat	false	The object isn't put in a floating environment, but printed as standard text with an additional caption. The float counter is increased as usual and can be referenced.
wide	false	The float can use \textwidth + \marginparwidth as horizontal width.



<i>Keyword</i>	<i>Default</i>	<i>Description</i>
objectFrame	false	Put a frame with no separation around the float object.
style	none	Use a defined style.
capFormat	none	Define formatting options for \caption; see documentation of package caption.
subcapFormat	none	Define formatting options for \subcaption.
fullpage	false	Use a complete column in twocolumn mode.
FullPage	false	Use the full text area for the object.
FULLPAGE	false	Use the full paper width/height for the object.
doublePage	false	Use the text area on a doublepage with additional text.
doublePAGE	false	Use the text area on a doublepage without additional text.
doubleFULLPAGE	false	Use the paperwidth on a doublepage without additional text.
vFill	false	Put a \vfill between every two objects in a multi- or subfloat.
sameHeight	false	use the same text height on both pages for a doublePage object.

### 3 The default use of floating environments

In this case there is no essential difference to the well known figure or table environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```



Fig. 2

**Figure 2:** Without any keywords (only the fbox package option)

Code for figure 2:

```
1 \hvFloat{figure}{\includegraphics{images/rose}}{Without any keywords (only the \texttt{fbox}
   package option)}{fig:0}
```

Code for table 3:

```
1 \hvFloat[capPos=top]{table}{%
2 \begin{tabularx}{\textwidth}{>{\ttfamily}l|l|X}
3 \rmfamily Name & Type & Description\\ \hline
4 \CMD{hvFloat} & command & places object and caption in different ways\\
5 hvFloatEnv & environment & places object and caption exactly Here\\
6 \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\
9 \CMD{hvDefFloatStyle} & command & define a user style
10 \end{tabularx}}%
```

Tab. 3

**Table 3:** With the only Option `capPos=top` to place the caption on top of the table, which is often the default.

Name	Type	Description
<code>\hvFloat</code>	command	places object and caption in different ways
<code>hvFloatEnv</code>	environment	places object and caption exactly Here
<code>\figcaption</code>	command	writes a figure caption in a non floating environment
<code>\tabcaption</code>	command	writes a table caption in a non floating environment
<code>\hvFloatSetDefaults</code>	command	sets all options to the defaults
<code>\hvDefFloatStyle</code>	command	define a user style

```

11 {With the only Option \texttt{capPos=top} to place the caption on top of the table, which is
    often the default.}%
12 {tab:0}

```

See section 14 for some more informations about tabulars as objects.

## 4 Caption width

### 4.1 Default – natural width


The default setting is the natural width of a paragraph with respect to the current linewidth or columnwidth for a caption below or above an object. It behaves in the same way as a caption set by one of the default floating environments like figure or table:

```

1 \hvFloat[floatPos=!htb]{figure}{\includegraphics{images/rose}}%
2 {Default caption width setting, which is the natural width with respect to the current
   linewidth.}{fig:width0}

```

Fig. 3



**Figure 3:** Default caption width setting, which is the natural width with respect to the current linewidth.

!! For the following examples the package option `fbox` is disabled. All frames are now set with the macro `\frame` or the optional keyword `objectFrame`.


For a caption beside an object, the *natural* caption width (without the optional argument `wide`) is given by the current linewidth minus the width of the object and the space between object and caption, which is set by `floatCapSep` (see Table 2 on page 8).

```

1 \hvFloat[floatPos=!htb,capPos=after,objectFrame]{figure}{\includegraphics[scale=1.5]{images/
   rose}}%
2 {Caption right beside with a \emph{natural} width, which is given by the width of the object,
3 the separation between object and caption, and the current linewidth.}{fig:width1}

```

Fig. 4



**Figure 4:** Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.

## 4.2 Relative linewidth

With `capWidth=<number>` the caption width is set to `<number>\columnwidth`. For captions at the bottom or on top of objects the setting is not checked if `<number>` is greater than 1.

```
1 \hvFloat[floatPos=!htb,capWidth=0.9]{figure}{\includegraphics{images/rose}}%
2 {Caption below with a width of 0.9 of the current line width (column width), which is
3 in this special case \the\linewidth. Divide it by 28.82 to get cm.}{fig:width2}
```

Fig. 5



**Figure 5:** Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.

If such a value like `0.9\linewidth` is used for a caption beside an object, then the macro does a test if the space beside the object is less equal the defined caption width. If not then the width is set to the possible value between object and margin:

```
1 \hvFloat[floatPos=!htb,
2 capPos=after,
3 capWidth=0.9]{figure}{\includegraphics[scale=1.5]{images/rose}}%
4 {Caption right beside with a width setting of \texttt{0.9\textbackslash linewidth}
5 which is too big for this example and therefore corrected
6 by the macro to the maximal width.}{fig:width3}
```

Fig. 6




**Figure 6:** Caption right beside with a width setting of  $0.9\text{\linewidth}$  which is too big for this example and therefore corrected by the macro to the maximal width.

### 4.3 Identical object and caption width

With `capWidth=w` the caption width is like the object width which makes only real sense if you have a lot of identical images with respect to its widths.

```
1 \hvFloat[floatPos=!htb,capWidth=w]{figure}{\includegraphics[width=0.5\linewidth]{images/CTAN}}%
2 {Caption below with a width of the given object which may be a problem
3 if it is a very small object.}{fig:width4}
```



**Figure 7:** Caption below with a width of the given object which may be a problem if it is a very small object.

### 4.4 caption width to height of the object

With `capWidth=h` the caption width is like the object height which makes only real sense if you want to put a rotated caption beside the object.

```
1 \hvFloat[floatPos=!htb,capPos=after,capWidth=h,capAngle=90,objectFrame]{figure}{\
  includegraphics{images/rose}}%
2 {Caption beside with a width of the given object height which may be a problem
3 if it is a very small object.}{fig:width5}
```

Fig. 8

## 5 Caption left or right of the object

By default the caption is set on the left side of the object. If the caption and the object are set side by side, then the keyvalue before is identical to the setting left.

### 5.1 Caption right with specific length

Code for figure 9:



**Figure 8:** Caption beside with a width of the given object height which may be a problem if it is a very small object.

```

1 \hvFloat%
2   [floatPos=htb,
3     capPos=right,
4     objectFrame,
5     objectPos=c]{figure}{\includegraphics[scale=0.9]{images/rose}}%
6   [Caption beside object and vertically centered]%
7   {Caption vertically centered right beside the float with a natural caption width
8     (the default). \blindtext}%
9   {fig:1}

```



**Figure 9:** Caption vertically centered right beside the float with a natural caption width (the default). Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 9 float  
capPos=right

## 5.2 Caption left and rotated

Code for figure 10:

```


1 \hvFloat%
2   [floatPos=htb,
3     capPos=left,
4     capWidth=h,% of \columnwidth
5     capAngle=90,
6     objectFrame
7   ]{figure}{\includegraphics{images/rose}}%
8   [Centered Caption beside Object]%
9   {Caption vertically centered left beside the float with a caption width
10  of \texttt{capWidth=h}, which is the height of the object.}{fig:2}

```

It is no problem to rotate the object, too. But with a different angle value than for the caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by  $-30$  degrees with the macro `\rotatebox`. Without any definition the caption will be placed vertically centered to the object. Important for the height of the object is the surrounding orthogonal rectangle.

Fig. 10

**Figure 10:** Caption vertically centered left beside the float with a caption width of `capWidth=h`, which is the height of the object.



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 11:

```

1 \hvFloat[%
2   capWidth=h,
3   capPos=after,
4   capAngle=180,
5   objectAngle=90,
6   capVPos=center,
7   objectPos=center]{figure}{\frame{\includegraphics{images/rose}}}%
8 [Centered Caption beside Object]{%
9   {Caption vertically centered right beside the float with a caption width of the height
10    of the image and a rotation of the caption and the object.}}{fig:3}

```

Fig. 11



**Figure 11:** Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.

## 6 Caption inner or outer

Setting the caption position to *inner* or *outer* makes only sense for a document in twoside mode. For a oneside document *inner* is the same as *left* and *outer* is the same as *right*. We show only the code for the first image with the setting `capPos=inner`, whereas the second one chooses only `capPos=outer`.

Code for figure 12:

```

1 \hvFloat[capPos=inner]{figure}{\includegraphics{images/rose}}%
2 [Centered Caption on the inner side]{%
3   Caption set with the parameter setting \texttt{capPos=inner}, which will be
4   a caption on the right side for an even page and on the left side for

```

Fig. 12

**Figure 12:** Caption set with the parameter setting `capPos=inner`, which will be a caption on the right side for an even page and on the left side for an odd page.



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Now the same Image with `capPos=outer` . The current `pagenumber` is 15, an odd page. We now set a `pagebreak` at the end of the second image to see if it works with *inner/outer*.

```
1 \hvFloat[capPos=outer]{figure}{\includegraphics{images/rose}}%
2   [Centered Caption on the inner side]{%
3     Caption set with the parameter setting \texttt{capPos=outer}, which will be
4     a caption on the right side for an even page and on the left side for
5     an odd page.}{fig:20b}
```

Fig. 13



**Figure 13:** Caption set with the parameter setting `capPos=outer`, which will be a caption on the right side for an even page and on the left side for an odd page.

Fig. 14



**Figure 14:** Caption at the bottom right beside the float with a caption width of `0.5\columnwidth` and `capPos=outer`.

We have an even page, the reason why figure 13 has the caption for *inner* on the left side and figure 14 for *outer* on the right side.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 15:

```
1 \hvFloat[%
2   capWidth=0.5,% of \columnwidth
3   capPos=inner,% ==> INNER
4   capAngle=0,
5   capVPos=bottom,
6   objectPos=center]{figure}{\includegraphics{images/rose}}%
7   [Centered Caption beside Object]{%
8   Caption vertically centered right beside the float with a caption
9   width of \texttt{0.5\textbackslash columnwidth} and \texttt{capPos=outer} }{fig:22}
```

Fig. 15



**Figure 15:** Caption vertically centered right beside the float with a caption width of 0.5\columnwidth and capPos=outer

We have an even page, the reason why figure 12 has the caption for *inner* on the right side and figure 14 for *outer* on the left side.

## 7 Vertical Position of the Caption

The caption can be placed beside the object in the positions

(c)enter|(b)ottom|(t)op

The code for figure 16:

```
1 \hvFloat[%
2   floatPos=htb,%
3   capWidth=0.25,%
4   capPos=right,%
5   capVPos=bottom,%
6 ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at bottom right beside the float}{fig:4}
```

Fig. 16

The code for figure 17:

```
1 \hvFloat[%
2   floatPos=htb,
3   capWidth=0.25,
```





**Figure 16:** Caption at bottom right beside the float

```

4     capPos=right,
5     capVPos=top,
6 ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at top left beside the float}{fig:5}

```

**Figure 17:** Caption at top left beside the float



Fig. 17

The code for figure 18:

```

1 \hvFloat[%
2     capWidth=0.25,%
3     capPos=right,%
4     capVPos=center,% the default
5 ]{figure}{\frame{\includegraphics{images/rose}}
6     \frame{\includegraphics[origin=c,angle=180]{images/rose}}}%
7 {Caption centered right beside the float}{fig:6}

```



**Figure 18:** Caption centered right beside the float

Fig. 18

## 8 Caption format

The `\caption` and `\subcaption` macros are fully under the control of the package `caption`. The formatting can be set with the macros `\captionsetup`, `\subcaptionsetup`, or via the optional

argument setting of `\hvFloat` with the keywords `capFormat` and `subcapFormat`. The argument itself will then be used internally by `\captionsetup` and/or `\subcaptionsetup` in a minipage, the reason why it will be local to the current image..

```
1 \hvFloat[%
2   capPos=right,
3   capFormat={\labelsep=newline,justification=RaggedRight,font={small,it},labelfont=bf}
4 ]{\figure}{\frame{\includegraphics{images/rose}}}{\blindtext}{fig:66}
```

Fig. 19

**Figure 19**

*Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.*

## 9 Horizontal Position of the Float

The caption is always near the object, only divided by the length `\floatCapSep` which can be set by the keyword of the same name `floatCapSep`. It accepts only a value with any allowed unit. The keyword `objectPos` refers always to the complete floating object: caption *and* object. The meaning of `objectPos=left` is: Put the object as far as possible to the left margin. If `capPos=left` is also used, then the caption is at the left margin followed by the object (see Figure 21 on the next page).

The code for figure 20:

```
1 \hvFloat[%
2   capWidth=0.25,
3   capPos=right,
4   capVPos=top,
5   objectPos=left,
6   objectFrame,
7 ]{\figure}{\includegraphics{images/rose}}{%
8   Caption at top right beside the float and object position left}{fig:7}
```

Fig. 20



**Figure 20:** Caption at top right beside the float and object position left

*Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there*

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same with capPos=left :

**Figure 21:** Caption at top right beside the float and object position left



Fig. 21

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 22:

```
1 \hvFloat[%
2   capWidth=0.25,
3   capPos=before,
4   capVPos=top,
5   objectPos=right,
6   objectFrame,
7 ]{figure}{\includegraphics{images/rose}}{%
8   Caption at top leftt beside the float and object position right}{fig:8}
```

**Figure 22:** Caption at top left beside the float and object position right



Fig. 22

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


## 10 Wide floats

With the optional argument `wide` the width of the defined `\marginparwidth` is added to the allowed horizontal width of the float.

The code for figure 23:

```
1 \hvFloat[wide,
2   capPos=right,
3   capVPos=top,
4   objectPos=left,
5 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
6   Caption at top right beside the float and object position left and
7   the option \texttt{wide}.}{fig:70}
```

Fig. 23




**Figure 23:** Caption at top right beside the float and object position left and the option `wide`.

The code for figure 24:

```
1 \hvFloat[wide,
2   capPos=left,
3   capVPos=top,
4   objectPos=right,
5 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
6   {Caption at top left beside the object and object position left and
7   the option \texttt{wide}.}{fig:80}
```

Fig. 24

**Figure 24:** Caption at top left beside the object and object position left and the option `wide`.




For a twosided document it will place the object always in the margin.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
2   capPos=inner,
3   capVPos=top,
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
5   Caption at top and inner beside the float and object position right and
6   the option \texttt{wide}.}{fig:81}
```

**Figure 25:** Caption at top and inner beside the float and object position right and the option wide.




Now we set the same image with the same setting on the next page. The caption will change its side due to the setting `capPos=outer`.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
2   capPos=inner,
3   capVPos=top,
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
5 Caption at top inner beside the float and object position right and
6 the option \texttt{wide}.}{fig:811}
```

**Figure 26:** Caption at top inner beside the float and object position right and the option wide.



The caption can be typeset completely into the margin with:

```
1 \captionsetup{justification=RaggedRight}
2 \hvFloat[wide,
3   capPos=outer,
4   capVPos=top,
5   floatCapSep=\marginparsep,
6 ]{figure}{\includegraphics[width=\linewidth]{images/CTAN}}{%
7 Caption at top inner beside the float and object position right and
8 the option \texttt{wide}.}{fig:812}
```



Fig. 27  
**Figure 27:** Caption at top inner beside the float and object position right and the option wide.

## 11 The star version \hvFloat\*

In the twocolumn mode the floating environment can be set over both columns with the star version \hvFloat\*. The floating environment will not be on the bottom of the page. The code for the following example (Figure 28) is:

```
1 \hvFloat*[capPos=right]{figure}%
2 {\includegraphics{images/frose}}%
3 [A float with the default caption setting]%
4 {A default caption of a "" object with the default setting, which
5  is a "left" caption which means that it always appears before the object.
6   This can be an even or odd page. And some more text which has no
7   real meaning because it fills only the space for a long caption.}%
8 {fig:0}
```

The example shows on page 3 the star version and on page 4 the same without using the star.




Figure 28: Output of default1s2c (pages 2–5)

## 12 Full Page Width in Landscape Mode


If you do not want to load the package lscap (or pdfscape) you can use the floatPos=p option to put the image on an own page and rotated by 90 degrees (figure 29).

Code for figure 29:

```
1 \hvFloat[%
2   floatPos=p,
3   capPos=bottom,
4   rotAngle=90,
5   objectPos=center,
6 ]{figure}{\includegraphics[width=0.9\textheight]{images/CTAN}}%
7 [Object and Caption in landscape mode]{%
8   Caption and object in landscape mode. \blindtext}{fig:9}
```

The float can also be put to the left or to the right (above/below in landscape) with the objectPos=l parameter

Fig. 29 Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of



**Figure 29: Caption and object in landscape mode.** Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 30:

```

1 \hvFloat[%
2   floatPos=p,
3   capWidth=h,
4   capPos=right,
5   objectAngle=90,
6   capAngle=-90,
7   objectPos=left,
8 ]{figure}{\includegraphics[width=\textheight]{images/CTAN}}%
9   [Rotated Caption in Landscape]{%
10    Caption right beside the float and object position left. The caption rotated by $-90$
11    degrees.\blindtext}{fig:10}

```

Fig. 30

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

## 13 The nonFloat Option

Sometimes it is better to put a “float” in a specific position of the page. This is possible with the nonfloat package and the keyword nonFloat.

```

1 Some nonsense text before the following \emph{non floating} object.
2
3 \hvFloat[%
4   nonFloat,
5   capWidth=0.25,
6   capPos=right,
7   capVPos=bottom,
8   objectPos=center,
9   objectFrame,
10 ]{figure}{\includegraphics[scale=1.5]{images/rose}}%
11   [Nonfloat Captions]{%
12    Caption of a ‘‘nonfloat’’ Object, using the \texttt{nonfloat} Package}{fig:11}
13
14 Some nonsense text after the preceding \emph{non floating} object.


```


Fig. 31

Some nonsense text before the following *non floating* object.



**Figure 30:** Caption right beside the float and object position left. The caption rotated by  $-90$  degrees. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.





**Figure 31:** Caption of a “nonfloat” Object, using the nonfloat Package

Some nonsense text after the preceding *non floating* object.

The image 31 is exactly placed where the command `\hvFloat` appears. There are only commands for figure and table environments:

```
\newcommand{\figcaption}{\def\@capttype{figure}\caption}
\newcommand{\tabcaption}{\def\@capttype{table}\caption}
```

But it is no problem, to define more xxxcaption commands to support other with the float package defined new floats.

## 14 Tabulars as Objects

The object has to be passed as an parameter to the `\hvFloat` macro. This is no problem with images but maybe with tables, so it is easier to use the box `\hv0Box` to save the table in this box and pass it then to `\hvFloat` with the `use0Box` option. For example see table 4 and 5:

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \savebox{\hv0Box}{%
2 \begin{tabular}{>{\small\ttfamily}l|l|l}\hline
3 \rmfamily Name & Type & Description\\\hline
4 \CMD{hvFloat} & command & places object and caption in different ways\\
5 hvFloatEnv & environment & places object and caption exactly Here\\
6 \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\\hline
9 \end{tabular}%
10 }
```

The code for table 4 and 5 is:

```
1 \hvFloat[%
2 floatPos=!hb,
```

```

3 capPos=top,
4 useOBox=true]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:1}
5
6 \hvblindtext
7
8 \marginnote{Tab.-\ref{table:2}}
9 \hvFloat[%
10 floatPos=hb,
11 useOBox=true,
12 objectAngle=90,
13 capPos=right,
14 capVPos=top,
15 capWidth=0.3]{table}{}{Another demonstration of the \texttt{useOBox} Parameter}{table:2}

```

In this case leave the third parameter empty.

**Table 4:** Demonstration of the useOBox Parameter

Tab. 4

Name	Type	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults

Tab. 5

## 15 Text and objects

With the onlyText keyword it is no problem to put some text beside an image without getting the caption title Figure/Table. The object still can be a floating one or a nonfloating if the nonfloat keyword is used.

The code for figure 15:

```

1 \hvFloat[%
2 onlyText=true,
3 capAngle=90,
4 capPos=right,
5 capVPos=top,
6 objectFrame,
7 capWidth=h){}{\includegraphics{images/rose}}%
8 [''\texttt{onlyText}'' Caption]{%
9 Demonstration of the \texttt{onlyText} Parameter, which makes it
10 possible to put some text beside a floating object without getting
11 a starting \texttt{Figure:} or \texttt{Table:}}{fig:text}

```



Demonstration of the onlyText Parameter, which makes it possible to put some text beside a floating object without getting a starting Figure: or Table:

Fig. 15

Name	Type	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults

**Table 5:** Demonstration of the use0Box Parameter

## 16 Environment hvFloatEnv

With the environment hvFloatEnv one can place an object exactly on that position where the environment is defined. For captions the use of \captionof is recommended:

```

1 \begin{hvFloatEnv}
2 \captionof{table}{A caption for a nice table}
3 \begin{tabular}{@{} l c r @{}}\hline
4 left & center & right \\
5 L & C & R \\
6 \end{tabular}
7 \end{hvFloatEnv}

```

**Table 6:** A caption for a nice table

left	center	right
L	C	R

The environment has an optional argument for setting the line width which is preset to \textwidth. The object is always centered.

```

1 \begin{hvFloatEnv}[0.5\textwidth]
2 \captionof{table}{A caption for a nice table}
3 \begin{tabular}{@{} l c r @{}}\hline
4 left & center & right \\
5 L & C & R \\
6 \end{tabular}
7 \end{hvFloatEnv}

```

**Table 7:** A caption for a nice table

left	center	right
L	C	R

## 17 Full page objects in onecolumn mode

For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. hvfloat defines three additional optional arguments for placing images in a complete column, page or paper:

```

\define@key{Gin}{fullpage}[true]{%           \define@key{Gin}{FullPage}[true]{%
  \def\Gin@ewidth{\columnwidth}%             \def\Gin@ewidth{\textwidth}%
  \def\Gin@eheight{\textheight}%             \def\Gin@eheight{\textheight}%
  \Gin@boolkey{false}{iso}%                   \Gin@boolkey{false}{iso}%
}                                               }
\define@key{Gin}{FULLPAGE}[true]{%
  \def\Gin@ewidth{\paperwidth}%
  \def\Gin@eheight{\paperheight}%
  \Gin@boolkey{false}{iso}%
}

```

Figure 32 on the next page shows the meaning of the optional arguments fullpage, FullPage, and FULLPAGE for `\includegraphics [...]{tiger}`.

### 17.1 Using the textarea

The setting capPos=evenPage (even) or capPos=oddPage (odd) page for a document in twocolumn mode makes no real sense. For a twosided document a setting like capPos=inner for inner or capPos=outer for outer margin makes more sense. For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. Without any additional argument the caption is set first and the object on the following page:

#### 17.1.1 Using the default or capPos=before

Without any additional argument the caption is set first (left) at the bottom of the current page and the object on the following page. This is the same setting like capPos=left for a onecolumn document. For the twocolumn option it makes more sense to use the setting capPos=before if the caption and object can appear on different pages.

```

1 \hvFloat[fullpage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A fullpage float with the default caption setting]%
5 [A default caption of a "fullpage" object with the default setting, which

```



Figure 32: Output of fullpage1s2c (pages 1–8)

```

6 is a ‘‘left’’ caption which means that it always appears ‘‘before’’ the object.
7 This can be an even or odd page. And some more text which has no
8 real meaning because it fills only the space for a long caption.}%
9 {fig:fullpage0}

```

Table 8: Valid optional arguments for a full page object.

Name	Type	Description
fullpage	true false	Put the caption on the bottom of the preceding or following page and the object alone a page.
FULLPAGE	true false	The same for full papersize objects over one or two columns. The pagestyle is set to empty
multiFloat	true false	For multiple objects with captions for every object. See section 17.3 on page 37.
subFloat	true false	For multiple objects with one main and more subcaptions. See section 18 on page 39.
separatorLine	true	Put a line with a predefined width of 0.4pt between the text and the caption. Only valid for the keyword fullpage.
capPos	value	caption before, after an object or on an evenPage or oddPage.

With this setting the caption is always placed *before* the following object. This maybe sufficient for a oneside document but not the best solution if this document is printed on a duplex machine. In such a case it may make sense to have the captions always on an even (left) page, even though the document is typeset in a oneside mode. Figure 33 on the facing page

shows the output for a oneside document with a setting capPos=before .

Depending to the used documentclass it can be a problem, if the caption should be placed on the first page. In such a case use one of the other setting. Table 8 on the preceding page shows the valid optional arguments for a full page floating object.




Figure 33: Output of default1s1c (pages 2–9)

## 17.1.2 Using capPos=after

The caption will be printed always on the right side which is the same as *after* the full page object. The object appears immediately on the next page and the caption of the next following page at the bottom. There is no check for an even or odd page. This behaviour makes only sense for a oneside document.

```

1 \hvfFloat[fullpage, capPos=after]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float which needs the complete page width and height.]%
5 {A Caption of a "fullpage" object, which follows on the next page.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}
8 {fig:fullpage}

```




Figure 34: Output of after1s1c (pages 2–9)



### 17.1.3 Using capPos=evenPage — caption on an even page

With capPos=evenPage the caption will be printed on an even (left) page, the object will always be on an odd (right) page. This option makes only real sense for The twoside mode!

```

1 \hvFloat[fullpage, capPos=evenPage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float with a caption on an even page (left)]%
5 {A caption on an even (left) page of a "fullpage" object.. \blindtext}
6 {fig:fullpage3}

```




Figure 35: Output of even1s1c (pages 2–9)

### 17.1.4 Using capPos=oddPage — caption on an odd page

With capPos=oddPage the caption will be printed on an odd (right) page, the object will always be on an even (left) page, which is before the caption.

```

1 \hvFloat[fullpage, capPos=oddPage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float which needs the complete page width and height.]%
5 {A Caption on an odd page of a "fullpage" object, which follows on the next page.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}
8 {fig:fullpage2}

```




Figure 36: Output of odd1s1c (pages 2–9)

### 17.1.5 Using capPos=inner or capPos=outer — caption on the inner or outer side

These settings make no sense in onecolumn mode.

## 17.2 Using the paper size

It belongs to the user to create an object which fills the complete page. However, with the keyword `FULLPAGE` which is valid for `\hvfloat` and for the macro `\includegraphics` an image will be scaled to the paper dimensions `\paperwidth` and `\paperheight`. It can be used in one- and twocolumn mode!

```
1 \hvfloat[FULLPAGE]%
2 {figure}%
3 {\includegraphics[FULLPAGE]{froese.png}}%
4 [A fullpage float with the default caption setting]%
5 {A default caption of a "fullpage" object with the default setting, which
6 is a "left" caption which means that it always appears before the object.
7 This can be an even or odd page. And some more text which has no
8 real meaning because it fills only the space for a long caption.}%
9 {fig:fullpage0}
```




Figure 37: Output of paper-default1s1c (pages 2-9)




Figure 38: Output of paper-after1s1c (pages 2-9)

## 17.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The syntax for multiple floats is

```
\hvFloat[Options] +{float type}{floating object}[short caption]{long caption}{label}
                    +{float type}{floating object}[short caption]{long caption}{label}
                    +...
                    +{float type}{floating object}[short caption]{long caption}{label}
```

The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
1 \captionsetup{singlelinecheck=false}
2 \hvFloat[fullpage,capPos=before,multiFloat,vFill]%
3   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 1
4   [Short caption A]%
5   {A Caption A of a "fullpage" object, which follows on the left or
6     right column. This can be an even or odd page. And some more text which has no
7     real meaning because it fills only the space for a long caption.}%
8   {img:demo0}%
9   +{table}{\begin{tabular}{lrcp{3cm}}\hline                               %           no 2
10      Linksbündig & Rechtsbündig & Zentriert & Parbox\\\hline
11      L           & R           & C           & P\\
12      left        & right        & center      & Text with possible linebreaks\\
13      \multicolumn{4}{c}{Multicolumn over all columns}\\\hline
14      \end{tabular}}%
15   [Short Caption B]%
16   {A Caption B of a "fullpage" object, which follows on the left or
17     right column. This can be an even or odd page.}%
18   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 3
19   {A Caption C of a "fullpage" object, which follows on the left or
20     right column.}%
21   {img:demo1}
22   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 4
23   {A Caption C of a "fullpage" object, which follows on the left or
24     right column.}%
25   {img:demo2}
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to [section 18 on page 39](#). The setting `\captionsetup{singlelinecheck=false}` is needed if you want the captions always left aligned.

## 17 Full page objects in onecolumn mode




Figure 39: Output of multi-default1s1c (pages 4-11)




Figure 40: Output of multi-after1s1c (pages 4-11)

## 18 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. The syntax is similar to the one for a multifold page:

```
\hvFloat [Options] +{float type}{<empty>} [short caption] {long caption}{label}
+{<empty>}{floating object} [short caption] {long caption}{label}
+...
+{<empty>}{floating object} [short caption] {long caption}{label}
```

Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```
1 \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
2 +{figure}{}[Short main caption of the objects]% main short lsi entry
3 {The main caption of a "fullpage" object, which follows on the left or
4 right column. This can be an even or odd page. And some more text which has no
5 real meaning because it fills only the space for a long caption.}% main caption
6 {sub:demo0}%
7 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
8 [Short caption B]%
9 {A Caption B of a "fullpage" sub object.}% subcaption
10 {}%
11 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
12 {A Caption C of a "fullpage" object, which follows on the left or right column.}%
13 {sub:demo1}
14 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
15 {A Caption D of a "fullpage" object}{sub:demo2}
16 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
17 {A Caption E of a "fullpage" object}{sub:demo3}
```

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default and should be activated with \captionsetup[sub][singlelinecheck].




Figure 41: Output of sub-default1s1c (pages 4–11)




Figure 42: Output of sub-after1s1c (pages 4–11)



## 19 Full page objects in twocolumn mode

The filenames always have a “2c” for two columns in its names, e.g. left2s2c indicates capPos=before and the documentclass setting twoside and twocolumn. Depending to the used documentclass it can be a problem, if the caption should be placed on the first page of the whole document. In such a case use one of the other setting. Table 8 on page 30 shows the valid optional arguments for a full page floating object.

### 19.1 Default setting

For the twocolumn mode the caption can be in the left (first) or right (second) column. With the default setting (without using the keyword capPos) it is equivalent to the setting capPos=before, the caption is always placed *before* (left of) the object. This can be the first or the second column and both can be on different pages. With capPos=before (uppercase L) it is possible to get the caption and the object in the twocolumn mode always on one page. This is then the left (first) column for the caption (see figure 43).




Figure 43: Output of default2s2c (pages 2–9)

```

1 \hFloat[fullpage]{figure}%
2 {\includegraphics[width=\columnwidth,height=0.9\textheight]{images/frose}}%
3 [A float which needs the complete column width and height.]%
4 {A Caption of a “fullpage” object, which follows on the next column.
5 This is always the right column on an even or odd page. And some more
6 text which has no real meaning because it fills only the space for a long
7 caption.}%
8 {fig:fullpage0-2}

```

The example 43 shows that the caption and the object can be on different pages. If you do not like this behaviour, then use the setting capPos=left, which puts the caption before the

## 19 Full page objects in twocolumn mode

object, but always on the *same page* (see Figure 44).




Figure 44: Output of left2s2c (pages 2–9)

### 19.1.1 Using capPos=after

The caption will be printed always right of the object which is the same as *after* the full page object. With capPos=after it is possible to get the caption in the twocolumn mode always in the right (second) column (see figure 46 on the next page)

```
1 \hvFloat[fullpage, capPos=after]{figure}%
2 {\includegraphics[fullpage]{images/rose}}%
3 [A float which needs the complete column width and height.]%
4 {A Caption of a "fullpage" object, which is on the left column.
5 This is always the right column on an even or odd page. And some more
6 text which has no real meaning because it fills only the space for a long
7 caption.}%
8 {fig:fullpage1-2}
```

The caption and the object can be on different pages (Figure 45 on the facing page). If you do not like this behaviour, then use the setting capPos=right instead of capPos=after. Figure right2s2c shows that caption and object in this case are always on the same page.




Figure 45: Output of after2s2c (pages 2–9)




Figure 46: Output of right2s2c (pages 2–9)

## 19.1.2 Using capPos=evenPage — caption on an even page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually `\clearpage` or wait for an update of hvfloat.




Figure 47: Output of even2s2c (pages 2–9)

### 19.1.3 Using capPos=oddPage — caption on an odd page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually `\clearpage` or wait for an update of hvfloat.




Figure 48: Output of odd2s2c (pages 2–9)

## 19.1.4 Using capPos=inner — caption in the inner column

The caption will be printed in the right column for an even page and in the left column for an odd page.

```

1 \hvfFloat[fullpage,capPos=inner]{figure}{\includegraphics[fullpage]{images/rose}}%
2 [A float which needs the complete column width and height.]%
3 {A Caption of a “fullpage” object, which follows on the left or right column.
4 This can be an even or odd page. And some more text which has no
5 real meaning because it fills only the space for a long caption.}\fig:fullpage3-2}

```




Figure 49: Output of inner2s2c (pages 2–9)

### 19.1.5 Using capPos=outer — caption on the outer column

The caption will be printed on the left column an odd page, the object can appear before or after this caption.

```

1 \hvfFloat[fullpage, capPos=outer]{figure}%
2 {\includegraphics[fullpage]{images/rose}}%
3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
4 {A Caption of a "fullpage" object, which has the caption position in the
5 outer page. This can be an even or odd page. And some more text which has no
6 real meaning because it fills only the space for a long caption.}{fig:fullpage2-2a}

```




Figure 50: Output of outer2s2c (pages 2–9)

## 19.2 Using full page in twocolumn mode

With the star version of `\hvfloat` The object is placed over both columns, the whole page. In such a case the only useful caption position is `capPos=inner` for *inner*.

```

1 \hvfloat*[fullpage, capPos=inner]{figure}%
2 {\includegraphics[FullPage]{images/rose}}%
3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
4 {A caption of a ‘fullpage’ object in twocolumn mode: It uses the star version
5 of \textbackslash hvfloat. The object goes over both columns.}{fig:two}

```




Figure 51: Output of paper-default2s2c (pages 2–9)






Figure 52: Output of paper-inner2s2c (pages 2–9)

## 19.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:


```

1 \captionsetup{singlelinecheck=false}
2 \hvFloat[fullpage,multiFloat,capPos=inner,vFill]%
3 +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}%% no 1
4 [Short caption A]%
5 {A Caption A of a "fullpage" object, which follows on the left or
6 right column. This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}%
8 {multi:demo0}%
9 +{table}{\begin{tabular}{lr}\hline % no 2
10 Linksbündig & Rechtsbündig\\
11 L & R & \\
12 left & right & \\
13 \multicolumn{2}{c}{Multicolumn}\hline
14 \end{tabular}}%
15 [Short Caption B]%
16 {A Caption B of a "fullpage" object, which follows on the left or
17 right column. This can be an even or odd page.}%
18 {}%
19 +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}%% no 3
20 {A Caption C of a "fullpage" object, which follows on the left or
21 right column.}%
22 {multi:demo1}

```

## 20 Subfloat page

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to [section 18 on page 39](#). The setting `\captionsetup{singlelinecheck=false}` is needed if you want the captions always left aligned.



**Figure 53:** Output of multi-default2s2c (pages 2-9)

## 20 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```

1 \captionsetup[sub]{singlelinecheck}
2 \hvfFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
3   +{figure}{}[Short main caption of the objects]%   main short lsi entry
4     {The main caption of a “fullpage” object, which follows on the left or
5       right column. This can be an even or odd page. And some more text which has no
6       real meaning because it fills only the space for a long caption.}%   main caption
7     {sub:demo00}%
8   +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
9     [Short caption B]%
10    {A Caption B of a “fullpage” sub object.}%   subcaption
11    {}%
12   +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
13     {A Caption C of a “fullpage” object, which follows on the left or right column.}%
14     {sub:demo10}%
15   +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
16     {A Caption D of a “fullpage” object}%
17     {sub:demo20}%

```




Figure 54: Output of multi-inner2s2c (pages 2-9)

The keyword `subFloat` defines the images or tabulars as subfloats. The package `subcaption` is loaded by default. For the subcaptions the `singlelinecheck` should be true (see listing).




Figure 55: Output of sub-default2s2c (pages 2-9)




Figure 56: Output of sub-after2s2c (pages 2-9)

## 21 Doublepage objects – images and/or tabulars

If an image or a tabular or any other object is too big for one page, it can be split over two pages (left – right). It is obvious that this makes only sense for twoside documents. There are three optional arguments:

**doublePage** A splitted object with or without a caption on top of a double page, beginning in the left top text area. The user has to scale the image to be sure that the object will not be greater than  $2\backslash\text{paperwidth}-4\backslash\text{margin}$ . The caption can be rotated on the right side of the right object part or under the right part.

**doublePAGE** A splitted object with or without a caption on top of a double page, beginning at the left side of the paper area and top of the text area. The user has to scale the image to be sure that the object will not be greater than  $2\backslash\text{paperwidth}$ . The caption can only be under the right part of the object. There will be *no additional text* on the double page.

**doubleFULLPAGE** A splitted object with or without a caption on the right or below of a double page. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than  $2\backslash\text{paperwidth}$ . A caption will be rotated and written *over* the object, or if possible, at the right. The user has to take care for a correct text color.

### 21.1 doubleFULLPAGE

The scaling of the image is left to the user. If the proportion of the object doesn't fit  $2*\text{paperwidth}/\text{paperheight}$ , then there can be a white part on the top or bottom of the object. A pagenumber will not be printed. In this documentation you'll find a marginnote where the following full doublepage image is defined. It appears on the the next following even page and following text will be placed *before* the object.

```
1 \hvFloat[doubleFULLPAGE,capPos=right,capAngle=90]%  
2 {figure}%  
3 {\includegraphics[angle=90,width=2\paperwidth]{images/r+j}}%  
4 [A doublepage image with a caption on the image.]%  
5 {A caption for a double-sided image that will be placed below the right-hand  
6 part of the illustration. The illustration begins on the left edge of the paper.  
7 No further text is placed on the pages. A short form is used for the LOF.  
8 The parameter is \texttt{doubleFULLPAGE}}%  
9 {fig:doubleFULLPAGE0}
```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 57









**Figure 57:** A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest



gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

It is also possible to take a bind correction into account with e.g. `binCorr=5mm`, which reserves whitespace of 5mm in the inner margin on both pages.

```

1 \hvFloat[doubleFULLPAGE, capPos=right, binCorr=5mm]%
2 {figure}%
3 {\includegraphics[angle=90,width=2\paperwidth]{images/r+j}}%
4 [A doublepage image with a caption on the image.]%
5 {A caption for a double-sided image that will be placed below the right-hand
6  part of the illustration. The illustration begins on the left edge of the paper.
7  No further text is placed on the pages. A short form is used for the LOF.
8  The parameter is \texttt{doubleFULLPAGE}}%
9 {fig:doubleFULLPAGE0a}

```

Fig. 58

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should









**Figure 58:** A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doubleFULLPAGE,capPos=right]%
2 {figure}%
3 {\includegraphics[height=\paperheight]{images/rheinsberg-1000}}%
4 {A caption for a double-sided image that will be placed on the right-hand
5  part of the illustration. The illustration begins on the left edge of the paper.
6  No further text is placed on the pages. A short form is used for the LOF.
7  The parameter is \texttt{doubleFULLPAGE}}%
8 {fig:doubleFULLPAGE1}

```

Fig. 59

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of









**Figure 59:** A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Placing the caption on the image itself is not the best solution. With the optional arguments before and after for capPos, the caption can be placed on the bottom of the preceding or following page of the doublepage object. A givel label, e.g. foo will always point to the page with the left part of the object. Internally are two additional labels defined: foo-cap points to the caption and foo-2 points to the right part of the doublepage object.

In the follwoing example 60 the caption is on page 70, the left image part on page 68 and the right part on page 69. In the follwoing example 61 the caption is on page 71, the left image part on page 72 and the right part on page 73. All three labels points to the same figure or table number:

```
\ref{foo} | \ref{foo-cap} | \ref{foo-2} → 60 | 60 | 60
\pageref{foo} | \pageref{foo-cap} | \pageref{foo-2} → 68 | 70 | 69
```

```
1 \hvFloat[doubleFULLPAGE,capPos=after]%
2 {figure}%
3 {\includegraphics[doubleFULLPAGE,
4   keepaspectratio=false]{images/rheinsberg-1000}}%
5 {A caption for a double-sided image that will be placed \textbf{after}
6   the image. The image begins on the left edge of the paper.
7   No further text is placed on the pages. A short form is used for the LOF.
8   The parameter is \texttt{doubleFULLPAGE}}%
9 {foo}
```

Fig. 60

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A





blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no

---

**Figure 60:** A caption for a double-sided image that will be placed **after** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doubleFULLPAGE,capPos=before]%
2 {figure}%
3 {\includegraphics[height=\paperheight,width=2\paperwidth,
4   keepaspectratio=false]{images/rheinsberg-1000}}%
5 {A caption for a double-sided image that will be placed \textbf{before}
6   the image. The image begins on the left edge of the paper.
7   No further text is placed on the pages. A short form is used for the LOF.
8   The parameter is \texttt{doubleFULLPAGE}}%
9 {bar}

```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 61

---

**Figure 61:** A caption for a double-sided image that will be placed **before** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE









And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest

gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

## 21.2 doublePAGE

With this option the object also starts at the left paper margin but on the top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it.

```

1 \hvFloat[doublePAGE]%
2 {figure}%
3 {\includegraphics[width=\dimexpr2\textwidth+2in]{images/seiser}}%
4 [A doublepage image with a caption below the right part.]%
5 {A caption for a double-sided image that will be placed below the right-hand
6 part of the illustration. The illustration begins on the left edge of the paper.
7 No further text is placed on the pages. A short form is used for the LOF.
8 The parameter is \texttt{doublePAGE}}%
9 {fig:doublePAGE0}

```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

Fig. 62





**Figure 62:** A caption for a double-sided image that will be placed below the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doublePAGE

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text



without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 21.3 doublePage

With this option the object also starts at the left top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it and the rest of the text area is filled with text.

```

1 \hvFloat[doublePage,sameHeight]%
2 {figure}%
3 {\includegraphics[doublefullPage]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6 right-hand part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage@sh}

```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

Fig. 63



be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should





**Figure 63:** A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doublePage,capPos=right,capVPos=top]%
2 {figure}%
3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6   right-hand part of the illustration. The illustration begins on the left edge of
7   the paper. A short form is used for the LÖF.
8   The parameter is \texttt{doublePage}}%
9 {fig:doublePage0}

```

Fig. 64

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written



and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text





**Figure 64:** A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doublePage,bindCorr=inner]%
2 {figure}%
3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6   right-hand part of the illustration. The illustration begins on the left edge of
7   the paper. A short form is used for the LOF.
8   The parameter is \texttt{doublePage}}%
9 {fig:doublePage0sH2}

```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest

**Fig. 65**



gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of



**Figure 65:** A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

## 21.4 Tabulars

In General there is no difference in an image or tabular or simple text. The object will be saved in a box and then clipped. If the object is a tabular one might modify the tabular if it will be split in the middle of a column. In such a case one can insert some additional horizontal space for this coloumn.

The tabular itself can be saved into the internal box \hv0Box or put directly as parameter into the macro.

```

1 \global\savebox\hv0Box{%
2 \begin{tabular}{l*{18}r} \toprule
3 & \textbf{1972} & \textbf{1973} & \textbf{1974} & \textbf{1975} & \textbf{1976}
4 & \textbf{1977} & \textbf{1978} & \textbf{1979} & \textbf{1980} & \textbf{1981} & \textbf{1982} & \
& \textbf{1983} & \textbf{1984} & \textbf{1985}
5 & \textbf{1986} & \textbf{1987} & \textbf{1988} & \textbf{1989}
6 \\ \midrule
7 \addlinespace[3pt]
8 Zeile 1 & 1 & 3 & 1 & 1 & 1 & 0 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 20 & 0 & 2 & 2 & 2 & 1 \\ \addlinespace[3pt]
9 Zeile 2 & 1 & 1 & 3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 3 & 4 & 4 & 6 & 4 & 2 \\ \addlinespace[3pt]
10 Zeile 3 & 2 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 5 & 3 & 1 & 7 & 7 & 3 \\ \addlinespace[3pt]
11 Zeile 4 & 1 & 0 & 5 & 1 & 2 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 0 & 1 & 0 & 3 & 7 & 2 & 1 \\ \addlinespace[3pt]
12 Zeile 6 & 2 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 0 & 5 & 2 & 2 & 5 & 4 & 2 \\ \addlinespace[3pt]
13 Zeile 5 & 0 & 0 & 4 & 2 & 1 & 2 & 2 & 1 & 0 & 0 & 0 & 1 & 1 & 0 & 2 & 5 & 4 & 3 \\ \addlinespace[3pt]
14 Zeile 8 & 0 & 1 & 1 & 0 & 0 & 0 & 1 & 1 & 0 & 3 & 2 & 1 & 2 & 1 & 3 & 5 & 3 & 4 \\ \addlinespace[3pt]
15 Zeile 9 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 4 & 2 & 1 & 4 & 5 & 2 \\ \addlinespace[3pt]
16 Zeile10 & 0 & 1 & 3 & 0 & 1 & 0 & 1 & 0 & 0 & 1 & 1 & 0 & 1 & 1 & 1 & 1 & 4 & 4 & 1 \\ \addlinespace[3pt]
17 Zeile11 & 0 & 0 & 2 & 2 & 1 & 1 & 0 & 1 & 0 & 0 & 0 & 2 & 6 & 1 & 0 & 2 & 1 & 1 \\ \addlinespace[3pt]
18 Zeile12 & 2 & 0 & 2 & 4 & 1 & 0 & 4 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 3 \\ \addlinespace[3pt]
19 Lärm & 2 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 2 & 0 & 0 & 2 & 2 & 2 \\ \addlinespace[3pt]
20 Zeile13 & 0 & 1 & 0 & 0 & 1 & 0 & 3 & 0 & 0 & 0 & 0 & 2 & 0 & 1 & 3 & 0 & 2 \\ \addlinespace[3pt]
21 Zeile14 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 3 & 2 & 1 & 1 & 0 \\ \addlinespace[3pt]

```



```

22 Zeile15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 4 & 0 & 0 & 3 & 1 & 1\\addlinespace[3pt]
23 Zeile16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 5 & 0 & 1\\addlinespace[3pt]\
midrule
24 Artikel gesamt & 2 & 6 & 13 & 8 & 4 & 3 & 5 & 4 & 0 & 6 & 3 & 5 & 23 & 10 & 8 & 15 & 13 & 1 \\
25 \bottomrule
26 \end{tabular}}
27
28 \Blindtext
29
30 \hvFloat[doublePage,capPos=right,capVPos=top,floatCapSep=12pt]%
31 {table}%
32 {\usebox\hv0Box}%%%%%%%%%%
33 [A doublepage tabular with a caption on the right side of the right part.]%
34 {A caption for a double-sided tabular that will be placed on the right side of the
35 right-hand part of the illustration. The illustration begins on the left edge of
36 the paper. A short form is used for the LOF.
37 The parameter is \texttt{doublePage}}%
38 {tab:doublePage3}

```

Tab. 9

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983
Zeile 1	1	3	1	1	1	0	1	1	0	0	0	
Zeile 2	1	1	3	1	0	0	0	0	0	0	2	
Zeile 3	2	1	2	1	0	0	0	0	0	0	0	
Zeile 4	1	0	5	1	2	0	0	0	0	2	1	
Zeile 6	2	1	1	0	0	0	0	0	0	1	2	
Zeile 5	0	0	4	2	1	2	2	1	0	0	0	
Zeile 8	0	1	1	0	0	0	1	1	0	3	2	
Zeile 9	0	0	0	0	0	1	2	1	0	0	0	
Zeile10	0	1	3	0	1	0	1	0	0	1	1	
Zeile11	0	2	2	1	1	0	1	0	0	0	0	
Zeile12	2	0	2	4	1	0	4	0	0	0	0	
Lärm	2	3	0	0	0	0	0	0	0	0	1	
Zeile13	0	1	0	0	1	0	3	0	0	0	0	
Zeile14	0	1	0	0	0	0	0	0	0	0	0	
Zeile15	0	0	0	0	0	0	0	0	0	1	0	
Zeile16	0	0	0	0	0	1	0	0	0	0	0	
Artikel gesamt	2	6	13	8	4	3	5	4	0	6	3	

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text

33	1984	1985	1986	1987	1988	1989
0	20	0	2	2	2	1
1	3	4	4	6	4	2
1	5	3	1	7	7	3
0	1	0	3	7	2	1
0	5	2	2	5	4	2
1	1	0	2	5	4	3
1	2	1	3	5	3	4
0	4	2	1	4	5	2
0	1	1	1	4	4	1
2	6	1	0	2	1	1
0	0	0	0	1	0	3
0	2	0	0	2	2	2
0	2	0	1	3	0	2
0	3	3	2	1	1	0
0	4	0	0	3	1	1
0	0	0	3	5	0	1
5	23	10	8	15	13	1

**Table 9:** A caption for a double-sided tabular that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

## 22 References to the page

With the command `\pageref` one can have a reference to the page number of a caption. For the `fullpage` option this can be the wrong page if someone wants a refence to the page where the object is set. Let’s assume that we use something like

```
\hvFloatSetDefaults
\hvFloat[fullpage,capPos=evenPage]{figure}%
{\IncludeGraphics{images/frose}}%
```

```
[A float which needs the complete paper width and height.]%
{A Caption of a "fullpage" object, which follows on the next page.
  This can be an even or odd page. The object uses the complete paper dimensions}%
{demo:fullpage}
```

The label `demo:fullpage` is used for the *image* and not for the caption! Internally another label called `demo:fullpage-cap` is set on the caption page which can be before or behind the object (depending to the optional argument of `capPos`). For example:

The caption of figure~\ref{demo:fullpage-cap} is on page~\pageref{demo:fullpage-cap}, but the image itself is on page~\pageref{demo:fullpage}.

The caption of figure 67 is on page 94, but the image itself is on page 95. With package `varioref` it is:

Whith the package `\pack{varioref}` ([\url{https://ctan.org/pkg/varioref}](https://ctan.org/pkg/varioref)) one can get something like: see figure~\vref{demo:fullpage}, which uses a ^correct page number of the floatinmg object and not the caption page number which is~\vpageref{demo:fullpage-cap}. The figure~\ref{demo:fullpage} is on page~\pageref{demo:fullpage} and the caption on page~\pageref{demo:fullpage-cap}

Whith the package `varioref` (<https://ctan.org/pkg/varioref>) one can get something like: see figure 67 on page 95, which uses a correct page number of the floating object and not the caption pagenumber which is on page 94. The figure 67 is on page 95 and the caption on page 94

## 23 Defining a style

With `\hvDefFloatStyle` one can define a special style to get rid of the individual setting:

```
\hvDefFloatStyle{name}{setting}
```

For example:

```
1 \hvDefFloatStyle{RightCaption}{floatPos=htb, capWidth=0.5, capPos=after,
2                               capVPos=bottom, objectPos=center}
3
4 \hvFloat[style=RightCaption]{figure}{\includegraphics{images/rose}}%
5   {Caption vertically centered right beside the float with a caption width of
6   \texttt{0.5\textbackslash columnwidth}.}{fig:style}
```



**Figure 66:** Caption at bottom right beside the float with a caption width of `0.5\columnwidth`.

## 24 Global float setting

Instead of writing the following sequence into the preamble:

```
\makeatletter  
\renewcommand\fps@figure{tb}  
\renewcommand\fps@table{t}  
\makeatother
```

you can change the global setting of floats by loading the package `hvfloa-fps`. It allows optional package options to set the global placement:

```
\usepackage[figure=tb,table=t]{hvfloa-fps}
```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

---

**Figure 67:** A Caption of a “fullpage” object, which follows on the next page. This can be an even or odd page. The object uses the complete paper dimensions





After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

## Index

### A

\abovecaptionskip (skip), 7  
\addtolength, 7  
after (value), 8, 30, 32, 42, 66  
afterpage (package), 7  
atbegshi (package), 7

### B

before (value), 8, 12, 29ff, 41, 66  
\belowcaptionskip (skip), 7  
bottom (value), 8

### C

capAngle (keyword), 8  
capFormat (keyword), 9, 18  
capPos (keyword), 8, 14f, 18f, 21, 29–34, 41f, 44–48, 66, 92  
capVPos (keyword), 8  
capWidth (keyword), 8, 11f  
caption (package), 7, 9  
\caption, 9  
caption (package), 17  
\caption, 17  
\captionof, 28  
\captionsetup, 17f, 37, 39, 50  
center (value), 8  
\clearpage, 44f  
\columnwidth (length), 11  
\columnwidth, 8

### D

doubleFULLPAGE (keyword), 9, 53  
doublePAGE (keyword), 9, 53, 75  
doublePage (keyword), 9, 53, 79

### E

evenPage (value), 8, 29f, 33, 44  
expl3 (package), 7

### F

FULLPAGE (keyword), 9, 29f, 35  
false (value), 37, 50  
fbox (package option), 7  
\fbox, 7  
\figcaption, 7, 10, 27f  
figure (environment), 9f, 26  
float (package), 26  
floatCapSep (keyword), 8, 18

\floatCapSep (length), 18  
floatCapSep (keyword), 10  
floatPos (keyword), 8, 22  
\frame, 10  
FullPage (keyword), 9, 29  
fullpage (keyword), 9, 29f, 91

### G

graphicx (package), 7

### H

h (value), 12  
\hvDefFloatStyle, 8, 10, 92  
\hvFloat, 7f, 10, 18, 26ff, 37, 39  
\hvFloat\*, 22  
hvFloatEnv (environment), 10, 28  
\hvFloatSet, 7  
\hvFloatSetDefaults, 7, 10, 27f  
\hv0Box, 26, 88  
\hvfloat, 35, 48  
hvfloat (package), 7, 29, 44f  
hvfloat-fps (package), 93  
hypcap (package option), 7  
hyperref (package option), 7  
hyperref (package), 7

### I

ifoddpaper (package), 7  
\includegraphics, 35  
\inclugethics, 29  
inner (value), 8, 14, 29, 34, 46, 48

### K

Keyword

- capPos, 14f, 18f, 21, 29, 31–34, 41f, 44–48
- capWidth, 12
- floatPos, 22
- objectPos, 18, 22
- singlelinecheck, 37, 50

### L

l (value), 22  
left (value), 8, 12, 18f, 29, 41  
\linewidth (length), 11  
\listoffigures, 7  
lscap (package), 22

### M

\marginparwidth (length), 8, 20

multiFloat (keyword), 30

multido (package), 7

## **N**

nonFloat (keyword), 7f, 24

nonfloat (package), 24

nonfloat (keyword), 27

nostfloats (package option), 7

## **O**

objectAngle (keyword), 8

objectFrame (keyword), 9f

objectPos (keyword), 8, 18, 22

oddPage (value), 8, 29f, 34, 45

onecolumn, 34

oneside, 30

onlyText (keyword), 8, 27

outer (value), 8, 14f, 21, 29, 34, 47

## **P**

p (value), 22

\pageref, 91

\paperheight (length), 35

\paperwidth (length), 35

pdfscape (package), 22

## **R**

right (value), 8, 42

rotAngle (keyword), 8

\rotatebox, 13

## **S**

sameHeight (keyword), 9

separatorLine (keyword), 30

\setlength, 7

singlelinecheck (keyword), 37, 39, 50f

stfloats (package), 7

style (keyword), 9

subFloat (keyword), 30, 39, 51

subcapFormat (keyword), 9, 18

\subcaption, 9, 17

subcaption (package), 7, 39, 51

\subcaptionsetup, 17f

## **T**

\tabcaption, 7, 10, 27f

\tabcaptionbelow, 7

table (environment), 9f, 26

\textwidth (length), 8, 28

top (value), 8

twocolumn (package option), 29, 41

twocolumn, 22, 29, 41

twoside (package option), 33, 41

twoside, 14

## **U**

use0Box (keyword), 8, 26

## **V**

vFill (keyword), 9

Value

- after, 32, 42

- before, 29, 31, 41

- evenPage, 29, 33, 44

- false, 37, 50

- h, 12

- inner, 14, 29, 34, 46, 48

- l, 22

- left, 18f, 29, 41

- oddPage, 29, 34, 45

- outer, 14f, 21, 29, 34, 47

- p, 22

- right, 42

- w, 12

varioref (package), 92

\vfill, 9

## **W**

w (value), 12

wide (keyword), 8, 10, 20

## **X**

xkeyval (package), 7

## 25 The Package Source

```
1 %% $Id: hvfloat.sty 125 2021-06-26 19:18:09Z herbert $
2 %%
3 %%
4 %% IMPORTANT NOTICE:
5 %%
6 %% This is file 'hvfloat.sty',
7 %%
8 %% Herbert Voss <hvoss@tug.org>
9 %%
10 %% This program can be redistributed and/or modified under the terms
11 %% of the LaTeX Project Public License Distributed from CTAN archives
12 %% in directory macros/latex/base/lppl.txt.
13 %%
14 %% DESCRIPTION:
15 %% 'hvfloat' offers rotating of captions and objects for floats
16 %%
17 \NeedsTeXFormat{LaTeX2e}
18 \def\fileversion{2.32}
19 \def\filedate{2021/06/26}
20 %\message{'hvfloat' v\fileversion, \filedate\space (Herbert Voss)}
21 \ProvidesPackage{hvfloat}[\filedate\space v\fileversion\space special floating objects (hv)]
22 \let\hvFloatFileVersion\fileversion
23 %
24 \newif\ifhv@fbox \hv@fboxfalse
25 \newif\ifhv@hyperref \hv@hyperreffalse
26 \newif\ifhv@nostfloats \hv@nostfloatsfalse
27 \newif\ifhv@tugboat \hv@tugboatfalse
28
29 \DeclareOption{fbox}{\hv@fboxtrue\setlength{\fboxsep}{1pt}}
30 \DeclareOption{hyperref}{\hv@hyperreftrue}
31 \DeclareOption{nostfloats}{\hv@nostfloatstrue}
32 \DeclareOption{no-stfloats}{\hv@nostfloatstrue}
33
34 \ProcessOptions
35
36
37 \PassOptionsToPackage{hypcap}{caption}
38 \RequirePackage{caption}
39 \RequirePackage{varwidth}
40 \DeclareCaptionBox{varwidth}{\varwidth[b]{#1}#2\endvarwidth}
41
42 \PassOptionsToPackage{hypcap}{subcaption}
43 \RequirePackage{subcaption}
44 \RequirePackage{atbegshi}
45 \RequirePackage{picture,trimclip}
46
47 \RequirePackage{expl3,multido}
48 \RequirePackage{graphicx}
49 \RequirePackage{varwidth}
50
51 \RequirePackage{xkeyval}
52 \RequirePackage{ifoddpage}
53 \RequirePackage{afterpage}
54
55 \ifhv@hyperref
56   \RequirePackage{hyperref}
57 \fi
58 \ifhv@nostfloats\else
59   \RequirePackage{stfloats}% for bottom floats in a twocolumn mode
60 \fi
61 %
62 \providecommand*\LenToUnit[1]{\strip@pt\dimexpr#1*\p@/\unitlength}
63
64 \newlength\hvObjectWidth
```

```

65 \newlength\hvCapWidth
66 \newlength\hvWideWidth
67 \newlength\hvMultiFloatSkip
68 \newlength\hvMaxCapWidth
69 %\AtBeginDocument{%
70 % \setlength\hv@BottomSpace{\dimexpr\paperheight-1in-\topmargin-\headheight-\headsep-\textheight}}
71
72 \newsavebox\hvObjectBox
73 \newsavebox\hvCaptionBox
74 \newsavebox\hvOBox
75 \newsavebox\@tempbox
76 \newsavebox\hv@caption@box
77 \newsavebox\hv@leftBox
78 \newsavebox\hv@rightBox
79
80 \newif\ifhv@capbeside \hv@capbesidefalse
81 \newif\ifhv@switchType
82
83 \def\hv@Top{top}
84 \def\hv@Bottom{bottom}
85 \def\hv@After{after}
86 \def\hv@Before{before}
87 \def\hv@Right{right}
88 \def\hv@Left{left}
89 \def\hv@Center{center}
90 \def\hv@Outer{outer}
91 \def\hv@Inner{inner}
92 \def\hv@Even{evenPage}
93 \def\hv@Odd{oddPage}
94 \def\hv@Natural{n}
95 \def\hv@Width{w}
96 \def\hv@Height{h}
97 \def\hv@Zero{0}
98 %
99 \def\hv@figure{figure}
100 %
101 \define@key{hvSet}{floatPos}[tbp]{% LaTeX's position parameters http
102 \def\hvSet@floatPos{#1}%
103 }
104 \define@key{hvSet}{rotAngle}[0]{% rotates caption AND image together
105 \def\hvSet@rotAngle{#1}%
106 }
107 \define@key{hvSet}{capWidth}[n]{% (n)atural width|object (w)idth|object (h)eight|<scale of \
columnwidth>
108 \def\hvSet@capWidth{#1}%
109 }
110 \define@key{hvSet}{capAngle}[0]{% -360..+360, only integers
111 \def\hvSet@capAngle{#1}%
112 }
113
114 \define@choicekey*+{hvSet}{capPos}[\val\nr]{bottom,top,left,before,right,after,inner,outer,evenPage,
oddPage}[bottom]{%
115 \def\hvSet@capPos{#1}% it is relativ to the object, (e),(d) only valid for fullpage float
116 \ifcase\nr\relax
117 \hv@capbesidefalse
118 \or
119 \hv@capbesidefalse
120 \else
121 \hv@capbesidetrue
122 \fi
123 }\PackageWarning{hvfloating}{erroneous input (#1) for capPos ignored. Using bottom.}%
124 \def\hvSet@capPos{bottom}% it is relativ to the object, (e),(d) only valid for fullpage float
125 \hv@capbesidefalse
126 }
127
128 \define@choicekey*+{hvSet}{capVPos}[\val\nr]{bottom,center,top}[center]{%
129 \def\hvSet@capVPos{#1}% it is relativ to the object

```



```

130 \ifcase\nr\relax
131 \def\hv@capVPos{b}%
132 \or
133 \def\hv@capVPos{c}%
134 \else
135 \def\hv@capVPos{t}%
136 \fi
137 }{\PackageWarning{hvffloat}{erroneous input (#1) for capVPos ignored. Using center.}%
138 \def\hvSet@capVPos{center}% it is relativ to the object
139 }
140
141 \define@choicekey*+{hvSet}{allHPos}{\val\nr}{left,center,right}[center]{%
142 \def\hvSet@allHPos{#1}%
143 \ifcase\nr\relax
144 \gdef\hv@@allHPos{l}%
145 \or
146 \gdef\hv@@allHPos{c}%
147 \else
148 \gdef\hv@@allHPos{r}%
149 \fi
150 }{\PackageWarning{hvffloat}{erroneous input (#1) for allHPos ignored. Using center.}%
151 \def\hvSet@capVPos{center}% it is relativ to the object
152 }
153
154 \define@choicekey*+{hvSet}{objectPos}{\val\nr}{left,center,right,inner,outer}[center]{%
155 \def\hvSet@objectPos{#1}% it is relativ to the object
156 }{\PackageWarning{hvffloat}{erroneous input (#1) for objectPos ignored. Using center.}%
157 \def\hvSet@capVPos{center}% it is relativ to the object
158 }
159 \define@key{hvSet}{objectAngle}[0]{% -360..+360
160 \def\hvSet@objectAngle{#1}%
161 }
162 \define@key{hvSet}{floatCapSep}[5pt]{% a width with the unit pt
163 \def\hvSet@floatCapSep{#1}%
164 }
165 \define@key{hvSet}{multiFloatSkip}{\normalbaselineskip}{% a width with the unit pt
166 \setlength\hvMultiFloatSkip{#1}%
167 }
168 \define@boolkey{hvSet}{hv@}{useOBox}[true]{}% use of the hvOBox contents
169 \define@boolkey{hvSet}{hv@}{nonFloat}[true]{}% Do not use float environment
170 \define@boolkey{hvSet}{hv@}{onlyText}[true]{}% Write the caption only as text
171 \define@boolkey{hvSet}{hv@}{wide}[true]{}% Write the caption only as text
172 \define@boolkey{hvSet}{hv@}{twoColumnCaption}[true]{\global\@nameuse{hv@twoColumnCaption#1}}{Write the
caption only as text
173 \define@boolkey{hvSet}{hv@}{sameHeight}[true]{\@nameuse{hv@sameHeight#1}}{Write the caption only as text
174 \define@boolkey{hvSet}{hv@}{Debug}[true]{}% give more infos in the terminal
175
176 \newif\ifhv@fullpage
177 \newif\ifhv@FULLPAGE
178 \newif\ifhv@doubleFULLPAGE
179 \newif\ifhv@doublePAGE
180 \newif\ifhv@doublePage
181 \newif\ifhv@setObjectLabel
182 \newif\ifhv@global@sameHeight
183
184 \newlength\hvSet@bindCorrection
185 \newlength\hvSet@sepLineskip
186 \newlength\hv@leftPageObjectWidth% for doublepage images
187 \newlength\hv@tempWidthA
188 \newlength\hv@tempWidthB
189 \newlength\hv@minTextlines
190 \newlength\hv@floatCapSep
191 \newlength\hvSet@bindCorr
192
193 \define@key{hvSet}{fullpage}[true]{\global\@nameuse{hv@fullpage#1}}%
194 \define@key{hvSet}{FULLPAGE}[true]{\global\@nameuse{hv@FULLPAGE#1}}
195 \define@key{hvSet}{doubleFULLPAGE}[true]{\global\@nameuse{hv@doubleFULLPAGE#1}\hv@doublePagefalse\

```

```

    hv@doublePAGEfalse}
196 \define@key{hvSet}{doublePAGE}[true]{\global\@nameuse{hv@doublePAGE#1}\hv@doublePagefalse\
    hv@doubleFULLPAGEfalse}
197 \define@key{hvSet}{doublePage}[true]{\global\@nameuse{hv@doublePage#1}\hv@doublePAGEfalse\
    hv@doubleFULLPAGEfalse}
198 \define@key{hvSet}{bindCorr}[0]{%
199   \def\hv@temp{#1}%
200   \ifx\hv@temp\hv@Inner
201     \setlength\hvSet@bindCorr{\dimexprlin+\oddsidemargin}%
202   \else
203     \setlength\hvSet@bindCorr{#1}%
204   \fi
205 }
206 %\setlength\hvSet@bindCorrection{#1}% for doublepage objects
207
208 \define@boolkey{hvSet}[hv@]{subFloat}[true]{% typeset values as subfloats
209   \ifhv@subFloat\setkeys{hvSet}{multiFloat=false}\fi
210 }%
211 \define@boolkey{hvSet}[hv@]{multiFloat}[true]{% typeset values as continous floats
212   \ifhv@multiFloat\setkeys{hvSet}{subFloat=false}\fi
213 }%
214 \define@boolkey{hvSet}[hv@]{vFill}[true]{% \vfill between multifloat objects
215
216 \define@boolkey{hvSet}[hv@]{separatorLine}[true]{% separator line for caption of a full page float
217 \define@key{hvSet}{sepLineskip}{\def\hv@sepLineskip{#1}}%
218 \define@key{hvSet}{minTextlines}{\setlength\hv@minTextlines{#1\baselineskip}}%
219 \define@boolkey{hvSet}[hv@]{objectFrame}[true]{% a frame around the object with no separation
220 \define@key{hvSet}{style}{%
221   \@ifundefined{hv@#1}%
222     {\errmessage{Custom style '#1' undefined}}%
223     {\beginingroup
224       \edef\x{\endgroup\noexpand\setkeys{hvSet}{\@nameuse{hv@#1}}}\x}% use a defined style
225 }
226 \define@key{hvSet}{capFormat}{\def\hv@caption@format{#1}}%
227 \define@key{hvSet}{subcapFormat}{\def\hv@subcaption@format{#1}}%
228
229 \def\hv@set#1{\beginingroup\edef\x{\endgroup\noexpand\setkeys{hvSet}{#1}}\x}
230 \let\hvFloatSet\hv@set
231 %
232 \def\defhvstyle#1#2{\@namedef{hv@#1}{#2}}
233 \let\hvDefFloatStyle\defhvstyle % better name
234 %
235 \newcommand\setDefaults{%
236   \hv@set{%
237     floatPos=, rotAngle=0, capWidth=n, capAngle=0, objectAngle=0,
238     capPos=bottom, capVPos=center, objectPos=center, allHPos=center,
239     floatCapSep=5pt, useOBox=false, nonFloat=false,
240     onlyText=false, wide=false, fullpage=false, FULLPAGE=false,
241     doubleFULLPAGE=false, doublePage=false, doublePAGE=false,
242     multiFloat=false, subFloat=false,
243     separatorLine, objectFrame=false, multiFloatSkip=\normalbaselineskip,
244     capFormat={}, subcapFormat={}, twoColumnCaption=false,
245     sameHeight=false,
246     bindCorr=\z@, sepLineskip=0pt,
247     vFill=false, minTextlines=2,
248   }%
249 }
250
251 \let\hvFloatSetDefaults\setDefaults
252
253 \newcommand\hv@typeout[1]{\ifhv@Debug\typeout{>>>> #1}\fi}
254
255 \providecommand\@tugclass{\@empty}
256 \ifx\@tugclass\@empty
257 \else
258   \hv@tugboattrue % special page handling
259   \hv@typeout{>>> we are using a TUGboat class}%

```

```

260 \fi
261
262 \newcommand\reset@special@float{%
263   \hv@set{subFloat=false,%fullpage=false,
264     multiFloat=false,%FULLPAGE=false
265 }}
266
267 \def\hv@vskip{\vspace{\hvMultiFloatSkip}}
268 %
269 \newlength\hvAboveCaptionSkip
270 \newlength\hvBelowCaptionSkip
271 \newlength\hv@dblftop
272 \newlength\hv@fptop
273 \newcount\hv@@capPos
274
275 \newlength\fbboxlinewidth
276 \AtBeginDocument{%
277   \setlength\fbboxlinewidth{\dimexpr\linewidth-2\fbboxrule-2\fbboxsep}%
278 }
279 \setlength\belowcaptionskip{\abovecaptionskip}% it is in latex.ltx = 0pt
280 \newcommand\saveCaptionSkip{%
281   \setlength{\hvAboveCaptionSkip}{\abovecaptionskip}%
282   \setlength{\hvBelowCaptionSkip}{\belowcaptionskip}%
283   \setlength{\abovecaptionskip}{0pt}%
284   \setlength{\belowcaptionskip}{0pt}%
285 }
286 \newcommand\restoreCaptionSkip{%
287   \setlength\abovecaptionskip{\hvAboveCaptionSkip}%
288   \setlength\belowcaptionskip{\hvBelowCaptionSkip}%
289 }
290
291 \newcommand\hv@set@noverticalSpace{% no space on top for a float page
292   \let\hv@dblftop\@dblftop
293   \let\hv@fptop\@fptop
294   \global\setlength{\@dblftop}{0\p@}%
295   \global\setlength{\@fptop}{0\p@}%
296 }
297
298 \newcommand\hv@reset@noverticalSpace{%
299   \global\setlength{\@dblftop}{\hv@dblftop}%
300   \global\setlength{\@fptop}{\hv@fptop}%
301 }
302
303 \providecommand\figcaption[2][{}]{%
304 \providecommand\tabcaption[2][{}]{%
305 \providecommand\tabcaptionbelow[2][{}]{%
306 %
307 \renewcommand\figcaption[2][{}]{%
308   \begingroup
309   \def\@captype{figure}%
310   \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
311   \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
312   \endgroup}
313 \renewcommand\tabcaption[2][{}]{%
314   \begingroup
315   \def\@captype{table}%
316   \expandafter\captionsetup\expandafter{\hv@caption@format,position=top}%
317   \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
318   \endgroup}
319 \renewcommand\tabcaptionbelow[2][{}]{%
320   \begingroup
321   \def\@captype{table}%
322   \expandafter\captionsetup\expandafter{\hv@caption@format,position=below}%
323   \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
324   \endgroup}
325 %
326 \newlength\hv@maxImageWidth

```

```

327 \AtBeginDocument{\hv@maxImageWidth=\columnwidth}
328
329 \define@key{Gin}{columnWidth}[true]{%
330   \def\Gin@ewidth{\columnwidth}%
331   % \def\Gin@eheight{lex}%
332   \Gin@boolkey{true}{iso}%
333 }
334 \define@key{Gin}{fullpage}[true]{%
335   \def\Gin@ewidth{\columnwidth}%
336   \def\Gin@eheight{\textheight}%
337   \Gin@boolkey{false}{iso}%
338 }
339 \define@key{Gin}{FullPage}[true]{%
340   \def\Gin@ewidth{\textwidth}%
341   \def\Gin@eheight{\textheight}%
342   \Gin@boolkey{false}{iso}%
343 }
344 \define@key{Gin}{FULLPAGE}[true]{%
345   \def\Gin@ewidth{\paperwidth}%
346   \def\Gin@eheight{\paperheight}%
347   \Gin@boolkey{false}{iso}%
348 }
349 \define@key{Gin}{doubleFULLPAGE}[true]{%
350   \def\Gin@ewidth{2\paperwidth}%
351   \def\Gin@eheight{\paperheight}%
352   \Gin@boolkey{false}{iso}%
353 }
354 \define@key{Gin}{doublefullPage}[true]{%
355   \def\Gin@ewidth{\dimexpr2\paperwidth-2in-2\evensidemargin}%
356   % \def\Gin@eheight{\paperheight}%
357   \Gin@boolkey{true}{iso}%
358 }
359 \define@key{Gin}{doubleFULLPAGEbindCorr}[true]{%
360   \def\Gin@ewidth{\the\dimexpr2\paperwidth-2\hvSet@bindCorrection\relax}%
361   \def\Gin@eheight{\paperheight}%
362   \Gin@boolkey{false}{iso}%
363 }
364
365 \newcommand\IncludeGraphics[2][{}]{%
366   \vspace*{\the\dimexpr-lin-\voffset+\topskip-\headheight-0.5\baselineskip}%
367   \leavevmode\checkoddpage
368   \ifoddpage
369     \hspace*{\dimexpr-\oddsidemargin-\parindent-lin}%
370   \else
371     \hspace*{\dimexpr-\evensidemargin-\parindent-lin}%
372   \fi\noindent
373   \includegraphics[#1,width=\paperwidth,height=\paperheight,keepaspectratio=false]{#2}%
374 }
375
376 \newcommand\put@CaptionBox[1][0]{%
377   \ifcase#1
378     \ifhv@fbox
379       \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
380     \else
381       \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
382     \fi
383   \or
384     \ifhv@fbox
385       \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
386     \else
387       \raisebox{-\height}{\usebox{\hvCaptionBox}}%
388     \fi
389   \or
390     \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}\else\usebox{\hvCaptionBox}\fi
391   \fi
392 }
393

```

```

394 \newcommand\put@ObjectBox[1][0]{%
395   \ifcase#1
396     \ifhv@fbox
397       \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
398     \else
399       \parbox{\wd\hvObjectBox}{\ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi}
400     \fi
401   \or
402     \ifhv@fbox
403       \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
404     \else
405       \raisebox{-\height}{\ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi}%
406     \fi
407   \or
408     \ifhv@fbox
409       \fbox{\usebox{\hvObjectBox}}%
410     \else
411       % rotated object with a depth need to raise up the \depth
412       \ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\raisebox{\depth}{\usebox{\hvObjectBox}}\fi%
413     \fi
414   \fi
415 }
416
417 \def\drawSepLine{%
418   \par\noindent
419   \if@twocolumn
420     \ifhv@twoColumnCaption
421       \rule{\linewidth}{0.4pt}\l[-2.5ex]
422     \else
423       \rule{\columnwidth}{0.4pt}\l[-2.5ex]
424     \fi
425   \else
426     \rule{\linewidth}{0.4pt}\l[-2.5ex]
427   \fi
428   \vspace{\hv@sepLineskip}%
429 }
430
431
432 \newcounter{hv@tempCNTfigA}%
433 \newcounter{hv@tempCNTfigB}%
434 \newcounter{hv@tempCNTtabA}%
435 \newcounter{hv@tempCNTtabB}%
436 \newcounter{hv@pfigure}%
437 \newcounter{hv@ptable}%
438 \newcounter{subhv@pfigure}%
439 \newcounter{subhv@ptable}%
440
441 \newif\ifhv@star
442 \newif\ifhv@substar
443 \setDefaults
444
445
446 %\newcommand*{\hvFloat}[5][+]{%
447 % [#1]: keyvalues
448 % #2: type figure | table | ...
449 % #3: float contents
450 % [#4]: short caption
451 % #5: caption
452 % #6: label
453 %
454
455 \def\hvFloat{\@ifnextchar*%      Main macro
456   {\global\hv@startrue\hv@maxImageWidth=\textwidth\hvFloat@i}%
457   {\global\hv@starfalse\hv@maxImageWidth=\columnwidth\hvFloat@i*}%
458 }
459

```

```

460 \def\hvFloat@i*{\@ifnextchar[\do@hvFloat]{\do@hvFloat[]}}
461 \def\do@hvFloat[#1]{%
462   \beginingroup
463   \setlength\hvWideWidth{\dimexpr\columnwidth+\marginparwidth+\marginparsep}%
464   % \setlength\hvWideWidth{\dimexpr\textwidth+\marginparwidth+\marginparsep}%
465   % \setlength\hvWideWidth{\dimexpr\linewidth+\marginparwidth}%
466   \hv@maxImageWidth=\textwidth
467   \reset@special@float
468   \global\setcounter{hv@pfigure}{\value{figure}}%
469   \global\setcounter{hv@ptable}{\value{table}}%
470   \setcounter{hv@tempCNTfigA}{\value{figure}}%
471   \setcounter{hv@tempCNTfigB}{\value{figure}}%
472   \setcounter{hv@tempCNTtabA}{\value{table}}%
473   \setcounter{hv@tempCNTtabB}{\value{table}}%
474   \gdef\hv@save@setting[#1]% for later use after \endgroup inside figure/table env
475   \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
476   \ifx\hv@caption@format\@empty\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
477   \ifx\hv@subcaption@format\@empty\else
478     \expandafter
479     \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
480     {\hv@subcaption@format}%
481   \fi
482   \gdef\hv@floatType{figure}% presetting
483   \@ifnextchar+{\do@multiFloat}{\hvFloat@ii[#1]}%
484 }
485
486 \ExplSyntaxOn
487
488 \def\do@multiFloat+#1#2{%
489   \clist_set:Nn\l_clist_Type{#1}%
490   \clist_set:Nn\l_clist_Object{#2}%
491   \@ifnextchar[\do@multiFloat@i{\do@multiFloat@i[]}%
492 }
493 \def\do@multiFloat@i[#1]#2#3{% lof-caption, caption, label
494   \ifx\relax#1\relax
495     \clist_set:Nn\l_clist_LofCaption{}}%
496   \else
497     \clist_set:Nn\l_clist_LofCaption{#1}%
498   \fi
499   \clist_set:Nn\l_clist_Caption{#2}%
500   \ifx\relax#3\relax
501     \clist_set:Nn\l_clist_Label{}}%
502   \else
503     \clist_set:Nn\l_clist_Label{#3}%
504   \fi
505   \@ifnextchar+{\do@multiFloat@ii}{}%
506 }
507 \def\do@multiFloat@ii+#1#2{%
508   \clist_put_right:Nn\l_clist_Type{#1}%
509   \clist_put_right:Nn\l_clist_Object{#2}%
510   \@ifnextchar[\do@multiFloat@iii{\do@multiFloat@iii[]}%
511 }
512
513 \def\do@multiFloat@iii[#1]#2#3{% lof-caption, caption, label
514   \ifx\relax#1\relax
515     \clist_put_right:Nn\l_clist_LofCaption{}}%
516   \else
517     \clist_put_right:Nn\l_clist_LofCaption{#1}%
518   \fi
519   \clist_put_right:Nn\l_clist_Caption{#2}%
520   \ifx\relax#3\relax
521     \clist_put_right:Nn\l_clist_Label{}}%
522   \else
523     \clist_put_right:Nn\l_clist_Label{#3}%
524   \fi
525   \@ifnextchar+{\do@multiFloat@ii}%
526   {\def\hvSet@CapWidth{n}%

```



```

527 \do@@@hvFloat}%
528 }
529 \ExplSyntaxOff
530
531
532 \newcount\hv@cmta
533 \newcount\hv@cmtb
534
535 \def\hvFloat@ii[#1]#2#3{% #1: key/value, #2: floattype, #3: object
536 \hv@maxImageWidth=\textwidth
537 % \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
538 \gdef\hv@floatType{#2}%
539 \ifx\relax#2\relax
540 \setkeys{hvSet}{nonFloat,onlyText}%
541 \xdef\hv@save@setting{\hv@save@setting,nonFloat,onlyText}% for later use after \endgroup inside
    figure/table env
542 \fi
543 % \xdef\hv@floatListOfExt{\@nameuse{ext@\hv@floatType}}%
544 \gdef\hv@floatObject{#3}%
545 \@ifnextchar[{\do@@hvFloat}{\do@@hvFloat[]}%
546 }
547
548 \def\do@@hvFloat[#1]#2#3{% #1: listof caption, #2. long caption #3: label
549 \gdef\hv@shortCap{#1}%
550 \gdef\hv@longCap{#2}%
551 \gdef\hv@label{#3}%
552 \ifhv@capbeside\def\@temp{1}\else\def\@temp{0}\fi
553 \ifhv@sameHeight\global\hv@global@sameHeighttrue\else\global\hv@global@sameHeightfalse\fi
554 \global\setlength\hvSet@bindCorrection{\hvSet@bindCorr}% for doublepage objects
555 \global\setlength\hv@floatCapSep{\hvSet@floatCapSep}%
556 %
557 \ifhv@fullpage
558 \def\hvSet@CapWidth{n}% relative value
559 \do@@@hvFloat% fullpage with caption on other page
560 \else
561 \ifhv@FULLPAGE
562 \def\hvSet@CapWidth{n}% relative value
563 \do@@@hvFloat% fullpage with caption on other page
564 \else
565 \ifhv@doubleFULLPAGE
566 \setlength\hvCapWidth{\textheight}%
567 \expandafter\do@hvFloat@doubleFULLPAGE\@temp% fullpage with caption rotated or under on an odd
    page
568 \else
569 \ifhv@doublePAGE
570 \expandafter\do@hvFloat@doublePAGE\@temp% fullpage with caption rotated or under on an odd
    page
571 \else
572 \ifhv@doublePage
573 \expandafter\do@hvFloat@doublePage\@temp% fullpage with caption rotated or under on an odd
    page
574 \else
575 \do@@@hvFloat
576 \fi
577 \fi
578 \fi
579 \fi
580 \fi
581 }
582 %
583 \def\do@@@hvFloat{% no special float page, caption and image on top of each other or side by side
584 \def\@tempa{90}%
585 \ifx\hvSet@rotAngle\@tempa
586 \setlength\hvMaxCapWidth{\textheight}%
587 \else
588 \setlength\hvMaxCapWidth{\hvWideWidth}%
589 \fi

```

```

590 %
591 % First we save the object in \hvObjectBox
592 %
593 \ifnum\hvSet@objectAngle=0 % rotate the object?
594 \ifhv@useOBox
595 \let\hvObjectBox\hvOBox
596 \else
597 \savebox\hvObjectBox{\hv@floatObject}%
598 \fi
599 \else
600 \savebox\hvObjectBox{%
601 \rotatebox{\hvSet@objectAngle}{%
602 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi
603 }%
604 }%
605 \fi
606 \setlength\hvObjectWidth{\wd\hvObjectBox}%
607 %
608 % Now we save the caption with its defined \hvCapWidth
609 %
610 \ifx\hvSet@capWidth\hv@Width% captionwidth=objectwidth
611 \setlength\hvCapWidth{\hvObjectWidth}%
612 \else
613 \ifx\hvSet@capWidth\hv@Height% captionwidth=objectheight
614 \setlength\hvCapWidth{\ht\hvObjectBox}%
615 \else
616 \ifx\hvSet@capWidth\hv@Natural% captionwidth=\linewidth-\objectwidth-separation
617 \ifhv@capbeside
618 \ifhv@wide
619 \setlength\hvCapWidth{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
620 \else
621 \ifhv@star
622 \setlength\hvCapWidth{\the\dimexpr\textwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
623 \else
624 \setlength\hvCapWidth{\the\dimexpr\linewidth-\hvObjectWidth-\hv@floatCapSep\relax}%
625 \fi
626 \fi
627 \else
628 \setlength\hvCapWidth{\columnwidth}%
629 \fi
630 \else
631 \ifhv@capbeside
632 \ifhv@wide
633 \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
634 \setlength\@tempdima{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
635 \else
636 \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
637 \setlength\@tempdima{\the\dimexpr\columnwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
638 \fi
639 \ifdim\hvCapWidth>\@tempdima
640 \setlength\hvCapWidth{\@tempdima}%
641 \fi
642 \else
643 \ifhv@wide
644 \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
645 \else
646 \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
647 \fi
648 \fi
649 \fi
650 \fi
651 \fi
652 \saveCaptionSkip% we put this space ourselve
653 \ifnum\hvSet@capAngle=0 % need rotation?
654 \savebox\hvCaptionBox{% NO rotation
655 \minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
656 \ifhv@nonFloat

```

```

657 \ifhv@onlyText
658 \hv@longCap
659 \else
660 \ifx\hv@floatType\hv@figure
661 \ifx\relax\hv@shortCap\relax
662 \figcaption{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
663 \else
664 \figcaption[\hv@shortCap]{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
665 \fi
666 \else
667 \ifx\relax\hv@shortCap\relax
668 \tabcaption{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
669 \else
670 \tabcaption[\hv@shortCap]{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
671 \fi
672 \fi
673 \fi
674 \else
675 \ifhv@onlyText
676 \hv@longCap
677 \else
678 \let\@captype\hv@floatType
679 \ifx\hv@shortCap\empty\caption{\hv@longCap}\else\caption[\hv@shortCap]{\hv@longCap}\fi
680 \ifx\hv@label\empty\else\label{\hv@label}\fi
681 \fi
682 \fi
683 \endminipage
684 }%
685 \else
686 \savebox\hvCaptionBox{% Rotation
687 \rotatebox{\hvSet@capAngle}{%
688 \minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
689 % \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
690 \ifhv@nonFloat
691 \ifhv@onlyText
692 \hv@longCap
693 \else
694 \ifx\hv@floatType\hv@figure
695 \ifx\hv@shortCap\empty \figcaption{\hv@longCap}\else\figcaption[\hv@shortCap]{\hv@longCap}\fi
696 \else
697 \ifx\hv@shortCap\empty \tabcaption{\hv@longCap}\else\tabcaption[\hv@shortCap]{\hv@longCap}\fi
698 \fi
699 \fi
700 \else
701 \ifhv@onlyText
702 \hv@longCap
703 \else
704 \let\@captype\hv@floatType
705 \ifx\hv@shortCap\empty \caption{\hv@longCap}\else\caption[\hv@shortCap]{\hv@longCap}%
706 \fi
707 \fi
708 \fi
709 \ifx\hv@label\empty\else\label{\hv@label}\fi
710 \endminipage
711 }% rotatebox
712 }% \sbox
713 \fi
714 %
715 % now we have the object and the caption with the right
716 % rotated angles saved in different boxes
717 %%
718 \restoreCaptionSkip% save old values
719 % \def\fps@figure{\hvSet@floatPos}%
720 \ifx\hvSet@floatPos\empty % use type default
721 \else
722 \@namedef{fps@\hv@floatType}{\hvSet@floatPos}%
723 \fi

```

```

724 \ifhv@nonFloat
725   \noindent
726   \beginingroup%      Start the nonfloat part
727 \else
728   \ifhv@star
729     \ifx\hvSet@floatPos\hv@floatBottom
730       \nameuse{\hv@floatType*}[b]%      Start the floating environment *****
731     \else
732       \nameuse{\hv@floatType*}%
733     \fi
734   \else
735     \begin{\hv@floatType}%      Start the floating environment
736   \fi
737 \fi
738 \checkoddpage
739 \ifx\hvSet@objectPos\hv@Right\raggedleft\fi
740 \ifx\hvSet@objectPos\hv@Center
741   \ifhv@nonFloat\hspace*{\fill}\else\centering\fi
742 \fi
743 \ifx\hvSet@objectPos\hv@Outer
744   \ifoddpage\raggedleft\fi
745 \fi
746 \ifx\hvSet@objectPos\hv@Inner
747   \ifoddpage\else\raggedleft\fi
748 \fi
749 %
750 % to rotate object and caption together, we save all in another box
751 % the caption comes first, if its on the left or the top
752 % 0 caption left, inner and odd page, oneside inner
753 % 1 caption top
754 % 2 caption right, inner and even page, oneside outer
755 % 3 caption bottom
756 %
757 \ifx\hvSet@capPos\hv@Left
758   \hv@@capPos=0
759 \else
760   \ifx\hvSet@capPos\hv@Top
761     \hv@@capPos=1
762   \else
763     \ifx\hvSet@capPos\hv@Right
764       \hv@@capPos=2
765     \else
766       \ifx\hvSet@capPos\hv@Bottom
767         \hv@@capPos=3
768       \else
769         \ifx\hvSet@capPos\hv@Inner
770           \ifoddpageoroneside\hv@@capPos=0\else\hv@@capPos=2\fi
771         \else
772           \ifx\hvSet@capPos\hv@Outer
773             \ifoddpageoroneside\hv@@capPos=2\else\hv@@capPos=0\fi
774           \else
775             \ifx\hvSet@capPos\hv@Before
776               \hv@@capPos=0% same as capPos=right
777             \else
778               \ifx\hvSet@capPos\hv@After
779                 \hv@@capPos=2% same as capPos=right
780               \fi
781             \fi
782           \fi
783         \fi
784       \fi
785     \fi
786   \fi
787 \fi
788 %%%
789 \savebox{\@tempboxa}{%      ***** @tempbox start
790   \expandafter\ifcase\the\hv@@capPos% 0 is LEFT      START \ifcase

```

```

791 \ifx\hvSet@capVPos\hv@Center
792 \put@CaptionBox
793 \hspace{\hv@floatCapSep}% capfloatsep
794 \put@ObjectBox
795 \else
796 \ifx\hvSet@capVPos\hv@Top% caption and object at top aligned
797 \put@CaptionBox[1]%
798 \hspace{\hv@floatCapSep}% capfloatsep
799 \put@ObjectBox[1]%
800 \else% caption on bottom
801 \put@CaptionBox[2]%
802 \hspace{\hv@floatCapSep}% capfloatsep
803 \put@ObjectBox[2]%
804 \fi
805 \fi% end caption left
806 \or%1 is top
807 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
808 \begin{minipage}{\wd\hvCaptionBox}%
809 \else
810 \begin{minipage}{\wd\hvObjectBox}%
811 \fi
812 \centering
813 \ifhv@fbox
814 \fbox{\usebox{\hvCaptionBox}}\[\[0.5\hvBelowCaptionSkip]%
815 \fbox{\usebox{\hvObjectBox}}%
816 \else
817 \usebox{\hvCaptionBox}\[\[0.5\hvBelowCaptionSkip]%
818 \usebox{\hvObjectBox}%
819 \fi
820 \end{minipage}%
821 \or%2 is right
822 \ifx\hvSet@capVPos\hv@Center
823 \put@ObjectBox
824 \hspace{\hv@floatCapSep}%
825 \put@CaptionBox
826 \else
827 \ifx\hvSet@capVPos\hv@Top
828 \put@ObjectBox[1]%
829 \hspace{\hv@floatCapSep}% capfloatsep
830 \put@CaptionBox[1]%
831 \else
832 \put@ObjectBox[2]%
833 \hspace{\hv@floatCapSep}% capfloatsep
834 \put@CaptionBox[2]%
835 \fi
836 \fi
837 \or%3 bottom
838 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
839 \begin{minipage}{\wd\hvCaptionBox}%
840 \else
841 \begin{minipage}{\wd\hvObjectBox}%
842 \fi
843 \centering
844 \ifhv@fbox
845 \fbox{\usebox{\hvObjectBox}}\[\[0.5\hvAboveCaptionSkip]%
846 \fbox{\usebox{\hvCaptionBox}}%
847 \else
848 \ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi\[\[0.5\hvAboveCaptionSkip]%
849 \usebox{\hvCaptionBox}%
850 \fi
851 \end{minipage}%
852 \fi% \ifcase\the\hv@capPos
853 }% End savebox Object and caption %%%%%%%%% @tempboxa
854 %
855 % now we rotate the object and caption, if needed
856 %

```

```

857 \ifhv@wide
858 \ifoddpageoroneside
859 \if@twocolumn
860 \if@firstcolumn
861 \noindent
862 \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column
863 \fi
864 \fi
865 \else
866 \ifoddpage
867 \if@twocolumn
868 \if@firstcolumn
869 \noindent
870 \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column
871 \fi
872 \fi
873 \else% evenpage
874 \if@firstcolumn
875 \noindent
876 \hspace*{\dimexpr-\marginparwidth-\marginparsep}% <- for wide and left page
877 \fi
878 \fi
879 \fi
880 \fi
881 \ifx\hvSet@rotAngle\hv@Zero
882 \usebox{\@tempboxa}%
883 \else
884 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}%
885 \fi
886 \ifhv@nonFloat
887 \ifx\hvSet@objectPos\hv@Center
888 % \ifhv@nonFloat
889 \hspace{\fill}%
890 % \fi
891 \fi
892 \endgroup% End the nonfloat part
893 \else
894 \ifhv@star
895 \@nameuse{end\hv@floatType}% End the floating environment
896 \else
897 \end{\hv@floatType}% End the floating environment
898 \fi
899 \fi
900 \endgroup% startet at main \hvFloat
901 }
902 %
903 \newenvironment{hvFloatEnv}[1][\textwidth]
904 {\minipage{#1}}
905 {\endminipage}
906 %
907
908 \ExplSyntaxOn
909 \let\clist@item@Nn\clist_item:Nn
910 \let\l@clist@Type\l_clist_Type
911 \let\l@clist@LofCaption\l_clist_LofCaption
912 \let\l@clist@Label\l_clist_Label
913 \let\clist@count@N\clist_count:N
914 \ExplSyntaxOff
915
916 \def\do@@@hvFloat{% special float page: caption <-> fullpage images
917 \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
918 \else
919 \ifx\hvSet@capPos\hv@Even \global\hv@capPos=2
920 \else
921 \ifx\hvSet@capPos\hv@Odd \global\hv@capPos=3
922 \else
923 \ifx\hvSet@capPos\hv@Inner \global\hv@capPos=4

```



```

924 \else
925 \ifx\hvSet@capPos\hv@Outer \global\hv@capPos=5
926 \else
927 \ifx\hvSet@capPos\hv@Right \global\hv@capPos=6% only for twocolumn mode
928 \else
929 \ifx\hvSet@capPos\hv@Left \global\hv@capPos=7% only for twocolumn mode
930 \else
931 \global\hv@capPos=0
932 \fi
933 \fi
934 \fi
935 \fi
936 \fi
937 \fi
938 \fi
939 \checkoddpage
940 \set@caption@object{\hv@floatType}% set caption and object into a box
941 \ifcase\hv@capPos% caption before object 0-> _always_ left
942 \setBottomCaption\setPageObject
943 \or% caption after object 1-> _always_ right
944 \setPageObject\setBottomCaption
945 \or% caption on even page 2-> left page
946 \ifoddpage
947 \afterpage{\setBottomCaption\setPageObject}%
948 \else% we are on an even page
949 \setBottomCaption\setPageObject
950 \fi
951 \or% caption on odd page 3->right page
952 \if@twoside
953 \if@twocolumn
954 \ifoddpage
955 \if@firstcolumn% on right side
956 \setBottomCaption\setPageObject
957 \else
958 \afterpage{\setPageObject\setBottomCaption}% start next column
959 \fi
960 \else% left (even) page
961 \if@firstcolumn
962 \afterpage{\setPageObject\setBottomCaption}% start next column
963 \else
964 \setPageObject\setBottomCaption
965 \fi
966 \fi
967 \else% onecolumn
968 \ifoddpage
969 \setPageObject\setBottomCaption
970 \else% even page
971 \afterpage{\setPageObject\setBottomCaption}%
972 \fi
973 \fi
974 \else% oneside
975 \if@twocolumn
976 \ifoddpage
977 \if@firstcolumn% on right side
978 \setBottomCaption\setPageObject
979 \else
980 \setPageObject\setBottomCaption
981 \fi
982 \else
983 \if@firstcolumn% on left side
984 \afterpage{\setPageObject\setBottomCaption}%
985 \else
986 \setPageObject\setBottomCaption
987 \fi
988 \fi
989 \else % onecolumn
990 \ifoddpage

```

```

991         \setBottomCaption\setPageObject
992     \else
993         \afterpage{\setBottomCaption\setPageObject}%
994     \fi
995 \fi
996 \fi
997 \or%           caption on the inner column 4->inner
998 % \set@caption@object
999 \if@twocolumn
1000     \ifoddpage
1001         \if@firstcolumn% on right side
1002         \setBottomCaption\setPageObject
1003         \else           % right column on right side
1004             \setPageObject\setBottomCaption% start next firstcolumn next page
1005         \fi
1006     \else
1007         \if@firstcolumn% on left side
1008             \afterpage{\afterpage{\setBottomCaption\setPageObject}}% start next page/first column
1009         \else% left page/column
1010             \setBottomCaption\setPageObject% start on same page/column
1011         \fi
1012     \fi
1013 \else% onecolumn
1014     \setBottomCaption\setPageObject
1015 \fi
1016 \or%           caption on the outer column 5->outer
1017 % \set@caption@object
1018 \if@twocolumn
1019     \ifoddpage
1020         \if@firstcolumn
1021             \afterpage{\afterpage{\setBottomCaption\setPageObject}}%
1022         \else
1023             \afterpage{\setBottomCaption\setPageObject}%
1024         \fi
1025     \else% even page (left)
1026         \if@firstcolumn
1027             \setBottomCaption\setPageObject
1028         \else
1029 %%%          !!!! to-do: !!!!
1030         \fi
1031     \fi
1032 \else% onecolumn
1033     \setBottomCaption\setPageObject
1034 \fi
1035 \or%           caption after object on same page 6->right for twocolumn
1036 \if@twocolumn
1037     \if@firstcolumn
1038         \afterpage{\setPageObject\setBottomCaption}%
1039     \else
1040         \setPageObject\setBottomCaption
1041     \fi
1042 \else% always caption _after_ object for onecolumn
1043     \setPageObject\setBottomCaption
1044 \fi
1045 \or%           caption before object on same page 7->left for twocolumn
1046 \if@twocolumn
1047     \if@firstcolumn
1048         \setBottomCaption\setPageObject
1049     \else
1050         \afterpage{\setBottomCaption\setPageObject}%
1051     \fi
1052 \else% onecolumn -> same as before
1053     \setBottomCaption\setPageObject
1054 \fi
1055 \fi
1056 \endgroup% startet at main \hvFloat
1057 }

```

```

1058 %
1059
1060
1061 %% ----- the doublepage obejcts -----
1062 %% ||lin+evenside --- |lin+oddside ---|
1063 %
1064 \def\do@hvFloat@doublePage#1{% image on left and right page with caption on the right page
1065 % #1-> 0/1 caption under/right
1066 \global\setlength\hv@LeftPageObjectWidth{\dimexpr\paperwidth-lin-\evensidemargin-\hvSet@bindCorrection}%
1067 \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1068 \xdef\hv@caption@format@temp{\hv@caption@format}% it gets lost otherwise for next afterpage
1069 \setlength\@dblfpbot{0\p@ \@plus 1fil}%
1070 \global\hv@switchTypefalse
1071 % \endgroup% started at main macro \hvFloat
1072 \setcounter{hv@tempCNTfigA}{\value{figure}}%
1073 \setcounter{hv@tempCNTfigB}{\value{figure}}%
1074 \setcounter{hv@tempCNTtabA}{\value{table}}%
1075 \setcounter{hv@tempCNTtabB}{\value{table}}%
1076 \savebox\hvCaptionBox{% NO rotation
1077 \minipage{\textwidth}% minipage, to get hyphenation
1078 \let\@capttype\hv@floatType
1079 \caption*{\hv@longCap}%
1080 \endminipage}%
1081 \savebox\hvObjectBox{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1082 \ifnum#1=0\relax % no rotation, caption below
1083 \hv@typeout{Texthöhe: \the\textheight}%
1084 \hv@typeout{Objekthöhe: \the\ht\hvObjectBox}%
1085 \hv@typeout{Captionhöhe: \the\ht\hvCaptionBox}%
1086 \@tempdima=\dimexpr\ht\hvObjectBox+\ht\hvCaptionBox+\abovecaptionskip+\belowcaptionskip +\textfloatsep
1087 \relax%+floatsep\relax
1088 \hv@typeout{Summe: \the\@tempdima}%
1089 \ifdim\@tempdima > \dimexpr\textheight-\hv@minTextlines\relax
1090 \hv@typeout{hvfloat: switched to floattype p}%
1091 \hv@switchTypetrue
1092 \fi
1093 \fi
1094 \hv@typeout{do@hvFloat@doublePage: hv@tempWidthA=\the\hv@tempWidthA}%
1095 \checkoddpag
1096 \ifoddpage
1097 \if@twocolumn
1098 \if@firstcolumn
1099 \ifhv@switchType
1100 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1101 \else
1102 \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1103 \fi
1104 \else
1105 \ifhv@tugboat
1106 \do@hvFloat@doublePageCaptionRight{#1}%
1107 \else
1108 \ifhv@switchType
1109 \do@hvFloat@doublePAGECaptionRight{#1}%
1110 \else
1111 \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1112 \fi
1113 \fi
1114 \else
1115 \ifhv@switchType
1116 \do@hvFloat@doublePAGECaptionRight{#1}%
1117 \else
1118 \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1119 \fi
1120 \fi
1121 \else% we have an even page
1122 \if@twocolumn
1123 \if@firstcolumn

```

```

1124 \ifhv@switchType
1125 \afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1126 \else
1127 \afterpage{\afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}}%
1128 \fi
1129 \else% second column
1130 \ifhv@switchType
1131 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1132 \else
1133 \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1134 \fi
1135 \fi
1136 \else% onecolumn
1137 \ifhv@switchType
1138 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1139 \else
1140 \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1141 \fi
1142 \fi
1143 \fi
1144 \let\c@fptop\hv@fptop
1145 \endgroup% started at main macro \hvFloat
1146 }
1147 %
1148 \def\do@hvFloat@doublePageCaptionRight#1{% image on left and right page with caption on the right page
-----
1149 \do@hvFloat@doublePageCaptionRightObjectLeft{0pt}%
1150 \afterpage{\do@hvFloat@doublePageCaptionRightObjectRight{#1}}%
1151 }
1152 %
1153 \def\do@hvFloat@doublePageCaptionRightObjectLeft#1{% left part of the object
1154 \begin{\hv@floatType*}[!t]
1155 \hv@set@noverticalSpace
1156 \hfuzz=\maxdimen
1157 \let\c@hv@tempCNTfigA\c@figure
1158 \let\c@hv@tempCNTtabA\c@table
1159 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1160 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1161 \hv@typeout{Floatpositionsparameter: !t}%
1162 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1163 \clipbox*{0 -\depth}{\hv@leftPageObjectWidth}{\height}{\usebox{\hvObjectBox}%
1164 \ifx\hv@label\@empty
1165 \else
1166 \ifx\hv@floatType\hv@figure
1167 \global\refstepcounter{\hv@tempCNTfigA}%
1168 \else
1169 \global\refstepcounter{\hv@tempCNTtabA}% before caption
1170 \fi
1171 \label{\hv@label}%
1172 \fi
1173 \ifhv@global@sameHeight
1174 \hv@typeout{text should be of same height of both pages}%
1175 \par\noindent\phantom{\parbox{\textwidth}{\caption*{\hv@longCap}}}%
1176 % \vspace{-2pt}%
1177 \fi
1178 \hv@reset@noverticalSpace
1179 \end{\hv@floatType*}%
1180 }
1181 \def\do@hvFloat@doublePageCaptionRightObjectRight#1{% right part of the object
1182 \begin{\hv@floatType*}[!t]
1183 \hv@set@noverticalSpace
1184 \hfuzz=\maxdimen
1185 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1186 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1187 \hspace*{-\hv@tempWidthA}%
1188 \savebox{\hv@rightBox}{\clipbox*{\hv@leftPageObjectWidth}{-\depth}{\width}{\height}}{\usebox{\hvObjectBox}}%

```

```

1189 \global\setlength\hv@tempWidthB{\dimexpr\textwidth-\wd\hv@rightBox-\hvSet@bindCorrection+lin+\
1190 \oddsidemargin-\hv@floatCapSep\relax}%
1191 \hv@typeout{Height of right box: \the\ht\hv@rightBox}%
1192 \hv@typeout{Depth of right box : \the\dp\hv@rightBox}%
1193 \ifdim\dp\hv@rightBox > \z@
1194 \raisebox{\depth}{\usebox\hv@rightBox}%
1195 \else
1196 \usebox\hv@rightBox
1197 \fi
1198 \c@hv@tempCNTfigB=\numexpr\c@figure-1\relax
1199 \c@hv@tempCNTtabB=\numexpr\c@table-1\relax
1200 \ifx\hv@label\@empty\else
1201 \ifx\hv@floatType\hv@figure
1202 \refstepcounter{hv@tempCNTfigB}%
1203 \else
1204 \refstepcounter{hv@tempCNTtabB}% before caption
1205 \fi
1206 \label{\hv@label-2}%
1207 \fi
1208 \ifx\hv@caption@format@temp\@empty\else
1209 \expandafter\captionsetup\expandafter{\hv@caption@format@temp}%
1210 \fi
1211 \c@figure=\numexpr\c@hv@tempCNTfigB-1\relax
1212 \c@table=\numexpr\c@hv@tempCNTtabB-1\relax
1213 \ifnum#1>\z@ % caption on the right
1214 \hv@typeout{doublePage: capAngle=\hvSet@capAngle}%
1215 \ifnum\hvSet@capAngle > \z@
1216 \hspace{\hv@floatCapSep}%
1217 \rlap{\rotatebox{\hvSet@capAngle}{\parbox[b]{\the\dimexpr\ht\hv@objectBox+\dp\hv@objectBox}{%
1218 \abovecaptionskip=0pt% local inside parbox
1219 \belowcaptionskip=0pt% local inside parbox
1220 \ifx\relax\hv@shortCap\relax
1221 \caption{\hv@longCap}%
1222 \else
1223 \caption[\hv@shortCap]{\hv@longCap}%
1224 \fi
1225 }}}%
1226 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1227 \else
1228 \global\setlength\hv@tempWidthB{\dimexpr\textwidth-\wd\hv@rightBox-\hvSet@bindCorrection+lin+\
1229 \oddsidemargin-\hv@floatCapSep\relax}%
1230 \hspace{\hv@floatCapSep}%
1231 \rlap{\parbox[b]{\dimexpr\ht\hv@rightBox+\dp\hv@rightBox}{\hv@capVPos}{\hv@tempWidthB}{%
1232 \abovecaptionskip=0pt% local inside parbox
1233 \belowcaptionskip=0pt% local inside parbox
1234 \ifx\hv@shortCap\@empty
1235 \caption{\hv@longCap}%
1236 \else
1237 \caption[\hv@shortCap]{\hv@longCap}%
1238 \fi
1239 }}}%
1240 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1241 \fi
1242 \else % #1 = 0 caption below
1243 \ifx\relax\hv@shortCap\relax
1244 \caption{\hv@longCap}%
1245 \else
1246 \caption[\hv@shortCap]{\hv@longCap}%
1247 \fi
1248 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1249 \fi
1250 \vspace{0pt}%
1251 \hv@reset@noverticalSpace
1252 \end{\hv@floatType*}
1253 }
%
\newsavebox\hv@boxLeftPage

```

```

1254 \newsavebox\hv@boxRightPage
1255 %
1256 %% ||lin+evenside --- |lin+oddside ---||
1257 %
1258
1259 \def\do@hvFloat@doublePAGE#1{% image on left and right page with caption on the right
-----
1260 % #1-> 0/1 caption under/right
1261 \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1262 \global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\
hvSet@bindCorrection}%
1263 \expandafter\global\expandafter\savebox\expandafter\hvObjectBox\expandafter{\ifhv@use0Box\usebox{\hv0Box
}\else\hv@floatObject\fi}%
1264 \expandafter\global\expandafter\savebox\expandafter\hv@boxLeftPage\expandafter{\clipbox*{0 -\depth}{ \
hv@leftPageObjectWidth}{ \height}{\usebox\hvObjectBox}}%
1265 \expandafter\global\expandafter\savebox\expandafter\hv@boxRightPage\expandafter{\clipbox*{\
hv@leftPageObjectWidth}{ -\depth}{ \width}{ \height}{\usebox\hvObjectBox}}%
1266 % \endgroup% started at main macro \hvFloat
1267 \checkoddpages
1268 \ifoddpages
1269 \if@twocolumn
1270 \if@firstcolumn
1271 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1272 \else
1273 \do@hvFloat@doublePAGECaptionRight{#1}%
1274 \fi
1275 \else
1276 \do@hvFloat@doublePAGECaptionRight{#1}%
1277 \fi
1278 \else
1279 \if@twocolumn
1280 \if@firstcolumn
1281 \afterpage{\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}}%
1282 \else
1283 \afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1284 \fi
1285 \else
1286 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1287 \fi
1288 \fi
1289 \endgroup% startet at main macro
1290 }
1291 %
1292 \def\do@hvFloat@doublePAGECaptionRight#1{% image on left and right page with caption on the right
-----
1293 % #1-> 0/1 caption under/right
1294 \afterpage{%
1295 \hfuzz=\maxdimen
1296 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1297 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1298 \noindent
1299 \clipbox*{0 -\depth}{ \hv@leftPageObjectWidth}{ \height}{\usebox\hvObjectBox}%
1300 \null\newpage\if@twocolumn\null\newpage\fi
1301 \expandafter\global\expandafter\savebox\expandafter\hvObjectBox\expandafter{\ifhv@use0Box\usebox{\
hv0Box}\else\hv@floatObject\fi}%
1302 \noindent
1303 \hspace*{\dimexpr-\hv@tempWidthA}%
1304 \clipbox*{\the\hv@leftPageObjectWidth}{ -\depth}{ \width}{ \height}{\usebox\hvObjectBox}%
1305 \begingroup
1306 \ifnum#1>0
1307 \medskip
1308 \ifdim\dp\hvObjectBox > \z@
1309 \rotatebox[origin=c]{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%
1310 \ifx\relax\hv@shortCap\relax
1311 \captionof{\hv@floatType}{\hv@longCap}%
1312 \else
1313 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%

```



```

1314         \fi
1315     }}%
1316     \ifx\hv@label\@empty\else\label{\hv@label}\fi
1317 \else
1318     \rotatebox{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%
1319         \ifx\relax\hv@shortCap\relax
1320             \captionof{\hv@floatType}{\hv@longCap}%
1321         \else
1322             \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1323         \fi
1324     }}%
1325     \ifx\hv@label\@empty\else\label{\hv@label}\fi
1326 \fi
1327 \else% caption not rotated
1328 \par\noindent
1329 \parbox{\textwidth}{%
1330     \ifx\relax\hv@shortCap\relax
1331         \captionof{\hv@floatType}{\hv@longCap}%
1332     \else
1333         \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1334     \fi
1335     \ifx\hv@label\@empty\else\label{\hv@label}\fi
1336 }%
1337 \fi
1338 \endgroup
1339 \newpage\if@twocolumn\null\newpage\fi
1340 }%
1341 }
1342 %
1343 %% ||lin+evenside --- |lin+oddside ---||
1344 %
1345 \def\do@hvFloat@doubleFULLPAGE#1{% image on left and right page with caption before/below/right/after
1346 % #1-> 0/1 caption under/right
1347 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1348 \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
1349 \else
1350     \ifx\hvSet@capPos\hv@Before \global\hv@capPos=0
1351     \else
1352         \global\hv@capPos=2 % other caption type
1353     \fi\fi
1354 \checkoddpage
1355 \global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1356 \global\setlength\hv@tempWidthA{\dimexpr-\oddsidemargin-\lin-\parindent+\hvSet@bindCorrection}% the
width of the right side offset
1357 \global\setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%
1358 \global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-\hvSet@bindCorrection}%
1359 % \savebox\hv@leftBox{\clipbox*{0 0 \the\hv@leftPageObjectWidth}{ \height}{\usebox\hvObjectBox}}%
1360 % \savebox\hv@rightBox{\clipbox*{\the\hv@leftPageObjectWidth}{ \depth}{ \width}{ \height}{\usebox\hvObjectBox}}%
1361 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1362 \ifoddpage
1363     \ifcase\hv@capPos % =0 Caption before
1364         \if@twocolumn
1365             \if@firstcolumn
1366                 \ifhv@twoColumnCaption
1367                     \set@Normal@Bottom@Caption*
1368                     \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1369                 \else
1370                     \afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1371                 \fi
1372             \else% \if@firstcolumn
1373                 \set@Normal@Bottom@Caption
1374                 \do@hvFloat@doubleFULLPAGE@CaptionBefore
1375             \fi
1376         \else% \if@twocolumn
1377             \set@Normal@Bottom@Caption
1378             \do@hvFloat@doubleFULLPAGE@CaptionBefore

```

```

1379 \fi
1380 \or % =1 Caption after
1381 \ifhv@twoColumnCaption
1382 \if@firstcolumn
1383 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol}%
1384 \else
1385 \do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol
1386 \fi
1387 \else
1388 \if@twocolumn
1389 \if@firstcolumn
1390 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1391 \else
1392 \do@hvFloat@doubleFULLPAGE@CaptionAfter
1393 \fi
1394 \else
1395 \do@hvFloat@doubleFULLPAGE@CaptionAfter
1396 \fi
1397 \fi
1398 \else% \ifcase >1 all other Captions
1399 \if@twocolumn
1400 \if@firstcolumn
1401 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1402 \else
1403 \do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1404 \fi
1405 \else % \if@twocolumn
1406 \do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1407 \fi
1408 \fi% \ifcase
1409 \else% we have an even page
1410 \ifcase\hv@capPos% Before
1411 \if@twocolumn
1412 \if@firstcolumn
1413 \ifhv@twoColumnCaption
1414 \afterpage{\afterpage\set@Normal@Bottom@Caption*\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1415 \else
1416 \afterpage{\afterpage{\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1417 \fi
1418 \else
1419 \afterpage{\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1420 \fi
1421 \else% \if@twocolumn
1422 \afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1423 \fi
1424 \or % capPos after
1425 \if@twocolumn
1426 \if@firstcolumn
1427 \ifhv@twoColumnCaption
1428 \afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1429 \else
1430 \afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1431 \fi
1432 \else
1433 \ifhv@twoColumnCaption
1434 \afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1435 \else
1436 \afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1437 \fi
1438 \fi
1439 \else% \if@twocolumn
1440 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1441 \fi
1442 \else % \ifcase Any other caption
1443 \if@twocolumn

```

```

1444 \if@firstcolumn
1445 \afterpage{\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1446 \else
1447 \afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1448 \fi
1449 \else
1450 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1451 \fi
1452 \fi% ifcase
1453 \fi% main ifoddpage
1454 \endgroup% started at main macro \hvFloat
1455 }
1456
1457 \def\set@Normal@Bottom@Caption{\@ifnextchar*\set@Normal@Bottom@CaptionStar\set@Normal@Bottom@Caption@}
1458 \def\set@Normal@Bottom@Caption@{%
1459 \begin{\hv@floatType}[!b]
1460 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1461 \ifhv@separatorLine\drawSepLine\fi
1462 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1463 \ifx\hv@shortCap\@empty
1464 \captionof{\hv@floatType}{\hv@longCap}%
1465 \else
1466 \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1467 \fi
1468 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1469 \end{\hv@floatType}%
1470 }
1471 \def\set@Normal@Bottom@CaptionStar*{%
1472 \begin{\hv@floatType*}[!b]
1473 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1474 \ifhv@separatorLine\drawSepLine\fi
1475 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1476 \ifx\hv@shortCap\@empty
1477 \captionof{\hv@floatType}{\hv@longCap}%
1478 \else
1479 \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1480 \fi
1481 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1482 \end{\hv@floatType*}%
1483 }
1484
1485 \def\do@hvFloat@doubleFULLPAGE@CaptionBefore{%
1486 \afterpage{%
1487 \hfuzz=\maxdimen
1488 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1489 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}% no
interlineskip
1490 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1491 \thispagestyle{empty}%
1492 \ifx\hv@floatType\hv@figure
1493 \global\refstepcounter{hv@tempCNTfigB}%
1494 \else
1495 \global\refstepcounter{hv@tempCNTtabB}% before caption
1496 \fi
1497 \expandafter\label\expandafter{\hv@label}%
1498 \clipbox*{0 0 \the\hv@leftPageObjectWidth{ } \height}{\usebox{\hvObjectBox}%
1499 \afterpage{%
1500 \if@twocolumn\newpage\null\newpage\fi
1501 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1502 \thispagestyle{empty}%
1503 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}%
-0.5\paperheight+0.5\ht\hvObjectBox
1504 \hspace*{\hv@tempWidthA}%
1505 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1506 \clipbox*{\the\hv@leftPageObjectWidth{ } \dp\hvObjectBox{ } \wd\hvObjectBox{ } \ht\hvObjectBox}{\usebox
\hvObjectBox}%
1507 \ifx\hv@floatType\hv@figure

```

```

1508 \global\refstepcounter{hv@tempCNTfigA}%
1509 \else
1510 \global\refstepcounter{hv@tempCNTtabA}% before caption
1511 \fi
1512 \expandafter\label\expandafter{hv@label-2}%
1513 \newpage\if@twocolumn\null\newpage\fi
1514 }}%
1515 }
1516
1517 \newif\ifhv@temp
1518
1519 \def\do@hvFloat@doubleFULLPAGE@CaptionAfter{%
1520 \afterpage{%
1521 \hfuzz=\maxdimen
1522 \global\savebox{hvObjectBox}{\ifhv@use0Box\usebox{hv0Box}\else\hv@floatObject\fi}%
1523 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}% no
interlineskip
1524 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1525 \thispagestyle{empty}%
1526 \clipbox*{0 \the\dp\hvObjectBox}{ \the\hv@leftPageObjectWidth}{ \the\ht\hvObjectBox}{\usebox\
hvObjectBox}%
1527 \ifx\hv@floatType\hv@figure
1528 \refstepcounter{hv@tempCNTfigA}%
1529 \else
1530 \refstepcounter{hv@tempCNTtabA}% before caption
1531 \fi
1532 \ifx\hv@label\@empty\else\label{hv@label}\fi
1533 % \afterpage{%
1534 \newpage\if@twocolumn\null\newpage\fi
1535 \global\savebox{hvObjectBox}{\ifhv@use0Box\usebox{hv0Box}\else\hv@floatObject\fi}%
1536 \thispagestyle{empty}%
1537 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}%
-0.5\paperheight+0.5\ht\hvObjectBox
1538 \hspace*{\hv@tempWidthA}%
1539 \global\savebox{hvObjectBox}{\ifhv@use0Box\usebox{hv0Box}\else\hv@floatObject\fi}%
1540 \clipbox*{\the\hv@leftPageObjectWidth}{ \dp\hvObjectBox}{ \wd\hvObjectBox}{ \ht\hvObjectBox}{\usebox
\hvObjectBox}%
1541 \ifx\hv@floatType\hv@figure
1542 \refstepcounter{hv@tempCNTfigB}%
1543 \else
1544 \refstepcounter{hv@tempCNTtabB}% before caption
1545 \fi
1546 \expandafter\label\expandafter{hv@label-2}%
1547 \newpage\if@twocolumn\null\newpage\fi
1548 \begin{hv@floatType}[!b]
1549 \ifhv@separatorLine\drawSepLine\fi
1550 % \expandafter\captionsetup\expandafter{hv@caption@format}%
1551 \ifx\hv@shortCap\@empty
1552 \captionof{hv@floatType}{hv@longCap}%
1553 \else
1554 \captionof{hv@floatType}[hv@shortCap]{hv@longCap}%
1555 \fi
1556 \ifx\hv@label\@empty\else\label{hv@label-cap}\fi
1557 \end{hv@floatType}%
1558 }%}%
1559 }
1560
1561 \def\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{%
1562 \afterpage{%
1563 \global\savebox{hvObjectBox}{\ifhv@use0Box\usebox{hv0Box}\else\hv@floatObject\fi}%
1564 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}% no
interlineskip
1565 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1566 \thispagestyle{empty}%
1567 \ifx\hv@floatType\hv@figure
1568 \refstepcounter{hv@tempCNTfigA}%
1569 \else

```

```

1570 \refstepcounter{hv@tempCNTtabA}% before caption
1571 \fi
1572 \ifx\hv@label\@empty\else\label{\hv@label}\fi
1573 \clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%
1574 \newpage\if@twocolumn\newpage\fi
1575 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1576 \thispagestyle{empty}%
1577 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}%
-0.5\paperheight+0.5\ht\hvObjectBox
1578 \hspace*{\hv@tempWidthA}%
1579 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1580 \clipbox*{\the\hv@leftPageObjectWidth{} \dp\hvObjectBox{} \wd\hvObjectBox{} \ht\hvObjectBox}{\usebox
\hvObjectBox}%
1581 \ifx\hv@floatType\hv@figure
1582 \refstepcounter{hv@tempCNTfigB}%
1583 \else
1584 \refstepcounter{hv@tempCNTtabB}% before caption
1585 \fi
1586 \ifx\hv@label\@empty\else\label{\hv@label-2}\fi
1587 \newpage
1588 \begin{\hv@floatType*}[!b]
1589 \hv@twoColumnCaptiontrue
1590 \ifhv@separatorLine\drawSepLine\fi
1591 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1592 \ifx\hv@shortCap\@empty
1593 \captionof{\hv@floatType}{\hv@longCap}%
1594 \else
1595 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1596 \fi
1597 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1598 \end{\hv@floatType}%
1599 }%
1600 }
1601
1602 \def\do@hvFloat@doubleFULLPAGE@CaptionOther#1{%
1603 \afterpage{%
1604 \hfuzz=\maxdimen
1605 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1606 \thispagestyle{empty}%
1607 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}% -0.5\
paperheight+0.5\ht\hvObjectBox
1608 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1609 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1610 \clipbox*{0 \depth{} \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%
1611 \ifx\hv@floatType\hv@figure
1612 \refstepcounter{hv@tempCNTfigA}%
1613 \else
1614 \refstepcounter{hv@tempCNTtabA}% before caption
1615 \fi
1616 \label{\hv@label}%
1617 \afterpage{%
1618 \if@twocolumn\newpage\if@firstcolumn\else\newpage\fi\fi
1619 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1620 \thispagestyle{empty}%
1621 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip+2\lineskip}%
-0.5\paperheight+0.5\ht\hvObjectBox
1622 \hspace*{\hv@tempWidthA}%
1623 \clipbox*{\hv@leftPageObjectWidth{} \dp\hvObjectBox{} \wd\hvObjectBox{} \ht\hvObjectBox}{\usebox\
hvObjectBox}%
1624 \ifx\hv@floatType\hv@figure
1625 \refstepcounter{hv@tempCNTfigB}%
1626 \else
1627 \refstepcounter{hv@tempCNTtabB}% before caption
1628 \fi
1629 \expandafter\label\expandafter{\hv@label-2}%
1630 \savebox\hvCaptionBox{\parbox{0.9\ht\hvObjectBox}{\captionof*{\hv@floatType}{\hv@longCap}}}%
1631 \ifnum#1 > 0\relax % rotation with 90°

```

```

1632 % \setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%
1633 \ifdim\hv@tempWidthB < 2\paperwidth
1634 \rotatebox[origin=lb]{90}{\makebox[\paperheight][c]{\parbox{0.8\ht\hvObjectBox}{%
1635 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1636 \ifx\hv@shortCap\@empty
1637 \captionof{\hv@floatType}{\hv@longCap}%
1638 \else
1639 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1640 \fi
1641 }}}% rotatebox
1642 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1643 \else% ifdim: no space left on page
1644 \put(-2\ht\hvCaptionBox,0.5\ht\hvObjectBox){\makebox(0,0){\rotatebox{90}{\minipage{\textwidth}\
1645 \centering
1646 \parbox{0.8\textwidth}{%
1647 \ifx\hv@shortCap\@empty
1648 \captionof{\hv@floatType}{\hv@longCap}%
1649 \else
1650 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1651 \fi
1652 }%
1653 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1654 \endminipage}}}%
1655 \fi
1656 \else% ifnum, caption not rotated, under or over the right page
1657 \setlength\hv@tempWidthA{\dimexpr\paperheight-\ht\hvObjectBox}%
1658 \ifdim\hv@tempWidthA > \ht\hvCaptionBox
1659 \else
1660 \put(\the\dimexpr1.5\paperwidth-\wd\hvObjectBox-\hvSet@bindCorrection,\the\dimexpr\ht\
1661 % \hvCaptionBox+\abovecaptionskip+\belowcaptionskip){\makebox[0pt][c]{\parbox{\textwidth}{%
1662 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1663 \ifx\hv@shortCap\@empty
1664 \captionof{\hv@floatType}{\hv@longCap}%
1665 \else
1666 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1667 \fi
1668 }}}%
1669 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1670 \fi
1671 \fi% end ifnum#1>0
1672 \newpage\if@twocolumn\null\newpage\fi
1673 }%
1674 }
1675
1676 \def\setBottomCaption{%
1677 \begin{\hv@floatType}[!b]%
1678 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1679 \ifhv@separatorLine\drawSepLine\fi
1680 \par
1681 \usebox\hvCaptionBox
1682 \end{\hv@floatType}%
1683 }
1684
1685 \def\setPageObject{%
1686 \ifhv@star
1687 \begin{\hv@floatType*}[p]%
1688 \else
1689 \begin{\hv@floatType}[p]%
1690 \fi
1691 \hfuzz=\maxdimen
1692 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1693 \ifhv@FULLPAGE
1694 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep}%-0.5\baselineskip%
1695 \checkoddpage
1696 \if@twoside

```



```

1697 \ifoddpage
1698 \hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%
1699 \else
1700 \hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1701 \fi
1702 \else
1703 \hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%
1704 \fi
1705 \AtBeginShipoutNext{\thispagestyle{empty}}%
1706 \usebox\hvObjectBox
1707 \else
1708 \usebox\hvObjectBox
1709 \fi
1710 \ifhv@star
1711 \end{\hv@floatType}%
1712 \else
1713 \end{\hv@floatType}%
1714 \fi
1715 }
1716
1717 \ExplSyntaxOn
1718
1719 \def\getMultiCaptionAndLabel{%
1720 \global\abox\hvCaptionBox{\minipage[b]{\linewidth}%
1721 \captionsetup{aboveskip=\z@,belowskip=\z@,position=below,parbox=none}% skip=-lex}%
1722 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1723 \parskip=-0.5\baselineskip
1724 \hv@cntb=\clist_count:N\l_clist_Type
1725 \advance\hv@cntb by \@ne
1726 \hv@canta=1
1727 \loop
1728 \edef\@capytype{\clist_item:Nn\l_clist_Type{\hv@canta}}%
1729 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@canta}}%
1730 \ifx\@tempa\empty
1731 \caption{\clist_item:Nn\l_clist_Caption{\hv@canta}}%
1732 \else
1733 \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@canta}}%
1734 \fi
1735 \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@canta}}%
1736 \ifx\@tempa\empty
1737 \else
1738 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@canta}-cap}\fi
1739 \advance\hv@canta by \@ne
1740 \ifnum\hv@canta<\hv@cntb
1741 \repeat
1742 \vspace{-\baselineskip}% no vspace at the end
1743 \endminipage}%
1744 }
1745
1746 \def\getMultiObjectAndLabel{%
1747 \global\abox\hvObjectBox{%
1748 \ifhv@vFill
1749 \minipage[b][\textheight][s]{\columnwidth}%
1750 \else
1751 \minipage{\columnwidth}%
1752 \fi
1753 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1754 \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1755 \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1756 \ifx\hvSet@objectPos\hv@Center\centering
1757 \fi\fi\fi
1758 \hv@cntb=\clist_count:N\l_clist_Type
1759 \advance\hv@cntb by \@ne
1760 \hv@canta=1
1761 \loop
1762 \def\@temp{\clist_item:Nn\l_clist_Object{\hv@canta}}%
1763 \ifhv@objectFrame\frame{\@temp}\else\@temp\fi

```

```

1764 \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@canta}}%
1765 \edef\@tempb{\clist_item:Nn\l_clist_Type{\hv@canta}}%
1766 \edef\@capttype{\hv@p\@tempb}%
1767 \ifx\@tempa\@empty
1768 \else
1769 \refstepcounter{\@capttype}%
1770 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@canta}}%
1771 \fi
1772 \ifnum\hv@canta<\clist_count:N\l_clist_Type\par\hv@vskip\fi
1773 \advance\hv@canta by \@ne
1774 \ifnum\hv@canta<\hv@cntb
1775 \ifhv@vfill\vfll\fi
1776 \repeat
1777 \endminipage}%
1778 }
1779 \def\getMultiSubCaptionAndLabel{%
1780 \global\sbox\hvCaptionBox{%
1781 \minipage{\linewidth}%
1782 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1783 \setlength\belowcaptionskip{5pt}%
1784 \setlength\abovecaptionskip{0pt}%
1785 \xdef\@capttype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats
1786 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{1}}%
1787 \ifx\@tempa\@empty
1788 \caption{\clist_item:Nn\l_clist_Caption{1}}%
1789 \else
1790 \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{1}}%
1791 \fi
1792 \edef\@tempa{\clist_item:Nn\l_clist_Label{1}}%
1793 \ifx\@tempa\@empty\else\expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{1}-cap}\fi
1794 \endminipage}%
1795 }
1796
1797 \def\getMultiSubObjectAndLabel{%
1798 \global\sbox\hvObjectBox{%
1799 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1800 \ifhv@vfill
1801 \minipage[b][\textheight]{s}{\columnwidth}%
1802 \captionsetup{belowskip=0pt}%
1803 \else
1804 \minipage{\columnwidth}%
1805 \fi
1806 % \ifx\hv@subcaption@format\@empty\else
1807 % \expandafter
1808 % \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
1809 % {\hv@subcaption@format}%
1810 % \fi
1811 \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1812 \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1813 \ifx\hvSet@objectPos\hv@Center\centering
1814 \fi\fi\fi
1815 \hv@cntb=\clist_count:N\l_clist_Caption
1816 \advance\hv@cntb by \@ne
1817 \hv@canta=2
1818 \edef\@capttype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats
1819 \ifx\@tempa\@empty
1820 \else
1821 % \refstepcounter{\@capttype}%
1822 % \expandafter\label\expandafter{\@tempa}%
1823 \fi
1824 \loop
1825 \def\@temp{\clist_item:Nn\l_clist_Object{\hv@canta}}%
1826 \ifhv@objectFrame\frame{\@temp}\else\@temp\fi
1827 \beginngroup
1828 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@canta}}%
1829 \ifx\@tempa\@empty
1830 \subcaption{\clist_item:Nn\l_clist_Caption{\hv@canta}}%

```

```

1831 \else
1832 \expandafter\subcaption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@cmta}}%
1833 \fi
1834 \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cmta}}%
1835 \ifx\@tempa\empty
1836 \else
1837 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cmta}}%
1838 \fi
1839 \endgroup
1840 \ifnum\hv@cmta<\clist_count:N\l_clist_Type\par\hv@vskip\fi
1841 \advance\hv@cmta by \@ne
1842 \ifnum\hv@cmta<\hv@cmtb
1843 \ifhv@vFill\vfill\fi
1844 \repeat
1845 \edef\@tempa{\clist_item:Nn\l_clist_Label{1}}% the main label at the end
1846 \ifx\@tempa\empty
1847 \else
1848 \edef\@temp{\hv@p\@captype}%
1849 \refstepcounter{\@temp}%
1850 \expandafter\label\expandafter{\@temp}%
1851 \fi
1852 \endminipage}%
1853 }
1854 \ExplSyntaxOff
1855
1856 \def\getSingleCaptionAndLabel{%
1857 \global\sbox\hvCaptionBox{\minipage{\linewidth}%
1858 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1859 \setlength\belowcaptionskip{5pt}%
1860 \setlength\abovecaptionskip{0pt}%
1861 \edef\@captype{\hv@floatType}%
1862 \expandafter\ifx\expandafter\relax\hv@shortCap\relax
1863 \caption{\hv@longCap}%
1864 \else
1865 \caption[\hv@shortCap]{\hv@longCap}%
1866 \fi
1867 \ifx\hv@label\empty\else\label{\hv@label-cap}\fi
1868 \endminipage}%
1869 }
1870
1871 \def\set@caption@object#1{% first caption, then object #1=\hv@floatType
1872 \ifhv@multiFloat
1873 \setcounter{\hv@pfigure}{\value{figure}}%
1874 \setcounter{\hv@ptable}{\value{table}}%
1875 \getMultiCaptionAndLabel
1876 \else
1877 \ifhv@subFloat
1878 \setcounter{\hv@pfigure}{\value{figure}}%
1879 \setcounter{\hv@ptable}{\value{table}}%
1880 \getMultiSubCaptionAndLabel
1881 \else
1882 \getSingleCaptionAndLabel
1883 \fi
1884 \fi
1885 \edef\@captype{\hv@p#1}%
1886 \ifhv@multiFloat
1887 \getMultiObjectAndLabel
1888 \else
1889 \ifhv@subFloat
1890 \getMultiSubObjectAndLabel
1891 \else
1892 \global\sbox\hvObjectBox{%
1893 \refstepcounter{\@captype}%
1894 \ifhv@objectFrame\frame{\hv@floatObject}\else\hv@floatObject\fi
1895 \expandafter\ifx\expandafter\relax\hv@label\relax
1896 \else
1897 \expandafter\label\expandafter{\hv@label}%

```

```
1898     \fi
1899   }%
1900   \fi
1901 \fi
1902 }
1903 %
1904 \endinput
```