

# The `scripture` package

David Purton\*

2022/08/27 v1.1

## Abstract

The `scripture` package provides a set of macros for typesetting quotations from the Bible. It provides many features commonly seen in Bibles such as dropped text for chapter numbers, superscripts for verse numbers, indented lines for poetry sections, narrow sections and hanging paragraphs. A reference for the quotation can optionally be added.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Bug reports and feature requests . . . . .	2
1.2	Limitations . . . . .	2
<b>2</b>	<b>Documentation</b>	<b>3</b>
2.1	Basic usage . . . . .	3
2.2	Macros for typesetting scripture quotations . . . . .	3
2.2.1	Functions . . . . .	3
2.2.2	Environments . . . . .	5
2.3	Provided hooks . . . . .	8
2.4	Options . . . . .	9
2.4.1	Options for the <code>center</code> environment . . . . .	13
2.4.2	Options for the <code>flushright</code> environment . . . . .	14
2.4.3	Options for the <code>hanging</code> environment . . . . .	14
2.4.4	Options for the <code>midparachap</code> environment . . . . .	15
2.4.5	Options for the <code>narrow</code> environment . . . . .	15
2.4.6	Options for the <code>poetry</code> environment . . . . .	16

---

\*Email: [dcpurton@marshwiggles.net](mailto:dcpurton@marshwiggles.net)

<b>3</b>	<b>Implementation</b>	<b>17</b>
3.1	Messages	17
3.2	Options	17
3.3	hooks	21
3.4	The main <code>scripture</code> environment	21
3.4.1	Formatting and printing quotation references	22
3.4.2	Formatting and printing chapter numbers	23
3.4.3	Formatting and printing verse numbers	26
3.4.4	Calculating the length of the final line in a paragraph	26
3.4.5	The <code>scripture</code> environment	27
3.5	Scripture internal environments	31
3.5.1	The <code>center</code> environment	31
3.5.2	The <code>flushright</code> environment	32
3.5.3	The <code>hanging</code> environment	33
3.5.4	The <code>midparachap</code> environment	37
3.5.5	The <code>narrow</code> environment	40
3.5.6	The <code>poetry</code> environment	42
3.6	Public L <sup>A</sup> T <sub>E</sub> X Interface	49
	<b>Change History</b>	<b>52</b>
	<b>Index</b>	<b>52</b>

## 1 Introduction

Bibles tend to use a number of standard features when laying out chapters and verses. The main goal for the `scripture` package is to be able to quickly and easily input text and have it output nicely with minimal manual adjustment.

The package supports dropped text for chapter numbers, superscripts for verse numbers, appropriately indented lines for the first and second halves of poetry, flush right sections, centred sections, narrow sections and hanging sections.

The package could be used for typesetting an entire Bible, but it is mainly envisioned that it will be used for producing Scripture quotations. The passage reference can be included on the last line if there is space or failing that on the following line.

### 1.1 Bug reports and feature requests

Bug reports and feature requests can be made at the `scripture` package GitHub repository. See <https://github.com/dcpurton/scripture>.

## 1.2 Limitations

The `scripture` package makes extensive use of L<sup>A</sup>T<sub>E</sub>X `list` environments and the `\parshape` command. This means there are some limitations. In particular, you should not:

- Nest the `scripture` environment or any of its internal environments.
- Modify the `\parshape` within a `scripture` environment.
- Include any other `list` based environment within a `scripture` environment.

Some attempt is made to encourage appropriate page breaks, especially just before a reference is added to a quotation, but this can still sometimes fail and a reference will end up on the following page. Usually a little more stretchable space on the page before the incorrect break is enough to obtain acceptable output.

## 2 Documentation

### 2.1 Basic usage

Scripture quotations must be set within a `scripture` environment. A simple quotation might be produced as follows:

```
\begin{scripture}[Isaiah 56:1--2][version=NIVUK]
\ch{56}This is what the \textsc{Lord} says:
\begin{poetry}
  'Maintain justice
  and do what is right,

  for my salvation is close at hand
  and my righteousness will soon be revealed.

  \vs{2}Blessed is the one who does this---
  the person who holds it fast,

  who keeps the Sabbath without desecrating it,
  and keeps their hands from doing any evil.'
\end{poetry}
\end{scripture}
```

**56** This is what the LORD says:  
‘Maintain justice  
and do what is right,  
for my salvation is close at hand  
and my righteousness will soon  
be revealed.  
<sup>2</sup>Blessed is the one who does this—  
the person who holds it fast,  
who keeps the Sabbath without  
desecrating it,  
and keeps their hands from  
doing any evil.’  
**Isaiah 56:1–2 (NIVUK)**

### 2.2 Macros for typesetting scripture quotations

#### 2.2.1 Functions

---

<code>\ch</code>	<code>\ch{&lt;chapter number&gt;}</code>
<code>\ch*</code>	<code>\ch*{&lt;chapter number&gt;}</code>

---

Format a chapter number. By default these are formatted using drop text taking up two lines and the text is separated from the chapter number by a horizontal space of 0.5em.

If the `dropchap` option is `true` (default), then this function attempts to add sufficient space for the dropped chapter when its paragraph contains only one line. The starred version suppresses this behaviour.

`\ch example`

```
\begin{scripture}[Exodus 20:1--2]
\ch{20}And God spoke all these words:
\begin{hanging}
\noindent\vs{2}'I am the \textsc{Lord}
your God, who brought you out of Egypt,
out of the land of slavery.
\end{hanging}
\end{scripture}
```

`\ch* example`

```
\begin{scripture}[Exodus 20:1--2]
\ch*{20}And God spoke all these words:
\begin{hanging}
\nohang\vs{2}'I am the \textsc{Lord} your
God, who brought you out of Egypt, out of
the land of slavery.
\end{hanging}
\end{scripture}
```

`\ch example`

**20** And God spoke all these words:  
<sup>2</sup>'I am the LORD your God, who brought you out of Egypt, out of the land of slavery.  
**Exodus 20:1–2**

`\ch* example`

**20** And God spoke all these words:  
<sup>2</sup>'I am the LORD your God, who brought you out of Egypt, out of the land of slavery.  
**Exodus 20:1–2**

---

`\extraskip` `\extraskip`

Add a small vertical space of `\extraskip` between a paragraph. This function attempts to add additional space to avoid a clash with a drop chapter if required.

```
\begin{scripture}[Colossians 1:2]
\vs{2}To God's holy people in Colossae, the
faithful brothers and sisters in Christ:

\extraskip

Grace and peace to you from God our Father.
\end{scripture}
```

<sup>2</sup>To God's holy people in Colossae, the faithful brothers and sisters in Christ:

Grace and peace to you from God our Father.  
**Colossians 1:2**

---

`\nohang` `\nohang`

In a `hanging` environment, this function indents the first line of the paragraph a length of `hanging/hang + parindent`. Remaining lines continue to be indented by a length of `hanging/hang`.

```
\begin{scripture}[Genesis 1:10--11]
\begin{hanging}
\noindent\vs{10}God called the dry ground
'land', and the gathered waters he called
'seas'. And God saw that it was good.

\nohang\vs{11}Then God said, 'Let the land
produce vegetation: seed-bearing plants and
trees on the land that bear fruit with seed
in it, according to their various kinds.'
And it was so.
\end{hanging}
\end{scripture}
```

<sup>10</sup>God called the dry ground 'land', and the gathered waters he called 'seas'. And God saw that it was good.

<sup>11</sup>Then God said, 'Let the land produce vegetation: seed-bearing plants and trees on the land that bear fruit with seed in it, according to their various kinds.' And it was so.

**Genesis 1:10–11**

<code>\scripturecurrentchapter</code>	<code>\scripturecurrentchapter</code>
<code>\scripturecurrentverse</code>	<code>\scripturecurrentverse</code>
New: 2022-08-07	<code>\scripturecurrentchapter</code> and <code>\scripturecurrentverse</code> globally hold the most recent values parsed to <code>\ch</code> and <code>\vs</code> . They can be initialised with <code>\renewcommand*</code> if required and could be used in hooks, for example.

<code>\selah</code>	<code>\selah</code>
New: 2022-07-29	In a <code>poetry</code> environment, this function inserts <i>Selah</i> at the end of the current line or the end of the following line if there is insufficient room. See options <code>selah/font</code> , <code>selah/format</code> , <code>selah/sep</code> and <code>selah/text</code> for options controlling the output.

<pre>\begin{scripture}[Psalm 3:2][version=NIV84] \begin{poetry} \vs{2}Many are saying of me, ‘‘God will not deliver him.’’\selah \end{poetry} \end{scripture}</pre>	<sup>2</sup> Many are saying of me, “God will not deliver him.” <i>Selah</i> <b>Psalm 3:2 (NIV84)</b>
---	---

<code>\scripturesetup</code>	<code>\scripturesetup{&lt;options&gt;}</code>
	Set default format for quotations. See section 2.4 for supported formatting <code>&lt;options&gt;</code> .

<code>\vs</code>	<code>\vs{&lt;verse number&gt;}</code>
	Format a verse number. By default these are formatted using a superscript.

### 2.2.2 Environments

All scripture quotations must be set within a `scripture` environment. The rest of the environments documented below are only defined with the `scripture` environment. In most cases there is a default small `<aboveskip>` and `<belowskip>` inserted above and below these internal environments, but these are ignored if the environment is at the start or end of a `scripture` environment.

<code>center</code>	<code>\begin{center}[&lt;options&gt;]</code>
	<code>&lt;centred text&gt;</code>
	<code>\end{center}</code>

Environment for typesetting centred sections of scripture quotations.  
See section 2.4.1 for supported formatting `<options>`.

<pre>\begin{scripture}[Daniel 5:25] \vs{25}‘This is the inscription that was written: \begin{center} \textsc{mene, mene, tekel, parsin} \end{center} \end{scripture}</pre>	<sup>25</sup> ‘This is the inscription that was written: MENE, MENE, TEKEL, PARSIN <b>Daniel 5:25</b>
--	--

---



---

```
flushright \begin{flushright}[\langle options \rangle]
           \langle right aligned text \rangle
           \end{flushright}
```

Environment for typesetting right aligned sections of scripture quotations.  
See section 2.4.2 for supported formatting *\langle options \rangle*.

<pre>\begin{scripture}[Jeremiah 2:29] \begin{poetry}[belowskip=0pt] \vs{5}'Why do you bring charges against me? You have all rebelled against me,' \end{poetry}  \begin{flushright}[aboveskip=0pt] declares the \textsc{Lord}. \end{flushright} \end{scripture}</pre>	<p><sup>5</sup>'Why do you bring charges against me? You have all rebelled against me,' declares the LORD. <b>Jeremiah 2:29</b></p>
---	---

---



---

```
hanging \begin{hanging}[\langle options \rangle]
        \langle hanging text \rangle
        \end{hanging}
```

Environment for typesetting hanging sections of scripture quotations.  
See section 2.4.3 for supported formatting *\langle options \rangle*.

<pre>\begin{scripture}[Genesis 1:3--5] \begin{hanging} \vs{3}And God said, 'Let there be light,' and there was light. \vs{4}God saw that the light was good, and he separated the light from the darkness. \vs{5}God called the light 'day', and the darkness he called 'night'. And there was evening, and there was morn\~ing---the first day. \end{hanging} \end{scripture}</pre>	<p><sup>3</sup>And God said, 'Let there be light,' and there was light. <sup>4</sup>God saw that the light was good, and he separated the light from the darkness. <sup>5</sup>God called the light 'day', and the darkness he called 'night'. And there was evening, and there was morning—the first day. <b>Genesis 1:3–5</b></p>
--	---

---



---

```
midparachap \begin{midparachap}[\langle options \rangle]
            \langle text containing a chapter break \rangle
            \end{midparachap}
```

Environment for typesetting paragraph with a chapter break within it.  
See section 2.4.4 for supported formatting *\langle options \rangle*.

```

\begin{scripture}[1 Corinthians 10:31--11:1]
\begin{midparachap}
\vs{31}So whether you eat or drink or
whatever you do, do it all for the glory of
God. \vs{32}Do not cause anyone to stumble,
whether Jews, Greeks or the church of
God--\vs{33}even as I try to please everyone
in every way. For I am not seeking my own
good but the good of many, so that they may
be saved. \ch{11}Follow my example, as I
follow the example of Christ.
\end{midparachap}
\end{scripture}

```

<sup>31</sup>So whether you eat or drink or whatever you do, do it all for the glory of God. <sup>32</sup>Do not cause anyone to stumble, whether Jews, Greeks or the church of God—<sup>33</sup>even as I try to please everyone in every way. For I am not seeking my own good but the good of many, so that they may be saved. <sup>1</sup>Follow my example, as I follow the example of Christ.

**1 Corinthians 10:31–11:1**

---

```

narrow \begin{narrow}[\langle options \rangle]
\langle quotation \rangle
\end{narrow}

```

Environment for typesetting narrow sections of scripture quotations.  
See section 2.4.5 for supported formatting *⟨options⟩*.

```

\begin{scripture}[2 Kings 18:18--19]
\vs{18}They called for the king; and Eliakim
son of Hilkiah the palace administrator, Shebna
the secretary, and Joah son of Asaph the
recorder went out to them.

\vs{19}The field commander said to them, ‘Tell
Hezekiah:
\begin{narrow}
\thinspace‘‘This is what the great king, the
king of Assyria, says: on what are you basing
this confidence of yours?
\end{narrow}
\end{scripture}

```

<sup>18</sup>They called for the king; and Eliakim son of Hilkiah the palace administrator, Shebna the secretary, and Joah son of Asaph the recorder went out to them.

<sup>19</sup>The field commander said to them, ‘Tell Hezekiah:

‘‘This is what the great king, the king of Assyria, says: on what are you basing this confidence of yours?’’

**2 Kings 18:18–19**

---

```

poetry \begin{poetry}[\langle options \rangle]
\langle first half of verse \rangle
\langle second half of verse \rangle

\langle first half of verse \rangle
\langle second half of verse \rangle
\end{poetry}

```

Environment for typesetting poetry sections of scripture quotations.

Poetry sections of the Bible often have a first half and a parallel second half which is indented a little. These should be set on separate consecutive lines. Leaving a blank line indicates that the next line should return to the first half indent.

See section 2.4.6 for supported formatting *⟨options⟩*.

<pre>\begin{scripture}[Isaiah 1:2] \begin{poetry} \vs{2}Hear me, you heavens! Listen, earth! For the \textsc{Lord} has spoken:  'I reared children and brought them up, but they have rebelled against me. \end{poetry} \end{scripture}</pre>	<sup>2</sup> Hear me, you heavens! Listen, earth! For the LORD has spoken: 'I reared children and brought them up, but they have rebelled against me. <b>Isaiah 1:2</b>
---	--

---

```
scripture \begin{scripture}[\langle reference \rangle][\langle options \rangle]
\langle quotation \rangle
\end{scripture}
```

---

Main environment for typesetting scripture quotations.

The optional `\langle reference \rangle` is printed at the end of the quotation. See section 2.4 for supported formatting `\langle options \rangle`.

<pre>\begin{scripture}[John 3:16][version=NIV] \vs{16}For God so loved the world that he gave his one and only Son, that whoever believes in him shall not perish but have eternal life. \end{scripture}</pre>	<sup>16</sup> For God so loved the world that he gave his one and only Son, that whoever believes in him shall not perish but have eternal life. <b>John 3:16 (NIV)</b>
--	--

## 2.3 Provided hooks

---

```
scripture/chap/before
scripture/chap/after
scripture/verse/before
scripture/verse/after
```

---

New: 2022-08-07

The following public hooks are available:

**scripture/chap/before** This hook is executed immediately before the `chap/font` is set for the chapter.

**scripture/chap/after** This hook is executed immediately after the `chap/sep` space is inserted.

**scripture/verse/before** This hook is executed immediately before the `verse/font` is set for the verse.

**scripture/chap/after** This hook is executed immediately after the `verse/sep` space is inserted.

The following example illustrates how these hooks could be used to place the first and last verse on the page into the header.



```

\documentclass{article}
\usepackage{scripture}
\AddToHook{scripture/chap/after}{%
  \markboth
    {Mark \scripturecurrentchapter
      :\scripturecurrentverse}
    {Mark \scripturecurrentchapter
      :\scripturecurrentverse}}
\AddToHook{scripture/verse/after}{%
  \markboth
    {Mark \scripturecurrentchapter
      :\scripturecurrentverse}
    {Mark \scripturecurrentchapter
      :\scripturecurrentverse}}
\renewcommand*{\scripturecurrentchapter}{1}
\usepackage{fancyhdr}
\pagestyle{fancy}
\fancyhf{}
\lhead{\textbf{\rightmark}}
\rhead{\textbf{\leftmark} \textbar \thepage}
\begin{document}
\noindent
\begin{scripture}
  \vs{45}Instead he went out and began to talk
  freely, spreading the news. As a result, Jesus
  could no longer enter a town openly but stayed
  outside in lonely places. Yet the people still
  came to him from everywhere.

  \extraskip

  \ch{2}A few days later, when Jesus again
  entered Capernaum, the people heard that he had
  come home.
\end{scripture}
\end{document}

```

Mark 1:45                      Mark 2:1 | 1

<sup>45</sup>Instead he went out and began to talk freely, spreading the news. As a result, Jesus could no longer enter a town openly but stayed outside in lonely places. Yet the people still came to him from everywhere.

**2** A few days later, when Jesus again entered Capernaum, the people heard that he had come home.

## 2.4 Options

Default formatting  $\langle options \rangle$  can be set using `\usepackage[ $\langle options \rangle$ ]{scripture}` or `\scripturesetup{ $\langle options \rangle$ }`. Local formatting  $\langle options \rangle$  can be set by passing them to the various environments described above.

<hr/> <hr/>	<code>aboveskip</code>	<code>aboveskip = <math>\langle skip \rangle</math></code>	Default: Opt
		$\langle skip \rangle$ inserted above the <code>scripture</code> environment.	
<hr/> <hr/>	<code>belowskip</code>	<code>belowskip = <math>\langle skip \rangle</math></code>	Default: Opt
		$\langle skip \rangle$ inserted below the <code>scripture</code> environment.	

<hr/> <b>compact</b> <hr/>	<code>compact = <math>\langle boolean \rangle</math></code>	Default: <code>false</code>
<hr/> <small>New: 2022-08-15</small> <hr/>	<p>This option removes all paragraph breaks along with any <code>\extraskip</code> in the quotation so the whole quotation is a single paragraph of running prose. This option implies <code>chapter/nodrop</code> and all options relating to inner environments are ignored.</p> <p>The value of <math>\langle boolean \rangle</math> is optional and assumed to be <code>true</code> if not present.</p> <p><b>Warning:</b> This option redefines <code>\par</code> to <code>\relax</code> inside the <code>scripture</code> environment. If you have anything other than expected macros and environments inside your <code>scripture</code> environment <math>\text{\TeX}</math> will likely get stuck in an infinite loop.</p>	
<div><div><pre>\begin{scripture}[Jonah 1:17--2:2a][compact] \begin{midparachap} \vs{17}Now the \textsc{Lord} provided a huge fish to swallow Jonah, and Jonah was in the belly of the fish three days and three nights. \ch{2}From inside the fish Jonah prayed to the \textsc{Lord} his God. \vs{2}He said: \end{midparachap} \begin{poetry} ‘In my distress I called to the Lord, and he answered me. \end{poetry} \end{scripture}</pre></div><div><p><sup>17</sup>Now the LORD provided a huge fish to swallow Jonah, and Jonah was in the belly of the fish three days and three nights. <b>2</b> From inside the fish Jonah prayed to the LORD his God. <sup>2</sup>He said: ‘In my distress I called to the Lord, and he answered me.</p><p style="text-align: right;"><b>Jonah 1:17–2:2a</b></p></div></div>		
<hr/> <b>leftmargin</b> <hr/>	<code>leftmargin = <math>\langle dimen \rangle</math></code>	Default: <code>Opt</code>
	$\langle dimen \rangle$ used for the left margin of the <code>scripture</code> environment.	
<hr/> <b>rightmargin</b> <hr/>	<code>rightmargin = <math>\langle dimen \rangle</math></code>	Default: <code>Opt</code>
	$\langle dimen \rangle$ used for the right margin of the <code>scripture</code> environment.	
<hr/> <b>chapter/drop</b> <hr/>	<code>chapter/drop = <math>\langle boolean \rangle</math></code>	Default: <code>true</code>
	Whether the chapter should be set as a drop letter taking up two lines or as a normal letter taking up one line. The value of $\langle boolean \rangle$ is optional and assumed to be <code>true</code> if not present. This option is the opposite of <code>chapter/nodrop</code> .	
<hr/> <b>chapter/font</b> <hr/>	<code>chapter/font = <math>\langle font \rangle</math></code>	Default: <code>\bfseries</code>
	$\langle font \rangle$ used for the <code>\ch</code> function.	
<hr/> <b>chapter/format</b> <hr/>	<code>chapter/format = <math>\langle macro \rangle</math></code>	Default: <code>#1</code>
<hr/> <small>New: 2022-07-28</small> <hr/>	$\langle macro \rangle$ used to format the <code>chapter</code> for a <code>scripture</code> quotation. <code>#1</code> contains the text of the <code>chapter</code> .	
<hr/> <b>chapter/hide</b> <hr/>	<code>chapter/hide = <math>\langle boolean \rangle</math></code>	Default: <code>false</code>
<hr/> <small>New: 2022-08-15</small> <hr/>	Whether chapters should be shown or hidden. The value of $\langle boolean \rangle$ is optional and assumed to be <code>true</code> if not present. This option is the opposite of <code>chapter/show</code> . Note that the <code>scripture/chap/before</code> and <code>scripture/chap/after</code> hooks are still executed when chapters are hidden.	

```
\begin{scripture}[Romans 5:1--2][chapter/hide]
\ch{5}Therefore, since we have been justified
through faith, we have peace with God through
our Lord Jesus Christ, \vs{2}through whom we
have gained access by faith into this grace in
which we now stand. And we boast in the hope of
the glory of God.
\end{scripture}
```

<sup>1</sup>Therefore, since we have been justified through faith, we have peace with God through our Lord Jesus Christ, <sup>2</sup>through whom we have gained access by faith into this grace in which we now stand. And we boast in the hope of the glory of God.

**Romans 5:1–2**

---

**chapter/nodrop** chapter/nodrop =  $\langle\text{boolean}\rangle$  Default: false

Whether the chapter should be set as a drop letter taking up two lines or as a normal letter taking up one line. The value of  $\langle\text{boolean}\rangle$  is optional and assumed to be **true** if not present. This option is the opposite of **chapter/drop**.

```
\begin{scripture}[John 1:1--3][chapter/nodrop]
\ch{1}In the beginning was the Word, and the
Word was with God, and the Word was God.
\vs{2}He was with God in the beginning.
\vs{3}Through him all things were made; without
him nothing was made that has been made.
\end{scripture}
```

**1** In the beginning was the Word, and the Word was with God, and the Word was God. <sup>2</sup>He was with God in the beginning. <sup>3</sup>Through him all things were made; without him nothing was made that has been made.

**John 1:1–3**

---

**chapter/sep** chapter/sep =  $\langle\text{dimen}\rangle$  Default: 0.5em

$\langle\text{dimen}\rangle$  used to separate a **\ch** from the following text.

---

**chapter/show** chapter/show =  $\langle\text{boolean}\rangle$  Default: true

New: 2022-08-15

Whether chapters should be shown or hidden. The value of  $\langle\text{boolean}\rangle$  is optional and assumed to be **true** if not present. This option is the opposite of **chapter/hide**.

---

**extraskip** extraskip =  $\langle\text{skip}\rangle$  Default: \medskipamount

$\langle\text{skip}\rangle$  used for the **\extraskip** function.

---

**font** font =  $\langle\text{font}\rangle$  Default: Empty

$\langle\text{font}\rangle$  used for the **scripture** environment.

---

**indent** indent =  $\langle\text{boolean}\rangle$  Default: true

Whether to indent the first line of a **scripture** environment or not by **parindent**. The value of  $\langle\text{boolean}\rangle$  is optional and assumed to be **true** if not present. This option is the opposite of **noindent**.

---

**noindent** noindent =  $\langle\text{boolean}\rangle$  Default: false

Whether to indent the first line of a **scripture** environment or not by **parindent**. The value of  $\langle\text{boolean}\rangle$  is optional and assumed to be **true** if not present. This option is the opposite of **indent**.

```
\begin{scripture}[1 Peter 3:18][noindent]
\vs{18}For Christ also suffered once for sins,
the righteous for the unrighteous, to bring you
to God. He was put to death in the body but
made alive in the Spirit.
\end{scripture}
```

<sup>18</sup>For Christ also suffered once for sins, the righteous for the unrighteous, to bring you to God. He was put to death in the body but made alive in the Spirit. **1 Peter 3:18**

<u>parindent</u>	parindent = $\langle dimen \rangle$	Default: <code>\parindent</code>
	$\langle dimen \rangle$ to use when indenting the first line of a paragraph in the <code>scripture</code> environment.	
<u>parskip</u>	parskip = $\langle skip \rangle$	Default: <code>\parskip</code>
	$\langle skip \rangle$ to use between paragraphs in the <code>scripture</code> environment.	
<u>reference/delim</u>	reference/delim = $\langle delim \rangle$	Default: <code>\hfill</code>
	$\langle delim \rangle$ to use between the <code>scripture</code> quotation and its <code>reference</code> .	
<u>reference/font</u>	reference/font = $\langle font \rangle$	Default: <code>\bfseries</code>
	$\langle font \rangle$ used when printing the <code>reference</code> for a <code>scripture</code> quotation.	
<u>reference/format</u>	reference/format = $\langle macro \rangle$	Default: <code>#1</code>
	$\langle macro \rangle$ used to format the <code>reference</code> for a <code>scripture</code> quotation. <code>#1</code> contains the text of the <code>reference</code> .	
<u>reference/sep</u>	reference/sep = $\langle dimen \rangle$	Default: <code>2em</code>
	The minimum $\langle dimen \rangle$ allowed between the end of a <code>scripture</code> quotation and its <code>reference</code> before the <code>reference</code> is pushed to the following line.	
<u>selah/font</u>	selah/font = $\langle font \rangle$	Default: <code>\itshape</code>
	$\langle font \rangle$ used when printing <code>\selah</code> in a <code>poetry</code> environment.	
<u>selah/format</u>	selah/format = $\langle macro \rangle$	Default: <code>#1</code>
	$\langle macro \rangle$ used to format the <code>\selah</code> in a <code>poetry</code> environment. <code>#1</code> contains the value of <code>selah/text</code> .	
<u>selah/sep</u>	selah/sep = $\langle dimen \rangle$	Default: <code>1em</code>
	The minimum $\langle dimen \rangle$ allowed between the end of a <code>poetry</code> line and <i>Selah</i> before the <i>Selah</i> is pushed to the following line.	
<u>selah/text</u>	selah/text = $\langle text \rangle$	Default: <code>Selah</code>
	$\langle text \rangle$ used to for <code>\selah</code> in a <code>poetry</code> environment.	
<u>verse/font</u>	verse/font = $\langle font \rangle$	Default: <code>Empty</code>
	$\langle font \rangle$ used for the <code>\vs</code> function.	

---

<b>verse/format</b>	verse/format = $\langle macro \rangle$	Default: <code>\textsuperscript{#1}</code>
---------------------	--	--

---

$\langle macro \rangle$  used to format the `\vs` function. #1 contains the argument of `\vs`.

---

<b>verse/hide</b>	verse/hide = $\langle boolean \rangle$	Default: <code>false</code>
-------------------	--	-----------------------------

---

New: 2022-08-15 Whether verses should be shown or hidden. The value of  $\langle boolean \rangle$  is optional and assumed to be `true` if not present. This option is the opposite of `verse/show`. Note that the `scripture/verse/before` and `scripture/verse/after` hooks are still executed when verses are hidden.

```

\begin{scripture}[Colossians 1:15--16][verse/hide]
\vs{15}The Son is the image of the invisible
God, the firstborn over all creation.
\vs{16}For in him all things were created:
things in heaven and on earth, visible and
invisible, whether thrones or powers or rulers
or authorities; all things have been created
through him and for him.
\end{scripture}

```

The Son is the image of the invisible God, the firstborn over all creation. For in him all things were created: things in heaven and on earth, visible and invisible, whether thrones or powers or rulers or authorities; all things have been created through him and for him.

**Colossians 1:15–16**

---

<b>verse/sep</b>	verse/sep = $\langle dimen \rangle$	Default: <code>0.05 em</code>
------------------	-------------------------------------	-------------------------------

---

New: 2022-07-28  $\langle dimen \rangle$  used to separate a `\vs` from the following text.

---

<b>verse/show</b>	verse/show = $\langle boolean \rangle$	Default: <code>true</code>
-------------------	--	----------------------------

---

New: 2022-08-15 Whether verses should be shown or hidden. The value of  $\langle boolean \rangle$  is optional and assumed to be `true` if not present. This option is the opposite of `verse/hide`.

---

<b>version</b>	version = $\langle version \rangle$	Default: <code>Empty</code>
----------------	-------------------------------------	-----------------------------

---

$\langle version \rangle$  added to the reference for a `scripture` quotation.

---

<b>version/delim</b>	version/delim = $\langle delim \rangle$	Default: <code>{ }</code>
----------------------	---	---------------------------

---

$\langle delim \rangle$  to use between the reference and the version of a `scripture` quotation.

---

<b>version/format</b>	version/format = $\langle macro \rangle$	Default: <code>(#1)</code>
-----------------------	--	----------------------------

---

$\langle macro \rangle$  used to format the version for a `scripture` quotation. #1 contains the text of the version.

#### 2.4.1 Options for the center environment

If these options are passed directly to the `center` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `center/` prefix should be dropped.

---

<b>center/aboveskip</b>	center/aboveskip = $\langle skip \rangle$	Default: <code>\medskipamount</code>
-------------------------	---	--------------------------------------

---

$\langle skip \rangle$  inserted above the `center` environment.

<u>center/belowskip</u>	center/belowskip = $\langle skip \rangle$ $\langle skip \rangle$ inserted below the <b>center</b> environment.	Default: <code>\medskipamount</code>
<u>center/leftmargin</u>	center/leftmargin = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the left margin of the <b>center</b> environment.	Default: <code>Opt</code>
<u>center/rightmargin</u>	center/rightmargin = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the right margin of the <b>center</b> environment.	Default: <code>Opt</code>

### 2.4.2 Options for the **flushright** environment

If these options are passed directly to the **flushright** environment rather than to the package, `\scripturesetup` or the **scripture** environment, then the **flushright/** prefix should be dropped.

<u>flushright/aboveskip</u>	flushright/aboveskip = $\langle skip \rangle$ $\langle skip \rangle$ inserted above the <b>flushright</b> environment.	Default: <code>\medskipamount</code>
<u>flushright/belowskip</u>	flushright/belowskip = $\langle skip \rangle$ $\langle skip \rangle$ inserted below the <b>flushright</b> environment.	Default: <code>\medskipamount</code>
<u>flushright/leftmargin</u>	flushright/leftmargin = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the left margin of the <b>flushright</b> environment.	Default: <code>Opt</code>
<u>flushright/rightmargin</u>	flushright/rightmargin = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the right margin of the <b>flushright</b> environment.	Default: <code>Opt</code>

### 2.4.3 Options for the **hanging** environment

If these options are passed directly to the **hanging** environment rather than to the package, `\scripturesetup` or the **scripture** environment, then the **hanging/** prefix should be dropped.

<u>hanging/aboveskip</u>	hanging/aboveskip = $\langle skip \rangle$ $\langle skip \rangle$ inserted above the <b>hanging</b> environment.	Default: <code>\medskipamount</code>
<u>hanging/belowskip</u>	hanging/belowskip = $\langle skip \rangle$ $\langle skip \rangle$ inserted below the <b>hanging</b> environment.	Default: <code>\medskipamount</code>
<u>hanging/hang</u>	hanging/hang = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the indent of subsequent lines of the <b>hanging</b> environment.	Default: <code>2em</code>
<u>hanging/leftmargin</u>	hanging/leftmargin = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the left margin of the <b>hanging</b> environment.	Default: <code>1em</code>
<u>hanging/rightmargin</u>	hanging/rightmargin = $\langle dimen \rangle$ $\langle dimen \rangle$ used for the right margin of the <b>hanging</b> environment.	Default: <code>1em</code>

## 2.4.4 Options for the `midparachap` environment

If these options are passed directly to the `midparachap` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `midparachap/` prefix should be dropped.

---

<code>midparachap/hideverse</code>	<code>midparachap/hideverse = &lt;boolean&gt;</code>	Default: <code>false</code>
------------------------------------	--	-----------------------------

---

Whether a `\vs{1}` should automatically be inserted after a `\ch` when the `\ch` occurs mid-paragraph. This also affects `\ch` in `poetry` environments. `\extraskip` begins a new paragraph in a `poetry` environment. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `midparachap/showverse`.

<pre> \begin{scripture}[Hosea 11:12--12:1]%   [midparachap/hideverse] \begin{poetry}   \vs{12}Ephraim has surrounded me with lies,   Israel with deceit.    And Judah is unruly against God,   even against the faithful Holy One.    \ch{12}Ephraim feeds on the wind;   he pursues the east wind all day   and multiplies lies and violence.    He makes a treaty with Assyria   and sends olive oil to Egypt. \end{poetry} \end{scripture&gt; </pre>	<pre> <sup>12</sup>Ephraim has surrounded me with     lies,     Israel with deceit. And Judah is unruly against God,     even against the faithful Holy     One. <b>12</b> Ephraim feeds on the wind;     he pursues the east wind all     day     and multiplies lies and violence. He makes a treaty with Assyria     and sends olive oil to Egypt.                                 Hosea 11:12–12:1 </pre>
---	---

---

<code>midparachap/showverse</code>	<code>midparachap/showverse = &lt;boolean&gt;</code>	Default: <code>true</code>
------------------------------------	--	----------------------------

---

Whether a `\vs{1}` should automatically be inserted after a `\ch` when the `\ch` occurs mid-paragraph. This also affects `\ch` in `poetry` environments. `\extraskip` begins a new paragraph in a `poetry` environment. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `midparachap/hideverse`.

## 2.4.5 Options for the `narrow` environment

If these options are passed directly to the `narrow` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `narrow/` prefix should be dropped.

---

<code>narrow/aboveskip</code>	<code>narrow/aboveskip = &lt;skip&gt;</code>	Default: <code>\medskipamount</code>
	<code>&lt;skip&gt;</code> inserted above the <code>narrow</code> environment.	

---

<code>narrow/belowskip</code>	<code>narrow/belowskip = &lt;skip&gt;</code>	Default: <code>\medskipamount</code>
	<code>&lt;skip&gt;</code> inserted below the <code>narrow</code> environment.	

---

<code>narrow/leftmargin</code>	<code>narrow/leftmargin = &lt;dimen&gt;</code>	Default: <code>1em</code>
	<code>&lt;dimen&gt;</code> used for the left margin of the <code>narrow</code> environment.	

---

<hr/> <b>narrow/rightmargin</b> <hr/>	<code>narrow/rightmargin = <math>\langle dimen \rangle</math></code>	Default: 1em
	$\langle dimen \rangle$ used for the right margin of the <code>narrow</code> environment.	

#### 2.4.6 Options for the `poetry` environment

If these options are passed directly to the `poetry` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `poetry/` prefix should be dropped.

<hr/> <b>poetry/aboveskip</b> <hr/>	<code>poetry/aboveskip = <math>\langle skip \rangle</math></code>	Default: <code>\medskipamount</code>
	$\langle skip \rangle$ inserted above the <code>poetry</code> environment.	
<hr/> <b>poetry/belowskip</b> <hr/>	<code>poetry/belowskip = <math>\langle skip \rangle</math></code>	Default: <code>\medskipamount</code>
	$\langle skip \rangle$ inserted below the <code>poetry</code> environment.	
<hr/> <b>poetry/bigindent</b> <hr/>	<code>poetry/bigindent = <math>\langle dimen \rangle</math></code>	Default: 4em
	$\langle dimen \rangle$ used for the indent subsequent lines of a line of poetry in a <code>poetry</code> environment if it needs to flow on to the following line.	
<hr/> <b>poetry/indent</b> <hr/>	<code>poetry/indent = <math>\langle dimen \rangle</math></code>	Default: 1em
	$\langle dimen \rangle$ used for the second half of a line of poetry in a <code>poetry</code> environment.	
<hr/> <b>poetry/leftmargin</b> <hr/>	<code>poetry/leftmargin = <math>\langle dimen \rangle</math></code>	Default: 1em
	$\langle dimen \rangle$ used for the left margin of the <code>poetry</code> environment.	
<hr/> <b>poetry/rightmargin</b> <hr/>	<code>poetry/rightmargin = <math>\langle dimen \rangle</math></code>	Default: Opt
	$\langle dimen \rangle$ used for the right margin of the <code>poetry</code> environment.	
<hr/> <b>poetry/verse/left</b> <hr/>	<code>poetry/verse/left = <math>\langle boolean \rangle</math></code>	Default: false
New: 2022-07-31	Align verse numbers in <code>poetry</code> environments at the left margin of the <code>scripture</code> environment. This option is the opposite of <code>poetry/verse/right</code> .	

```
\begin{scripture}[Atcs 15:15--18]%
  [poetry/leftmargin=2em, poetry/verse/left]
  \vs{15}The words of the prophets are in
  agreement with this, as it is written:
  \begin{poetry}
    \vs{16}\thinspace‘‘After this I will return
    and rebuild David’s fallen tent.

    Its ruins I will rebuild,
    and I will restore it,

    \vs{17}that the rest of mankind may seek the Lord,
    even all the Gentiles who bear my name,

    says the Lord, who does these things’---
    \vs{18}things known from long ago.
  \end{poetry}
\end{scripture}
```

<sup>15</sup>The words of the prophets are in agreement with this, as it is written:

<sup>16</sup> ‘‘After this I will return and rebuild David’s fallen tent.

Its ruins I will rebuild, and I will restore it, <sup>17</sup> that the rest of mankind may seek the Lord, even all the Gentiles who bear my name, says the Lord, who does these things’’— <sup>18</sup> things known from long ago.

Atcs 15:15–18



<hr/> <b>poetry/verse/right</b> <hr/>	<code>poetry/verse/right = <math>\langle</math>boolean<math>\rangle</math></code>	Default: <code>true</code>
<hr/> New: 2022-07-31 <hr/>	Align verse numbers in <code>poetry</code> environments at the left margin of the poetry environment. The verse numbers overlap to the left. This option is the opposite of <code>poetry/verse/left</code> .	
<hr/> <b>poetry/verse/sep</b> <hr/>	<code>poetry/verse/sep = <math>\langle</math>dimen<math>\rangle</math></code>	Default: <code>0.05 em</code>
<hr/> New: 2022-07-31 <hr/>	$\langle$ dimen $\rangle$ used to separate a <code>\vs</code> from the following text in a <code>poetry</code> environment. This is only used for verses at the start of a line.	

### 3 Implementation

```

1  $\langle$ *package $\rangle$ 
2  $\langle$ @@=scripture $\rangle$ 
3 \NeedsTeXFormat{LaTeX2e}[2021-11-15]
4 \ProvidesExplPackage{scripture}{2022/08/27}{1.1}
5   {Format Scripture Quotations (DCP)}
6 \RequirePackage{l3keys2e}

```

#### 3.1 Messages

`scripture` environments along with all internal environments can not be nested.

```

7 \msg_new:nnnn { scripture } { nested-environment }
8   { Nesting-of-scripture-environments-not-supported. }
9   { You-have-trying-to-nest-a-scripture-environment-or \\
10     one-of-its-internal-environments,-which-is-not-supported. }

```

#### 3.2 Options

Key-value settings for the `scripture` environment and its inner environments.

```

11 \keys_define:nn { scripture }
12   {
13     , aboveskip           .tl_set:N      = \l__scripture_aboveskip_tl
14     , aboveskip           .value_required:n = true
15     , aboveskip           .initial:n      = \c_zero_skip
16     , belowskip          .tl_set:N      = \l__scripture_belowskip_tl
17     , belowskip          .value_required:n = true
18     , belowskip          .initial:n      = \c_zero_skip
19     , compact            .bool_set:N     = \l__scripture_compact_bool
20     , compact            .default:n      = true
21     , compact            .initial:n      = false
22     , leftmargin         .tl_set:N      = \l__scripture_leftmargin_tl
23     , leftmargin         .value_required:n = true
24     , leftmargin         .initial:n      = \c_zero_dim
25     , rightmargin        .tl_set:N      = \l__scripture_rightmargin_tl
26     , rightmargin        .value_required:n = true
27     , rightmargin        .initial:n      = \c_zero_dim
28     , chapter / font     .tl_set:N      = \l__scripture_chap_font_tl
29     , chapter / font     .value_required:n = true
30     , chapter / font     .initial:n      = \bfseries
31     , chapter / drop     .bool_set:N     = \l__scripture_chap_drop_bool
32     , chapter / drop     .default:n      = true
33     , chapter / drop     .initial:n      = true

```

34	, chapter / format	.cs_set:Np	= \l__scripture_chap_format:n #1
35	, chapter / format	.value_required:n	= true
36	, chapter / format	.initial:n	= #1
37	, chapter / hide	.bool_set_inverse:N	= \l__scripture_chap_show_bool
38	, chapter / hide	.default:n	= true
39	, chapter / nodrop	.bool_set_inverse:N	= \l__scripture_chap_drop_bool
40	, chapter / nodrop	.default:n	= true
41	, chapter / sep	.tl_set:N	= \l__scripture_chap_sep_tl
42	, chapter / sep	.value_required:n	= true
43	, chapter / sep	.initial:n	= 0.5 em
44	, chapter / show	.bool_set:N	= \l__scripture_chap_show_bool
45	, chapter / show	.default:n	= true
46	, chapter / show	.initial:n	= true
47	, extraskip	.tl_set:N	= \l__scripture_extraskip_tl
48	, extraskip	.value_required:n	= true
49	, extraskip	.initial:n	= \medskipamount
50	, font	.tl_set:N	= \l__scripture_font_tl
51	, font	.value_required:n	= true
52	, font	.initial:n	=
53	, indent	.bool_set:N	= \l__scripture_indent_bool
54	, indent	.default:n	= true
55	, indent	.initial:n	= true
56	, noindent	.bool_set_inverse:N	= \l__scripture_indent_bool
57	, noindent	.default:n	= true
58	, parindent	.tl_set:N	= \l__scripture_parindent_tl
59	, parindent	.value_required:n	= true
60	, parindent	.initial:n	= \parindent
61	, parskip	.tl_set:N	= \l__scripture_parskip_tl
62	, parskip	.value_required:n	= true
63	, parskip	.initial:n	= \parskip
64	, reference / delim	.tl_set:N	= \l__scripture_ref_delim_tl
65	, reference / delim	.value_required:n	= true
66	, reference / delim	.initial:n	= \hfill
67	, reference / font	.tl_set:N	= \l__scripture_ref_font_tl
68	, reference / font	.value_required:n	= true
69	, reference / font	.initial:n	= \bfseries
70	, reference / format	.cs_set:Np	= \l__scripture_ref_format:n #1
71	, reference / format	.value_required:n	= true
72	, reference / format	.initial:n	= #1
73	, reference / sep	.tl_set:N	= \l__scripture_ref_sep_tl
74	, reference / sep	.value_required:n	= true
75	, reference / sep	.initial:n	= 2 em
76	, selah / text	.tl_set:N	= \l__scripture_selah_text_tl
77	, selah / text	.value_required:n	= true
78	, selah / text	.initial:n	= Selah
79	, selah / font	.tl_set:N	= \l__scripture_selah_font_tl
80	, selah / font	.value_required:n	= true
81	, selah / font	.initial:n	= \itshape
82	, selah / format	.cs_set:Np	= \l__scripture_selah_format:n #1
83	, selah / format	.value_required:n	= true
84	, selah / format	.initial:n	= #1
85	, selah / sep	.tl_set:N	= \l__scripture_selah_sep_tl
86	, selah / sep	.value_required:n	= true
87	, selah / sep	.initial:n	= 1 em

88	, verse / font	.tl_set:N	= \l__scripture_verse_font_tl
89	, verse / font	.value_required:n	= true
90	, verse / font	.initial:n	=
91	, verse / format	.cs_set:Np	= \__scripture_verse_format:n #1
92	, verse / format	.value_required:n	= true
93	, verse / format	.initial:n	= \textsuperscript{#1}
94	, verse / hide	.bool_set_inverse:N	= \l__scripture_verse_show_bool
95	, verse / hide	.default:n	= true
96	, verse / sep	.tl_set:N	= \l__scripture_verse_sep_tl
97	, verse / sep	.value_required:n	= true
98	, verse / sep	.initial:n	= 0.05 em
99	, verse / show	.bool_set:N	= \l__scripture_verse_show_bool
100	, verse / show	.default:n	= true
101	, verse / show	.initial:n	= true
102	, version	.tl_set:N	= \l__scripture_version_tl
103	, version	.value_required:n	= true
104	, version	.initial:n	=
105	, version / delim	.tl_set:N	= \l__scripture_version_delim_tl
106	, version / delim	.value_required:n	= true
107	, version / delim	.initial:n	= \c_space_tl
108	, version / format	.cs_set:Np	= \__scripture_version_format:n #1
109	, version / format	.value_required:n	= true
110	, version / format	.initial:n	= (#1)

Options for the center environment.

111	, center / aboveskip	.tl_set:N	= \l__scripture_center_aboveskip_tl
112	, center / aboveskip	.value_required:n	= true
113	, center / aboveskip	.initial:n	= \medskipamount
114	, center / belowskip	.tl_set:N	= \l__scripture_center_belowskip_tl
115	, center / belowskip	.value_required:n	= true
116	, center / belowskip	.initial:n	= \medskipamount
117	, center / leftmargin	.tl_set:N	= \l__scripture_center_leftmargin_tl
118	, center / leftmargin	.value_required:n	= true
119	, center / leftmargin	.initial:n	= \c_zero_dim
120	, center / rightmargin	.tl_set:N	= \l__scripture_center_rightmargin_tl
121	, center / rightmargin	.value_required:n	= true
122	, center / rightmargin	.initial:n	= \c_zero_dim

Options for the flushright environment.

123	, flushright / aboveskip	.tl_set:N	= \l__scripture_flushright_aboveskip_tl
124	, flushright / aboveskip	.value_required:n	= true
125	, flushright / aboveskip	.initial:n	= \medskipamount
126	, flushright / belowskip	.tl_set:N	= \l__scripture_flushright_belowskip_tl
127	, flushright / belowskip	.value_required:n	= true
128	, flushright / belowskip	.initial:n	= \medskipamount
129	, flushright / leftmargin	.tl_set:N	= \l__scripture_flushright_leftmargin_tl
130	, flushright / leftmargin	.value_required:n	= true
131	, flushright / leftmargin	.initial:n	= \c_zero_dim
132	, flushright / rightmargin	.tl_set:N	= \l__scripture_flushright_rightmargin_tl
133	, flushright / rightmargin	.value_required:n	= true
134	, flushright / rightmargin	.initial:n	= \c_zero_dim

Options for the hanging environment.

135	, hanging / aboveskip	.tl_set:N	= \l__scripture_hanging_aboveskip_tl
136	, hanging / aboveskip	.value_required:n	= true

137	, hanging / aboveskip	.initial:n	= \medskipamount
138	, hanging / belowskip	.tl_set:N	= \l__scripture_hanging_belowskip_tl
139	, hanging / belowskip	.value_required:n	= true
140	, hanging / belowskip	.initial:n	= \medskipamount
141	, hanging / hang	.tl_set:N	= \l__scripture_hanging_hang_tl
142	, hanging / hang	.value_required:n	= true
143	, hanging / hang	.initial:n	= 2 em
144	, hanging / leftmargin	.tl_set:N	= \l__scripture_hanging_leftmargin_tl
145	, hanging / leftmargin	.value_required:n	= true
146	, hanging / leftmargin	.initial:n	= 1 em
147	, hanging / rightmargin	.tl_set:N	= \l__scripture_hanging_rightmargin_tl
148	, hanging / rightmargin	.value_required:n	= true
149	, hanging / rightmargin	.initial:n	= \c_zero_dim

Options for the mid-paragraph chapters (including the midparachap environment).

150	, midparachap / hideverse	.bool_set_inverse:N	= \l__scripture_midparachap_show_verse_bool
151	, midparachap / hideverse	.default:n	= true
152	, midparachap / showverse	.bool_set:N	= \l__scripture_midparachap_show_verse_bool
153	, midparachap / showverse	.default:n	= true
154	, midparachap / showverse	.initial:n	= true

Options for the narrow environment.

155	, narrow / aboveskip	.tl_set:N	= \l__scripture_narrow_aboveskip_tl
156	, narrow / aboveskip	.value_required:n	= true
157	, narrow / aboveskip	.initial:n	= \medskipamount
158	, narrow / belowskip	.tl_set:N	= \l__scripture_narrow_belowskip_tl
159	, narrow / belowskip	.value_required:n	= true
160	, narrow / belowskip	.initial:n	= \medskipamount
161	, narrow / leftmargin	.tl_set:N	= \l__scripture_narrow_leftmargin_tl
162	, narrow / leftmargin	.value_required:n	= true
163	, narrow / leftmargin	.initial:n	= 1 em
164	, narrow / rightmargin	.tl_set:N	= \l__scripture_narrow_rightmargin_tl
165	, narrow / rightmargin	.value_required:n	= true
166	, narrow / rightmargin	.initial:n	= 1 em

Options for the poetry environment.

167	, poetry / aboveskip	.tl_set:N	= \l__scripture_poetry_aboveskip_tl
168	, poetry / aboveskip	.value_required:n	= true
169	, poetry / aboveskip	.initial:n	= \medskipamount
170	, poetry / belowskip	.tl_set:N	= \l__scripture_poetry_belowskip_tl
171	, poetry / belowskip	.value_required:n	= true
172	, poetry / belowskip	.initial:n	= \medskipamount
173	, poetry / bigindent	.tl_set:N	= \l__scripture_poetry_big_indent_tl
174	, poetry / bigindent	.value_required:n	= true
175	, poetry / bigindent	.initial:n	= 4 em
176	, poetry / indent	.tl_set:N	= \l__scripture_poetry_indent_tl
177	, poetry / indent	.value_required:n	= true
178	, poetry / indent	.initial:n	= 1 em
179	, poetry / leftmargin	.tl_set:N	= \l__scripture_poetry_leftmargin_tl
180	, poetry / leftmargin	.value_required:n	= true
181	, poetry / leftmargin	.initial:n	= 1 em
182	, poetry / rightmargin	.tl_set:N	= \l__scripture_poetry_rightmargin_tl
183	, poetry / rightmargin	.value_required:n	= true
184	, poetry / rightmargin	.initial:n	= \c_zero_dim
185	, poetry / verse / left	.bool_set_inverse:N	= \l__scripture_poetry_verse_right_bool

```

186 , poetry / verse / left .default:n = true
187 , poetry / verse / right .bool_set:N = \l__scripture_poetry_verse_right_bool
188 , poetry / verse / right .default:n = true
189 , poetry / verse / right .initial:n = true
190 , poetry / verse / sep .tl_set:N = \l__scripture_poetry_verse_sep_tl
191 , poetry / verse / sep .value_required:n = true
192 , poetry / verse / sep .initial:n = 0.05 em
193 }

```

Process package options using l3keys2e package.

```

194 \ProcessKeysOptions { scripture }

```

### 3.3 hooks

`scripture/chap/before` Hooks for before and after chapters and verses. The current chapter and verse is available in the hooks as `\scripturecurrentchapter` and `\scripturecurrentverse` respectively. These are global.

```

195 \hook_new_pair:nn { scripture / chap / before } { scripture / chap / after }
196 \hook_new_pair:nn { scripture / verse / before } { scripture / verse / after }

```

*(End definition for scripture/chap/before and others. These variables are documented on page 8.)*

### 3.4 The main scripture environment

`\l__scripture_active_bool` Flags to ensure that environments are not nested.

```

\l__scripture_active_inner_bool
197 \bool_new:N \l__scripture_active_bool
198 \bool_new:N \l__scripture_active_inner_bool

```

*(End definition for \l\_\_scripture\_active\_bool and \l\_\_scripture\_active\_inner\_bool.)*

`\l__scripture_clubpenalty_saved_int` Holds saved club penalty so we can change and restore it around chapter breaks.

```

199 \int_new:N \l__scripture_clubpenalty_saved_int

```

*(End definition for \l\_\_scripture\_clubpenalty\_saved\_int.)*

`\__scripture_extra_skip:` Insert a little extra vertical space between two paragraphs. This function tests if the previous paragraph is only one line in length and began with a `\ch` function. If this condition is met, more space is added if necessary to avoid the following paragraph clashing with the drop chapter.

```

200 \cs_new_protected:Nn \__scripture_extra_skip:
201 {
202   \int_compare:nNnT
203     \g__scripture_chap_par_prevgraf_int = 1
204   {
205     \dim_compare:nNnT
206       { \parskip + \l__scripture_extraskip_tl } < \baselineskip
207     {
208       \addvspace { \baselineskip }
209     }
210     \int_gzero:N \g__scripture_chap_par_prevgraf_int
211   }
212   \addvspace { \l__scripture_extraskip_tl }
213 }

```

(End definition for `\_scripture_extra_skip:.`)

`\_scripture_text_right:n` Align a word to the right and finish a paragraph, pushing to the next line if there is not space for the word.

```

214 \cs_new_protected:Nn \_scripture_text_right:nn
215 {
216   {
217     \unskip
218     \hfil
219     \penalty 50
220     \skip_horizontal:n { #1 }
221     \hbox:n {}
222     \nobreak
223     \hfill
224     #2
225     \skip_zero:N \parfillskip
226     \int_zero:N \finalhyphendemerits
227     \para_end:
228   }
229 }
```

(End definition for `\_scripture_text_right:n.`)

### 3.4.1 Formatting and printing quotation references

`\l_scripture_ref_box` Box to hold the formatted reference.

```

230 \box_new:N \l_scripture_ref_box
```

(End definition for `\l_scripture_ref_box.`)

`\_scripture_format_full_ref:n` Format a scripture quotation with its reference.

```

231 \cs_new_protected:Nn \_scripture_format_full_ref:n
232 {
233   \group_begin:
234   \l_scripture_ref_font_tl
235   \_scripture_ref_format:n { #1 }
236   \tl_if_empty:NF \l_scripture_version_tl
237   {
238     \l_scripture_version_delim_tl
239     \_scripture_version_format:n { \l_scripture_version_tl }
240   }
241   \group_end:
242 }
```

(End definition for `\_scripture_format_full_ref:n.`)

`\_scripture_reference:n` Output the reference for the Scripture quotation.

```

243 \cs_new_protected:Nn \_scripture_reference:n
244 {
245   \hbox_set:Nn \l_scripture_ref_box
246   {
247     \_scripture_format_full_ref:n { #1 }
248   }
```

Since the `poetry` environment uses `\__scripture_obeylines:` there is always an extra `\parskip` when a `scripture` quotation ends with a `poetry` environment.

```

249 \bool_if:NT \g__scripture_poetry_end_bool
250 { \skip_vertical:n { -\parskip } }
251 \dim_compare:nNnT
252 { \box_wd:N \l__scripture_ref_box + \g__scripture_final_line_dim + \l__scripture_ref_s
253 >
254 \linewidth
255 { \skip_vertical:N \baselineskip }

```

If a `scripture` quotation ends with an inner environment, there will be an extra space of `\baselineskip`.

```

256 \int_compare:nNnT \prevgraf = \c_zero_int
257 { \skip_vertical:n { -\baselineskip } }
258 \l__scripture_ref_delim_tl
259 \box_use:N \l__scripture_ref_box
260 }

```

*(End definition for `\__scripture_reference:n`.)*

### 3.4.2 Formatting and printing chapter numbers

`\l__scripture_chap_box`  
`l__scripture_chap_tmp_box`

Boxes use to store and calculate drop chapter.

```

261 \box_new:N \l__scripture_chap_box
262 \box_new:N \l__scripture_chap_tmp_box

```

*(End definition for `\l__scripture_chap_box` and `l__scripture_chap_tmp_box`.)*

`\l__scripture_chap_fontsize_dim`

Calculated font size of a drop chapter number.

```

263 \dim_new:N \l__scripture_chap_fontsize_dim

```

*(End definition for `\l__scripture_chap_fontsize_dim`.)*

`\l__scripture_chap_height_dim`

Calculated height of a drop chapter number.

```

264 \dim_new:N \l__scripture_chap_height_dim

```

*(End definition for `\l__scripture_chap_height_dim`.)*

`\l__scripture_chap_width_dim`

Calculated width of drop chapter number.

```

265 \dim_new:N \l__scripture_chap_width_dim

```

*(End definition for `\l__scripture_chap_width_dim`.)*

`\g__scripture_chap_par_prevgraf_int`

Store the number of lines a chapter paragraph takes up.

```

266 \int_new:N \g__scripture_chap_par_prevgraf_int

```

*(End definition for `\g__scripture_chap_par_prevgraf_int`.)*

`\l__scripture_chap_X_height_dim`

Calculated height of X at current font size. This is used as the height for a drop chapter.

```

267 \dim_new:N \l__scripture_chap_X_height_dim

```

*(End definition for `\l__scripture_chap_X_height_dim`.)*

`\_scripture_drop_chap_set_up:n` Set up chapter drop cap and calculate its various dimensions.

```

268 \cs_new_protected:Nn \_scripture_drop_chap_set_up:n
269 {
270   \cs_gset_nopar:Npn \scripturecurrentchapter { #1 }
271   \cs_gset_nopar:Npn \scripturecurrentverse { 1 }
272   \hbox_set:Nn \l__scripture_chap_tmp_box { X }
273   \dim_set:Nn \l__scripture_chap_X_height_dim
274     { \box_ht:N \l__scripture_chap_tmp_box }
275   \dim_set:Nn \l__scripture_chap_height_dim
276     { \baselineskip + \l__scripture_chap_X_height_dim }
277   \dim_set:Nn \l__scripture_chap_fontsize_dim
278     {
279       \f@size pt *
280       \dim_ratio:nn
281         { \l__scripture_chap_height_dim }
282         { \l__scripture_chap_X_height_dim }
283     }
284   \hbox_set:Nn \l__scripture_chap_tmp_box
285     {
286       \l__scripture_chap_font_tl
287       \fontsize
288         { \l__scripture_chap_fontsize_dim }
289         { \l__scripture_chap_fontsize_dim }
290       \selectfont
291       \_scripture_chap_format:n { #1 }
292     }
293   \dim_set:Nn \l__scripture_chap_width_dim
294     { \box_wd:N \l__scripture_chap_tmp_box }

```

Avoid breaks in the middle of drop chapters.

```

295   \int_set_eq:NN \l__scripture_clubpenalty_saved_int \clubpenalty
296   \clubpenalty 10000
297   \hook_gput_next_code:nn { para / after }
298   {
299     \int_gset_eq:NN \g__scripture_chap_par_prevgraf_int \prevgraf
300     \int_compare:nNnT
301       \g__scripture_chap_par_prevgraf_int = 1
302       { \penalty 10000 }
303     \hook_gput_next_code:nn { para / before }
304     { \int_set_eq:NN \clubpenalty \l__scripture_clubpenalty_saved_int }
305   }
306 }

```

*(End definition for \\_scripture\_drop\_chap\_set\_up:n.)*

`\_scripture_drop_chap_output:` Output a drop chapter.

```

307 \cs_new_protected:Nn \_scripture_drop_chap_output:
308 {
309   \noindent
310   \parshape 3 ~
311   \dim_eval:n
312     { \@totalleftmargin + \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl } ~
313   \dim_eval:n
314     { \linewidth - \l__scripture_chap_width_dim - \l__scripture_chap_sep_tl } ~

```



```

315     \dim_eval:n
316     { \@totalleftmargin + \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl } ~
317     \dim_eval:n
318     { \linewidth - \l__scripture_chap_width_dim - \l__scripture_chap_sep_tl } ~
319     \@totalleftmargin ~
320     \linewidth
321   \group_begin:
322   \hook_use:n { scripture / chap / before }
323   \box_use:N \l__scripture_chap_box
324   \hook_use:n { scripture / chap / after }
325   \group_end:
326 }

```

(End definition for \\_scripture\_drop\_chap\_output:.)

\\_scripture\_nodrop\_chap:n Format a non-drop chapter.

```

327 \cs_new_protected:Nn \_scripture_nodrop_chap:n
328 {
329   \cs_gset_nopar:Npn \scripturecurrentchapter { #1 }
330   \cs_gset_nopar:Npn \scripturecurrentverse { 1 }
331   \group_begin:
332   \bool_if:NTF \l__scripture_chap_show_bool
333   {
334     \hook_use:n { scripture / chap / before }
335     \group_begin:
336     \l__scripture_chap_font_tl
337     #1
338     \group_end:
339     \skip_horizontal:N \l__scripture_chap_sep_tl
340     \hook_use:n { scripture / chap / after }
341   }
342   {
343     \hook_use:n { scripture / chap / before }
344     \hook_use:n { scripture / chap / after }
345     \vs { 1 }
346   }
347   \group_end:
348 }

```

(End definition for \\_scripture\_nodrop\_chap:n.)

\\_scripture\_chap:n Position a drop chapter.

```

349 \cs_new_protected:Nn \_scripture_chap:n
350 {
351   \_scripture_drop_chap_set_up:n { #1 }
352   \hbox_set:Nn \l__scripture_chap_box
353   {
354     \box_move_down:nn
355     { \baselineskip }
356     {
357       \hbox_overlap_left:n
358       {
359         \box_use:N \l__scripture_chap_tmp_box
360         \skip_horizontal:N \l__scripture_chap_sep_tl
361       }

```

```

362     }
363   }
364   \box_set_ht:Nn \l__scripture_chap_box { \c_zero_dim }
365   \box_set_dp:Nn \l__scripture_chap_box { \c_zero_dim }
366   \bool_if:NTF \l__scripture_mid_para_chap_bool
367     { \__scripture_mid_para_drop_chap_output: }
368     {
369       \par
370       \__scripture_drop_chap_output:
371     }
372   \hook_gput_next_code:nn { para / before }
373   {
374     \int_compare:nNnT
375       \g__scripture_chap_par_prevgraf_int = 1
376       { \extraskip }
377     \int_gzero:N \g__scripture_chap_par_prevgraf_int
378     \int_compare:nNnT
379       \@listdepth > \c_zero_int
380       { \parshape 1 ~ \@totalleftmargin ~ \linewidth }
381   }
382 }

```

(End definition for `\__scripture_chap:n`.)

### 3.4.3 Formatting and printing verse numbers

`\__scripture_verse_output:n` Output a formatted verse.

```

383 \cs_new_protected:Nn \__scripture_verse_output:n
384 {
385   \cs_gset_nopar:Npn \scripturecurrentverse { #1 }
386   \mode_if_vertical:T
387     { \mode_leave_vertical: }
388   \group_begin:
389   \hook_use:n { scripture / verse / before }
390   \bool_if:NT \l__scripture_verse_show_bool
391     {
392       \l__scripture_verse_font_tl
393       \__scripture_verse_format:n { #1 }
394       \kern \l__scripture_verse_sep_tl
395     }
396   \hook_use:n { scripture / verse / after }
397   \group_end:
398 }

```

(End definition for `\__scripture_verse_output:n`.)

### 3.4.4 Calculating the length of the final line in a paragraph

`\g__scripture_final_line_dim` Store the length of the final line in a paragraph.

```

399 \dim_new:N \g__scripture_final_line_dim

```

(End definition for `\g__scripture_final_line_dim`.)

`\_scripture_calc_final_line_length:` Calculate the length of the final line in a paragraph.

```

400 \cs_new_protected:Nn \_scripture_calc_final_line_length:
401 {
402   \skip_set:Nn \abovedisplayshortskip { -\baselineskip }
403   \skip_set_eq:NN \abovedisplayshortskip \abovedisplayshortskip
404   \skip_zero:N \belowdisplayshortskip
405   \skip_zero:N \belowdisplayshortskip
406   $$
407   \dim_compare:nNnT \predisplaysize > \c_zero_dim
408   {
409     \dim_gset:Nn \g__scripture_final_line_dim
410       { \predisplaysize - 2 em }
411   }
412   \cs_gset_nopar:Nx \_scripture_reset_spacing:
413   {
414     \dim_set:Nn \predisplaysize { \dim_use:N \predisplaysize }
415     \int_set:Nn \prevgraf { \int_use:N \prevgraf }
416   }
417   $$
418   \_scripture_reset_spacing:
419   \dim_compare:nNnT \g__scripture_final_line_dim > \linewidth
420   {
421     \dim_gset_eq:NN \g__scripture_final_line_dim \linewidth
422   }
423   \dim_compare:nNnT \g__scripture_final_line_dim > { \c_zero_dim - 1 sp }
424   {
425     \skip_vertical:n { -\baselineskip - \parskip }
426   }
427 }

```

(End definition for `\_scripture_calc_final_line_length:`.)

### 3.4.5 The scripture environment

`\l__scripture_currenvir_str` Store the current scripture environment.

```

428 \str_new:N \l__scripture_currenvir_str

```

(End definition for `\l__scripture_currenvir_str`.)

`\l__scripture_parskip_correction_skip` Correction to ensure consistent `\parskip` at start of `scripture` environment with non-zero `\parskip` option.

```

429 \skip_new:N \l__scripture_parskip_correction_skip

```

(End definition for `\l__scripture_parskip_correction_skip`.)

`\g__scripture_start_bool` Flag indicating whether we are currently setting the first paragraph in a `scripture` environment. If this is `true`, any `aboveskip` for an inner environment will be ignored.

```

430 \bool_new:N \g__scripture_start_bool

```

(End definition for `\g__scripture_start_bool`.)

`\__scripture_begin:n` Begin a scripture quotation.

```

431 \cs_new_protected:Nn \__scripture_begin:n
432 {
433   \bool_if:NT \l__scripture_active_bool
434   {
435     \msg_error:nn { scripture } { nested-environment }
436   }
437   \bool_set_true:N \l__scripture_active_bool
438   \tl_set:Nn \l__scripture_currenvir_str { scripture }
439   \tl_if_novalue:nF { #1 }
440   {
441     \keys_set:nn { scripture } { #1 }
442   }

```

If the `scripture` environment begins immediately after an `\item`, then insert a new paragraph and apply a negative skip. Life is much easier if all paragraphs in a `scripture` are the same rather than the first one being in the first paragraph of an `\item`.

```

443   \legacy_if:nT { @newlist }
444   {
445     \strut
446     \par
447     \vspace* { \dim_eval:n { -\baselineskip - \parskip } }
448   }
449   \mode_if_vertical:T
450   {
451     \addvspace { \l__scripture_aboveskip_tl }
452   }
453   \DeclareDocumentCommand { \ch } { sm }
454   {
455     \bool_if:NTF \l__scripture_chap_show_bool
456     {
457       \bool_if:NTF \l__scripture_chap_drop_bool
458       {
459         \__scripture_chap:n { ##2 }
460         \bool_if:nT { ##1 }
461         {
462           \hook_gput_next_code:nn { para / after }
463           { \int_gzero:N \g__scripture_chap_par_prevgraf_int }
464         }
465       }
466       { \__scripture_nodrop_chap:n { ##2 } }
467     }
468     { \__scripture_nodrop_chap:n { ##2 } }
469   }

```

Empty `\everydisplay` to ensure it isn't interfering with spacing.

```

470   \everydisplay { }
471   \int_set:Nn \predisplaypenalty { 10000 }
472   \int_set_eq:NN \postdisplaypenalty \@lowpenalty
473   \bool_gset_true:N \g__scripture_start_bool
474   \bool_gset_false:N \g__scripture_poetry_end_bool
475   \dim_set_eq:NN \parindent \l__scripture_parindent_tl
476   \cs_set_eq:NN \extraskip \__scripture_extra_skip:
477   \cs_set_eq:NN \vs \__scripture_verse_output:n

```

```

478 \hook_gclear_next_code:n { para / before }
479 \skip_set:Nn \l__scripture_parskip_correction_skip { \parskip - \l__scripture_parskip_tl
480 \mode_if_vertical:T
481 {
482   \addvspace { \l__scripture_parskip_correction_skip }
483 }
484 \skip_set_eq:NN \parskip \l__scripture_parskip_tl
485 \l__scripture_font_tl

```

For left and right margins, use `\parshape` is already in a list, otherwise use `\leftskip` and `\rightskip`

```

486 \bool_lazy_or:nnT
487 { \dim_compare_p:n { \l__scripture_leftmargin_tl > 0pt } }
488 { \dim_compare_p:n { \l__scripture_rightmargin_tl > 0pt } }
489 {
490   \dim_sub:Nn \linewidth
491   { \l__scripture_leftmargin_tl + \l__scripture_rightmargin_tl }
492   \int_compare:nNnTF
493   \@listdepth > \c_zero_int
494   {
495     \dim_add:Nn \@totalleftmargin \l__scripture_leftmargin_tl
496     \parshape 1 ~ \@totalleftmargin ~ \linewidth
497   }
498   {
499     \dim_add:Nn \leftskip \l__scripture_leftmargin_tl
500     \dim_add:Nn \rightskip \l__scripture_rightmargin_tl
501   }
502 }
503 \bool_if:NF \l__scripture_indent_bool
504 {
505   \hook_gput_next_code:nn { para / begin }
506   {
507     \bool_lazy_any:nT
508     {
509       { \str_if_eq_p:Vn \l__scripture_currenvir_str { midparachap } }
510       { \str_if_eq_p:Vn \l__scripture_currenvir_str { narrow } }
511       { \str_if_eq_p:Vn \l__scripture_currenvir_str { scripture } }
512     }
513     { \para_omit_indent: }
514   }
515 }
516 }

```

(End definition for `\__scripture_begin:n`.)

`\__scripture_end:n` End a scripture quotation with a reference.

```

517 \cs_new_protected:Nn \__scripture_end:n
518 {

```

Normally `\unskip` does not work in vertical mode, but there are some situations where it does work. The following condition is true if the `scripture` environment has ended with one of its internal environments. This removes any unwanted `belowskip` if present and leaves the previously calculated line length of the final paragraph intact.

```

519 \mode_if_vertical:TF
520 {

```

```

521     \unskip
522     \unskip
523   }
524   {
525     \tl_if_novalue:nTF { #1 }
526       { \int_zero:N \postdisplaypenalty }
527       { \int_set_eq:NN \postdisplaypenalty \@highpenalty }
528     \__scripture_calc_final_line_length:
529   }

```

Restore left margin by resetting the `\parshape` if in a list based environment, otherwise the space required for the reference is incorrectly calculated.

```

530   \bool_lazy_or:nnTF
531     { \dim_compare_p:n { \l__scripture_leftmargin_tl > 0pt } }
532     { \dim_compare_p:n { \l__scripture_rightmargin_tl > 0pt } }
533   {
534     \dim_add:Nn \linewidth \l__scripture_leftmargin_tl
535     \int_compare:nNnT
536       \@listdepth > \c_zero_int
537     {
538       \dim_sub:Nn \@totalleftmargin \l__scripture_leftmargin_tl
539       \parshape 1 ~ \@totalleftmargin ~ \linewidth
540     }
541   }
542   { \parshape 1 ~ \@totalleftmargin ~ \linewidth }
543   \tl_if_novalue:nF { #1 }
544   {
545     \__scripture_reference:n { #1 }
546   }
547   \par

```

Restore right margin by resetting the `\parshape` if in a  $\text{\LaTeX}$  list based environment, since only the left margin was restored above.

```

548   \bool_lazy_or:nnT
549     { \dim_compare_p:n { \l__scripture_leftmargin_tl > 0pt } }
550     { \dim_compare_p:n { \l__scripture_rightmargin_tl > 0pt } }
551   {
552     \int_compare:nNnT
553       \@listdepth > \c_zero_int
554     {
555       \dim_add:Nn \linewidth \l__scripture_rightmargin_tl
556       \parshape 1 ~ \@totalleftmargin ~ \linewidth
557     }
558   }
559   \dim_compare:nNnTF
560     \l__scripture_belowskip_tl > \parskip
561   {
562     \addvspace
563     {
564       \skip_eval:n { \l__scripture_belowskip_tl - \parskip }
565     }
566   }
567   {
568     \addvspace { \l__scripture_belowskip_tl }
569   }

```

570 }

(End definition for \\_scripture\_end:n.)

### 3.5 Scripture internal environments

\l\_scripture\_delta\_below\_skip Correction to \@topsepadd for internal environments. This enables a different `aboveskip` and `belowskip` which are normally the same for L<sup>A</sup>T<sub>E</sub>X lists.

571 \skip\_new:N \l\_\_scripture\_delta\_below\_skip

(End definition for \l\_\_scripture\_delta\_below\_skip.)

#### 3.5.1 The center environment

\\_scripture\_center\_begin:n Begin a centred section in a scripture quotation.

```

572 \cs_new_protected:Nn \_scripture_center_begin:n
573 {
574   \bool_if:NT \l__scripture_active_inner_bool
575   {
576     \msg_error:nn { scripture } { nested-environment }
577   }
578   \bool_set_true:N \l__scripture_active_inner_bool
579   \tl_set:Nn \l__scripture_currenvir_str { center }
580   \tl_if_novalue:nF { #1 }
581   {
582     \keys_set:nn
583       { scripture / center }
584       { #1 }
585   }
586   \mode_if_horizontal:T
587   { \par }
588   \list { }
589   {
590     \skip_set_eq:NN \l__scripture_delta_below_skip \l__scripture_center_belowskip_tl

```

Ignore `aboveskip` if at the beginning of a scripture environment.

```

591   \bool_if:NTF \g__scripture_start_bool
592   {
593     \skip_zero:N \topsep
594     \skip_sub:Nn \topsep \parskip
595     \skip_add:Nn \l__scripture_delta_below_skip \parskip
596     \bool_gset_false:N \g__scripture_start_bool
597   }
598   {
599     \dim_compare:nTF
600       { \parskip >= \l__scripture_center_aboveskip_tl > \c_zero_skip }
601       {
602         \skip_zero:N \topsep
603         \skip_zero:N \l__scripture_delta_below_skip
604       }
605       {
606         \skip_set_eq:NN \topsep \l__scripture_center_aboveskip_tl
607         \skip_sub:Nn \l__scripture_delta_below_skip \l__scripture_center_aboveskip_t
608       }

```

```

609         \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
610         { \addvspace { \baselineskip } }
611         \int_gzero:N \g__scripture_chap_par_prevgraf_int
612     }
613     \skip_set_eq:NN \parsep \parskip
614     \skip_zero:N \partopsep
615     \dim_zero:N \leftmargin
616     \dim_zero:N \labelsep
617 }
618 \centering
619 \item
620 \relax
621 }

```

(End definition for `\_scripture_center_begin:n`.)

`\_scripture_center_end:` End a centred section in a scripture quotation.

```

622 \cs_new_protected:Nn \_scripture_center_end:
623 {
624     \_scripture_calc_final_line_length:
625     \skip_add:Nn \@topsepadd \l__scripture_delta_below_skip
626     \int_set_eq:NN \@endparpenalty \@lowpenalty
627     \endlist
628 }

```

(End definition for `\_scripture_center_end:.`)

### 3.5.2 The flushright environment

`\_scripture_flushright_begin:n` Begin a flushright section in a scripture quotation.

```

629 \cs_new_protected:Nn \_scripture_flushright_begin:n
630 {
631     \bool_if:NT \l__scripture_active_inner_bool
632     {
633         \msg_error:nn { scripture } { nested-environment }
634     }
635     \bool_set_true:N \l__scripture_active_inner_bool
636     \tl_set:Nn \l__scripture_currenvir_str { flushright }
637     \tl_if_novalue:nF { #1 }
638     {
639         \keys_set:nn
640         { scripture / flushright }
641         { #1 }
642     }
643     \mode_if_horizontal:T
644     { \par }
645     \list { }
646     {
647         \skip_set_eq:NN \l__scripture_delta_below_skip \l__scripture_flushright_belowskip_tl

```

Ignore `aboveskip` if at the beginning of a scripture environment.

```

648         \bool_if:NFT \g__scripture_start_bool
649         {
650             \skip_zero:N \topsep
651             \skip_sub:Nn \topsep \parskip

```



```

652         \skip_add:Nn \l__scripture_delta_below_skip \parskip
653         \bool_gset_false:N \g__scripture_start_bool
654     }
655     {
656         \dim_compare:nTF
657         { \parskip >= \l__scripture_flushright_aveskip_tl > \c_zero_skip }
658         {
659             \skip_zero:N \topsep
660             \skip_zero:N \l__scripture_delta_below_skip
661         }
662         {
663             \skip_set_eq:NN \topsep \l__scripture_flushright_aveskip_tl
664             \skip_sub:Nn \l__scripture_delta_below_skip \l__scripture_flushright_aveskip_tl
665         }
666         \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
667         { \addvspace { \baselineskip } }
668         \int_gzero:N \g__scripture_chap_par_prevgraf_int
669     }
670     \dim_set_eq:NN \leftmargin \l__scripture_flushright_leftmargin_tl
671     \dim_set_eq:NN \rightmargin \l__scripture_flushright_rightmargin_tl
672     \skip_set_eq:NN \parsep \parskip
673     \skip_zero:N \partopsep
674     \dim_zero:N \leftmargin
675     \dim_zero:N \labelsep
676 }
677 \raggedleft
678 \item
679 \relax
680 }

```

*(End definition for \\_scripture\_flushright\_begin:n.)*

`\_scripture_flushright_end:` End a flushright section in a scripture quotation.

```

681 \cs_new_protected:Nn \_scripture_flushright_end:
682 {
683     \_scripture_calc_final_line_length:
684     \skip_add:Nn \@topsepadd \l__scripture_delta_below_skip
685     \int_set_eq:NN \@endparpenalty \@lowpenalty
686     \endlist
687 }

```

*(End definition for \\_scripture\_flushright\_end:.)*

### 3.5.3 The hanging environment

`\l__scripture_hanging_parindent_saved_dim` Save the `\parindent` for later use in hanging environment.

```

688 \dim_new:N \l__scripture_hanging_parindent_saved_dim

```

*(End definition for \l\_\_scripture\_hanging\_parindent\_saved\_dim.)*

`\_scripture_hanging_chap:n` Position a drop chapter in a hanging environment.

```

689 \cs_new_protected:Nn \_scripture_hanging_chap:n
690 {
691     \_scripture_drop_chap_set_up:n { #1 }
692     \dim_compare:nNnTF

```

```

693 \l__scripture_chap_width_dim < \leftmargin
694 {
695   \tl_set:Nx \l__scripture_chap_sep_tl
696   {
697     \dim_eval:n { \leftmargin - \l__scripture_chap_width_dim }
698   }
699 }
700 {
701   \parshape 3 ~
702   \dim_eval:n
703   {
704     \@totalleftmargin - \leftmargin + \l__scripture_chap_width_dim +
705     \l__scripture_chap_sep_tl
706   } ~
707   \dim_eval:n
708   {
709     \linewidth + \leftmargin - \l__scripture_chap_width_dim -
710     \l__scripture_chap_sep_tl
711   } ~
712   \dim_eval:n
713   {
714     \@totalleftmargin - \leftmargin + \l__scripture_chap_width_dim +
715     \l__scripture_chap_sep_tl
716   } ~
717   \dim_eval:n
718   {
719     \linewidth + \leftmargin - \l__scripture_chap_width_dim -
720     \l__scripture_chap_sep_tl
721   } ~
722   \@totalleftmargin ~ \linewidth
723 }
724 \mode_if_vertical:T
725 {
726   \tl_set:Nx \l__scripture_chap_sep_tl
727   {
728     \dim_eval:n
729     {
730       \l__scripture_chap_sep_tl + \l__scripture_hanging_parindent_saved_dim
731     }
732   }
733   \__scripture_nohang:
734 }
735 \hbox_set:Nn \l__scripture_chap_box
736 {
737   \box_move_down:nn
738   { \baselineskip }
739   {
740     \hbox_overlap_left:n
741     {
742       \box_use:N \l__scripture_chap_tmp_box
743       \skip_horizontal:N \l__scripture_chap_sep_tl
744     }
745   }
746 }

```

```

747 \box_set_ht:Nn \l__scripture_chap_box { \c_zero_dim }
748 \box_set_dp:Nn \l__scripture_chap_box { \c_zero_dim }
749 \group_begin:
750 \hook_use:n { scripture / chap / before }
751 \box_use:N \l__scripture_chap_box
752 \hook_use:n { scripture / chap / after }
753 \group_end:
754 \hook_gput_next_code:nn { para / begin }
755 { \parshape 1 ~ \@totalleftmargin ~ \linewidth }
756 }

```

(End definition for \\_\_scripture\_hanging\_chap:n.)

\\_\_scripture\_hanging\_verse:n Position a \vs in a hanging environment. The verse is set to overlap to the left if at the beginning of a hanging paragraph.

```

757 \cs_new_protected:Nn \__scripture_hanging_verse:n
758 {
759   \mode_if_vertical:TF
760   {
761     \strut
762     \hbox_overlap_left:n
763     {
764       \__scripture_verse_output:n { #1 }
765     }
766   }
767   { \__scripture_verse_output:n { #1 } }
768 }

```

(End definition for \\_\_scripture\_hanging\_verse:n.)

\\_\_scripture\_nohang: Don't hang a paragraph in a hanging environment. Instead the paragraph is indented by \parindent from its normal hanging position.

```

769 \cs_new_protected_nopar:Nn \__scripture_nohang:
770 {
771   \para_raw_noindent:
772   \hbox_to_wd:nn { \l__scripture_hanging_parindent_saved_dim } { }
773 }

```

(End definition for \\_\_scripture\_nohang:.)

\\_\_scripture\_hanging\_begin:n Begin a hanging section in a scripture quotation.

```

774 \cs_new_protected:Nn \__scripture_hanging_begin:n
775 {
776   \bool_if:NT \l__scripture_active_inner_bool
777   {
778     \msg_error:nn { scripture } { nested-environment }
779   }
780   \bool_set_true:N \l__scripture_active_inner_bool
781   \tl_set:Nn \l__scripture_currenvir_str { hanging }
782   \tl_if_no_value:nF { #1 }
783   {
784     \keys_set:nn
785     { scripture / hanging }
786     { #1 }
787   }

```

```

788 \mode_if_horizontal:T
789 { \par }
790 \list { }
791 {
792 \skip_set_eq:NN \l__scripture_delta_below_skip \l__scripture_hanging_belowskip_tl
Ignore aboveskip if at the beginning of a scripture environment.
793 \bool_if:NTF \g__scripture_start_bool
794 {
795 \dim_zero:N \topsep
796 \skip_sub:Nn \topsep \parskip
797 \skip_add:Nn \l__scripture_delta_below_skip \parskip
798 \bool_gset_false:N \g__scripture_start_bool
799 }
800 {
801 \dim_compare:nTF
802 { \parskip >= \l__scripture_hanging_aboveskip_tl > \c_zero_skip }
803 {
804 \skip_zero:N \topsep
805 \skip_zero:N \l__scripture_delta_below_skip
806 }
807 {
808 \skip_set_eq:NN \topsep \l__scripture_hanging_aboveskip_tl
809 \skip_sub:Nn \l__scripture_delta_below_skip \l__scripture_hanging_aboveskip_
810 }
811 \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
812 { \addvspace { \baselineskip } }
813 \int_gzero:N \g__scripture_chap_par_prevgraf_int
814 }
815 \dim_set:Nn \leftmargin
816 { \l__scripture_hanging_leftmargin_tl + \l__scripture_hanging_hang_tl }
817 \dim_set_eq:NN \rightmargin \l__scripture_hanging_rightmargin_tl
818 \dim_set:Nn \itemindent { -\l__scripture_hanging_hang_tl }
819 \dim_set:Nn \listparindent { -\l__scripture_hanging_hang_tl }
820 \skip_set_eq:NN \parsep \parskip
821 \skip_zero:N \partopsep
822 \dim_zero:N \labelsep
823 \dim_set_eq:NN \l__scripture_hanging_parindent_saved_dim \parindent
824 }
825 \DeclareDocumentCommand { \ch } { sm }
826 {
827 \bool_if:NTF \l__scripture_chap_show_bool
828 {
829 \bool_if:NTF \l__scripture_chap_drop_bool
830 { \__scripture_hanging_chap:n { ##2 } }
831 { \__scripture_nodrop_chap:n { ##2 } }
832 }
833 { \__scripture_nodrop_chap:n { ##2 } }
834 }
835 \cs_set_eq:NN \vs \__scripture_hanging_versen
836 \cs_set_eq:NN \nohang \__scripture_nohang:
837 \item
838 \relax
839 }

```

(End definition for `\_scripture_hanging_begin:n`.)

`\_scripture_hanging_end:` End a hanging section in a scripture quotation.

```

840 \cs_new_protected:Nn \_scripture_hanging_end:
841 {
842   \_scripture_calc_final_line_length:
843   \skip_add:Nn \@topsepadd \l__scripture_delta_below_skip
844   \int_set_eq:NN \@endparpenalty \@lowpenalty
845   \endlist
846 }
```

(End definition for `\_scripture_hanging_end:.`)

### 3.5.4 The midparachap environment

`\_scripture_vbox_set_top:Nw` Define missing `\vbox_set_top:Nw` function.

```

847 \cs_new_protected:Npn \_scripture_vbox_set_top:Nw #1
848 {
849   \tex_setbox:D #1 \tex_vtop:D
850   \c_group_begin_token
851   \color_group_begin:
852 }
```

(End definition for `\_scripture_vbox_set_top:Nw`.)

`\l__scripture_mid_para_chap_bool` Flag if setting a paragraph containing a mid-paragraph chapter.

```

853 \bool_new:N \l__scripture_mid_para_chap_bool
```

(End definition for `\l__scripture_mid_para_chap_bool`.)

`\l__scripture_mid_para_chap_line_box` Store last line before a mid-paragraph chapter.

```

854 \box_new:N \l__scripture_mid_para_chap_line_box
```

(End definition for `\l__scripture_mid_para_chap_line_box`.)

`\g__scripture_mid_para_chap_prevdepth_dim` Store the `\prevdepth` of the final paragraph in a midparachap environment.

```

855 \dim_new:N \g__scripture_mid_para_chap_prevdepth_dim
```

(End definition for `\g__scripture_mid_para_chap_prevdepth_dim`.)

`\g__scripture_mid_para_chap_prevgraf_int` Store the `\prevgraf` of the final paragraph in a midparachap environment.

```

856 \int_new:N \g__scripture_mid_para_chap_prevgraf_int
```

(End definition for `\g__scripture_mid_para_chap_prevgraf_int`.)

`\l__scripture_mid_para_chap_snap_box` Store unpacked last line before a mid-paragraph chapter.

```

857 \box_new:N \l__scripture_mid_para_chap_snap_box
```

(End definition for `\l__scripture_mid_para_chap_snap_box`.)

`\l__scripture_mid_para_chap_spacefactor_int` Store space factor before a mid-paragraph chapter.

```

858 \int_new:N \l__scripture_mid_para_chap_spacefactor_int
```

(End definition for `\l__scripture_mid_para_chap_spacefactor_int`.)

$\backslash l\_scripture\_mid\_para\_chap\_box$ $\backslash l\_scripture\_mid\_para\_chap\_split\_box$ $\backslash l\_scripture\_mid\_para\_chap\_split\_top\_box$	Boxes containing a paragraph with a chapter break and its split if needed.  <pre> 859 \box_new:N \l__scripture_mid_para_chap_box 860 \box_new:N \l__scripture_mid_para_chap_split_box 861 \box_new:N \l__scripture_mid_para_chap_split_top_box  (End definition for \l__scripture_mid_para_chap_box, \l__scripture_mid_para_chap_split_box, and \l__scripture_mid_para_chap_split_top_box.) </pre>
$\backslash scripture\_mid\_para\_drop\_chap\_output:$	Output a mid-paragraph drop chapter.  <pre> 862 \cs_new_protected:Nn \scripture_mid_para_drop_chap_output: 863 { 864   \unskip 865   \int_set_eq:NN \l__scripture_mid_para_chap_spacefactor_int \spacefactor 866   \strut 867   \par 868   \box_set_to_last:N \l__scripture_mid_para_chap_line_box 869   \hbox_set:Nn \l__scripture_mid_para_chap_snap_box 870   { 871     \hbox_unpack_drop:N \l__scripture_mid_para_chap_line_box 872     \unskip 873     \unskip 874     \unpenalty 875   } 876   \nointerlineskip 877   \dim_compare:nNnTF 878   { 879     \box_wd:N \l__scripture_mid_para_chap_snap_box + 880     \l__scripture_chap_width_dim + 881     \l__scripture_chap_sep_tl 882   } 883   &lt; 884   { \linewidth - \leftskip - \rightskip - 3 em } 885   { 886     \scripture_drop_chap_output: 887     \hbox_unpack_drop:N \l__scripture_mid_para_chap_snap_box 888     \int_set_eq:NN \spacefactor \l__scripture_mid_para_chap_spacefactor_int 889     \c_space_tl 890     \scripture_verse_output:n { 1 } 891   } 892   { 893     \group_begin: 894     \noindent 895     \skip_horizontal:n { -\leftskip } 896     \hbox_unpack_drop:N \l__scripture_mid_para_chap_snap_box 897     \skip_zero:N \parfillskip 898     \par 899     \group_end: 900     \scripture_drop_chap_output: 901     \bool_if:NT \l__scripture_midparachap_show_verse_bool 902     { 903       \scripture_verse_output:n { 1 } 904     } 905   } 906 } </pre>

(End definition for `\_scripture_mid_para_drop_chap_output:`.)

`\_scripture_mid_para_chap_begin:n` Begin a paragraph containing a mid-paragraph chapter.

```

907 \cs_new_protected:Nn \_scripture_mid_para_chap_begin:n
908 {
909   \tl_set:Nn \l__scripture_currenvir_str { midparachap }
910   \tl_if_no_value:nF { #1 }
911   {
912     \keys_set:nn
913       { scripture / midparachap }
914       { #1 }
915   }
916   \par
917   \bool_set_true:N \l__scripture_mid_para_chap_bool
918   \_scripture_vbox_set_top:Nw \l__scripture_mid_para_chap_box
919   \skip_zero:N \parskip
920 }

```

(End definition for `\_scripture_mid_para_chap_begin:n`.)

`\_scripture_mid_para_chap_end:` End a paragraph containing a mid-paragraph chapter.

```

921 \cs_new_protected:Nn \_scripture_mid_para_chap_end:
922 {
923   \par
924   \int_gset_eq:NN \g__scripture_mid_para_chap_prevgraf_int \prevgraf
925   \dim_gset_eq:NN \g__scripture_mid_para_chap_prevdepth_dim \prevdepth
926   \box_set_to_last:N \l__scripture_mid_para_chap_line_box
927   \hbox_set:Nn \l__scripture_mid_para_chap_snap_box
928     {
929       \hbox_unpack:N \l__scripture_mid_para_chap_line_box
930       \unskip
931       \unskip
932       \unpenalty
933     }
934   \dim_gset:Nn \g__scripture_final_line_dim { \box_wd:N \l__scripture_mid_para_chap_snap_box }
935   \box_clear:N \l__scripture_mid_para_chap_snap_box
936   \nointerlineskip
937   \int_compare:nNnT
938     \prevgraf < 3
939   {
940     \noindent
941     \skip_horizontal:n { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
942     \dim_gadd:Nn \g__scripture_final_line_dim { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
943   }
944   \box_use_drop:N \l__scripture_mid_para_chap_line_box
945   \vbox_set_end:

```

Attempt to allow the mid-paragraph chapter box to break across pages.

```

946 \mode_if_inner:TF
947 {
948   \noindent
949   \box_use_drop:N \l__scripture_mid_para_chap_box
950 }
951 {
952   \dim_compare:nNnTF

```

```

953     { \box_ht_plus_dp:N \l__scripture_mid_para_chap_box }
954     >
955     { \pagegoal - \pagetotal - \baselineskip }
956     {
957         \int_set:Nn \vbadness { 10000 }
958         \vbox_set_split_to_ht:NNn
959             \l__scripture_mid_para_chap_split_box \l__scripture_mid_para_chap_box
960             { \pagegoal - \pagetotal - \baselineskip }
961         \vbox_set_top:Nn \l__scripture_mid_para_chap_split_top_box
962             { \vbox_unpack_drop:N \l__scripture_mid_para_chap_split_box }
963         \noindent
964         \box_use_drop:N \l__scripture_mid_para_chap_split_top_box
965         \goodbreak
966         \box_use_drop:N \l__scripture_mid_para_chap_box
967     }
968     {
969         \noindent
970         \box_use_drop:N \l__scripture_mid_para_chap_box
971     }
972 }
973 \par
974 \dim_set_eq:NN \prevdepth \g__scripture_mid_para_chap_prevdepth_dim
975 \int_zero:N \prevgraf
976 \skip_vertical:n { -\parskip - \baselineskip }
977 \noindent
978 \skip_horizontal:N \g__scripture_final_line_dim
979 \int_gset_eq:NN \g__scripture_chap_par_prevgraf_int \g__scripture_mid_para_chap_prevgraf
980 \hook_gput_next_code:nn { para / before }
981 {
982     \int_gzero:N \g__scripture_chap_par_prevgraf_int
983     \int_compare:nNnT
984         \@listdepth > \c_zero_int
985         { \parshape 1 ~ \@totalleftmargin ~ \linewidth }
986 }
987 }

```

(End definition for \\_scripture\_mid\_para\_chap\_end:.)

### 3.5.5 The narrow environment

\\_scripture\_narrow\_begin:n Begin a narrow section in a scripture quotation.

```

988 \cs_new_protected:Nn \_scripture_narrow_begin:n
989 {
990     \bool_if:NT \l__scripture_active_inner_bool
991     {
992         \msg_error:nn { scripture } { nested-environment }
993     }
994     \bool_set_true:N \l__scripture_active_inner_bool
995     \tl_set:Nn \l__scripture_currenvir_str { narrow }
996     \tl_if_no_value:nF { #1 }
997     {
998         \keys_set:nn
999             { scripture / narrow }
1000             { #1 }

```



```

1001     }
1002     \mode_if_horizontal:T
1003     { \par }
1004     \list { }
1005     {
1006         \skip_set_eq:NN \l__scripture_delta_below_skip \l__scripture_narrow_belowskip_tl
Ignore aboveskip if at the beginning of a scripture environment.
1007         \bool_if:NTF \g__scripture_start_bool
1008         {
1009             \skip_zero:N \topsep
1010             \skip_sub:Nn \topsep \parskip
1011             \skip_add:Nn \l__scripture_delta_below_skip \parskip
1012             \bool_gset_false:N \g__scripture_start_bool
1013         }
1014         {
1015             \dim_compare:nTF
1016             { \parskip >= \l__scripture_narrow_aboveskip_tl > \c_zero_skip }
1017             {
1018                 \skip_zero:N \topsep
1019                 \skip_zero:N \l__scripture_delta_below_skip
1020             }
1021             {
1022                 \skip_set_eq:NN \topsep \l__scripture_narrow_aboveskip_tl
1023                 \skip_sub:Nn \l__scripture_delta_below_skip \l__scripture_narrow_aboveskip_tl
1024             }
1025             \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
1026             { \addvspace { \baselineskip } }
1027             \int_gzero:N \g__scripture_chap_par_prevgraf_int
1028         }
1029         \dim_set_eq:NN \leftmargin \l__scripture_narrow_leftmargin_tl
1030         \dim_set_eq:NN \rightmargin \l__scripture_narrow_rightmargin_tl
1031         \dim_set_eq:NN \listparindent \parindent
1032         \dim_set_eq:NN \itemindent \parindent
1033         \skip_set_eq:NN \parsep \parskip
1034         \skip_zero:N \partopsep
1035         \dim_zero:N \labelsep
1036     }
1037     \item
1038     \relax
1039 }

```

(End definition for \\_\_scripture\_narrow\_begin:n.)

\\_\_scripture\_narrow\_end: End a narrow section in a scripture quotation.

```

1040 \cs_new_protected:Nn \__scripture_narrow_end:
1041 {
1042     \__scripture_calc_final_line_length:
1043     \skip_add:Nn \@topsepadd \l__scripture_delta_below_skip
1044     \int_set_eq:NN \@endparpenalty \@lowpenalty
1045     \endlist
1046 }

```

(End definition for \\_\_scripture\_narrow\_end:.)

### 3.5.6 The poetry environment

<code>scripture/poetry/para/after</code>	<p>This hook is an internal hook used to adjust the <code>\parshape</code> within a poetry environment after drop chapter numbers.</p> <pre>1047 \hook_new:n { scripture / poetry / para / after }</pre> <p>(End definition for <code>scripture/poetry/para/after</code>. This variable is documented on page ??.)</p>
<code>\g_scripture_poetry_end_bool</code>	<p>Flag indicating that a poetry environment just ended.</p> <pre>1048 \bool_new:N \g__scripture_poetry_end_bool</pre> <p>(End definition for <code>\g__scripture_poetry_end_bool</code>.)</p>
<code>scripture_poetry_midparachap_show_verse_bool</code>	<p>Flag indicating whether the verse number should be printed immediately after a <code>\ch</code> or not in a poetry environment.</p> <pre>1049 \bool_new:N \g__scripture_poetry_midparachap_show_verse_bool</pre> <p>(End definition for <code>\g__scripture_poetry_midparachap_show_verse_bool</code>.)</p>
<code>\l_scripture_poetry_chap_indent_dim</code> <code>\l_scripture_poetry_chap_sep_dim</code>	<p>Store calculated indent and sep when a drop chapter appears in a poetry environment.</p> <pre>1050 \dim_new:N \l__scripture_poetry_chap_indent_dim 1051 \dim_new:N \l__scripture_poetry_chap_sep_dim</pre> <p>(End definition for <code>\l__scripture_poetry_chap_indent_dim</code> and <code>\l__scripture_poetry_chap_sep_dim</code>.)</p>
<code>scripture_poetry_chap_parshape_correction_dim</code>	<p>Correction to <code>\parshape</code> in chapter affected lines in a poetry environment.</p> <pre>1052 \dim_new:N \l__scripture_poetry_chap_parshape_correction_dim</pre> <p>(End definition for <code>\l__scripture_poetry_chap_parshape_correction_dim</code>.)</p>
<code>\l_scripture_poetry_prevgraf_int</code>	<p>Store the number of lines a line of poetry takes up.</p> <pre>1053 \int_new:N \l__scripture_poetry_prevgraf_int</pre> <p>(End definition for <code>\l__scripture_poetry_prevgraf_int</code>.)</p>
<code>\_scripture_poetry_extra_skip:</code>	<p>Insert a little extra vertical space between two lines in a poetry environment.</p> <pre>1054 \cs_new_protected:Nn \_scripture_poetry_extra_skip: 1055 { 1056   \skip_vertical:n { \l__scripture_extraskip_tl - \baselineskip - \parskip } 1057   \bool_gset_false:N \g__scripture_poetry_midparachap_show_verse_bool 1058   \strut 1059   \hook_gput_next_code:nn { para / after } 1060   { 1061     \hook_gput_next_code:nn { para / after } 1062     { 1063       \bool_gset_eq:NN 1064       \g__scripture_poetry_midparachap_show_verse_bool 1065       \l__scripture_midparachap_show_verse_bool 1066     } 1067   } 1068 }</pre> <p>(End definition for <code>\_scripture_poetry_extra_skip:</code>.)</p>

`\_scripture_poetry_text_right:n` Align a word to the right and finish a paragraph, pushing to the next line if there is not space for the word.

```

1069 \cs_new_protected:Nn \_scripture_poetry_text_right:nn
1070 {
1071   {
1072     \unskip
1073     \hfil
1074     \penalty 50
1075     \skip_horizontal:n { #1 }
1076     \hbox:n {}
1077     \nobreak
1078     \hfill
1079     #2
1080     \skip_zero:N \parfillskip
1081     \int_zero:N \finalhyphendemerits
1082   }
1083 }

```

*(End definition for \\_scripture\_poetry\_text\_right:n.)*

`\_scripture_selah_output:` Output Selah at the end of a line.

```

1084 \cs_new_protected:Nn \_scripture_selah_output:
1085 {
1086   \group_begin:
1087   \l__scripture_selah_font_tl
1088   \_scripture_poetry_text_right:nn
1089   { \l__scripture_selah_sep_tl }
1090   { \_scripture_selah_format:n { \l__scripture_selah_text_tl } }
1091   \group_end:
1092 }

```

*(End definition for \\_scripture\_selah\_output:.)*

`\_scripture_poetry_chap:n` Position a chapter in a poetry environment.

```

1093 \cs_new_protected:Nn \_scripture_poetry_chap:n
1094 {
1095   \_scripture_drop_chap_set_up:n { #1 }
1096   \mode_if_vertical:TF
1097   {
1098     \dim_set_eq:NN \l__scripture_poetry_chap_indent_dim \l__scripture_poetry_indent_tl
1099     \mode_leave_vertical:
1100   }
1101   { \dim_zero:N \l__scripture_poetry_chap_indent_dim }
1102   \dim_set_eq:NN \l__scripture_poetry_chap_sep_dim \l__scripture_chap_sep_tl
1103   \dim_compare:nNnT
1104   { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1105   <
1106   { \l__scripture_poetry_leftmargin_tl + \l__scripture_poetry_chap_indent_dim }
1107   {
1108     \dim_set:Nn \l__scripture_poetry_chap_sep_dim
1109     {
1110       \l__scripture_poetry_leftmargin_tl + \l__scripture_poetry_chap_indent_dim -
1111       \l__scripture_chap_width_dim
1112     }
1113   }

```

```

1113     }
1114     \hbox_set:Nn \l__scripture_chap_box
1115     {
1116         \box_move_down:nn
1117         { \baselineskip }
1118         {
1119             \hbox_overlap_left:n
1120             {
1121                 \box_use:N \l__scripture_chap_tmp_box
1122                 \skip_horizontal:N \l__scripture_poetry_chap_sep_dim
1123             }
1124         }
1125     }
1126     \box_set_ht:Nn \l__scripture_chap_box { \c_zero_dim }
1127     \box_set_dp:Nn \l__scripture_chap_box { \c_zero_dim }
1128     \dim_set:Nn \l__scripture_poetry_chap_parshape_correction_dim
1129     {
1130         \l__scripture_chap_width_dim + \l__scripture_poetry_chap_sep_dim -
1131         \l__scripture_poetry_leftmargin_tl - \l__scripture_poetry_chap_indent_dim
1132     }
1133     \parshape 2 ~
1134     \dim_eval:n
1135     { \@totalleftmargin + \l__scripture_poetry_chap_parshape_correction_dim } ~
1136     \dim_eval:n
1137     { \linewidth - \l__scripture_poetry_chap_parshape_correction_dim } ~
1138     \dim_eval:n
1139     { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1140     \dim_eval:n
1141     { \linewidth - \l__scripture_poetry_big_indent_tl }

```

Because of interactions with L<sup>A</sup>T<sub>E</sub>X list environments and `\__scripture_obeylines:`, `\__scripture_poetry_par:` setting the `\parshape` for the second line after a drop chapter number is more difficult than it should be. There's probably a better way.

```

1142     \dim_compare:nNnT
1143     { \l__scripture_chap_width_dim + \l__scripture_poetry_chap_sep_dim }
1144     >
1145     \l__scripture_poetry_leftmargin_tl
1146     {
1147         \hook_gput_next_code:nn { scripture / poetry / para / after }
1148         {
1149             \int_compare:nNnT \l__scripture_poetry_prevgraf_int = 1
1150             {

```

This `\parshape` is in effect when the next line is the second half of a poetry verse.

```

1151         \dim_compare:nNnTF
1152         { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1153         <
1154         { \l__scripture_poetry_leftmargin_tl + \l__scripture_poetry_indent_tl }
1155         { \dim_zero:N \l__scripture_poetry_chap_parshape_correction_dim }
1156         {
1157             \dim_set:Nn \l__scripture_poetry_chap_parshape_correction_dim
1158             {
1159                 \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl -
1160                 \l__scripture_poetry_leftmargin_tl - \l__scripture_poetry_indent_tl
1161             }

```

```

1162     }
1163     \parshape 2 ~
1164     \dim_eval:n
1165     { \@totalleftmargin + \l__scripture_poetry_chap_parshape_correction_dim
1166     \dim_eval:n
1167     { \linewidth - \l__scripture_poetry_chap_parshape_correction_dim } ~
1168     \dim_eval:n
1169     { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1170     \dim_eval:n
1171     { \linewidth - \l__scripture_poetry_big_indent_tl }
1172     \hook_gput_next_code:nn { para / after }
1173     {
1174     \hook_gclear_next_code:n { scripture / poetry / para / after }
1175     }
1176     \hook_gput_next_code:nn { scripture / poetry / para / after }
1177     {

```

This `\parshape` is in effect when the next line is the first half of a poetry verse.

```

1178     \dim_compare:nNnTF
1179     { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1180     <
1181     \l__scripture_poetry_leftmargin_tl
1182     { \dim_zero:N \l__scripture_poetry_chap_parshape_correction_dim }
1183     {
1184     \dim_set:Nn \l__scripture_poetry_chap_parshape_correction_dim
1185     {
1186     \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl -
1187     \l__scripture_poetry_leftmargin_tl
1188     }
1189     }
1190     \parshape 2 ~
1191     \dim_eval:n
1192     { \@totalleftmargin + \l__scripture_poetry_chap_parshape_correction_dim
1193     \dim_eval:n
1194     { \linewidth - \l__scripture_poetry_chap_parshape_correction_dim } ~
1195     \dim_eval:n
1196     { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1197     \dim_eval:n
1198     { \linewidth - \l__scripture_poetry_big_indent_tl }
1199     }
1200     }
1201     }
1202     }
1203     \group_begin:
1204     \hook_use:n { scripture / chap / before }
1205     \box_use:N \l__scripture_chap_box
1206     \hook_use:n { scripture / chap / after }
1207     \group_end:
1208     \bool_if:NT \g__scripture_poetry_midparachap_show_verse_bool
1209     {
1210     \__scripture_verse_output:n { 1 }
1211     }
1212     }

```

(End definition for `\__scripture_poetry_chap:n`.)

`\_scripture_poetry_nodrop_chap:n` Format a non-drop chapter for poetry environment in a scripture quotation.

```

1213 \cs_new_protected:Nn \_scripture_poetry_nodrop_chap:n
1214 {
1215   \cs_gset_nopar:Npn \scripturecurrentchapter { #1 }
1216   \cs_gset_nopar:Npn \scripturecurrentverse { 1 }
1217   \group_begin:
1218   \bool_if:NTF \l__scripture_chap_show_bool
1219   {
1220     \hbox_overlap_left:n
1221     {
1222       \hook_use:n { scripture / chap / before }
1223       \group_begin:
1224       \l__scripture_chap_font_tl
1225       #1
1226       \group_end:
1227       \skip_horizontal:N \l__scripture_chap_sep_tl
1228       \hook_use:n { scripture / chap / after }
1229     }
1230     \bool_if:NT \g__scripture_poetry_midparachap_show_verse_bool
1231     {
1232       \__scripture_verse_output:n { 1 }
1233     }
1234   }
1235   {
1236     \hook_use:n { scripture / chap / before }
1237     \hook_use:n { scripture / chap / after }
1238     \vs { 1 }
1239   }
1240   \group_end:
1241 }

```

(End definition for `\_scripture_poetry_nodrop_chap:n`.)

`\_scripture_poetry_mode_vertical_verse:n` Format a verse for poetry scripture quotations in vertical and horizontal mode.

```

1242 \cs_new_protected:Nn \_scripture_poetry_mode_vertical_verse:n
1243 {
1244   \group_begin:
1245   \tl_set_eq:NN \l__scripture_verse_sep_tl \l__scripture_poetry_verse_sep_tl
1246   \strut
1247   \bool_if:NTF \l__scripture_poetry_verse_right_bool
1248   {
1249     \hbox_overlap_left:n
1250     {
1251       \__scripture_verse_output:n { #1 }
1252     }
1253   }
1254   {
1255     \hbox_overlap_left:n
1256     {
1257       \hbox_overlap_right:n
1258       {
1259         \__scripture_verse_output:n { #1 }
1260       }
1261       \skip_horizontal:N \l__scripture_poetry_leftmargin_tl

```

```

1262     }
1263   }
1264   \group_end:
1265 }
1266 \cs_new_protected:Nn \__scripture_poetry_mode_horizontal_verse:n
1267 {
1268   \group_begin:
1269   \tl_set_eq:NN \l__scripture_verse_sep_tl \l__scripture_poetry_verse_sep_tl
1270   \skip_horizontal:n { -\listparindent }
1271   \__scripture_poetry_mode_vertical_verse:n { #1 }
1272   \skip_horizontal:N \listparindent
1273   \group_end:
1274 }

```

(End definition for \\_\_scripture\_poetry\_mode\_vertical\_verse:n.)

\\_\_scripture\_poetry\_par: par macro for poetry sections

```

1275 \cs_new_protected:Nn \__scripture_poetry_par:
1276 {
1277   \mode_if_vertical:TF
1278   {
1279     \cs_set_eq:NN \vs \__scripture_poetry_mode_vertical_verse:n
1280     \noindent
1281   }
1282   {
1283     \cs_set_eq:NN \vs \__scripture_poetry_mode_horizontal_verse:n
1284     \__scripture_tmp_para_end:
1285     \int_set_eq:NN \l__scripture_poetry_prevgraf_int \prevgraf
1286   }
1287   \parshape 2 ~
1288   \@totalleftmargin ~
1289   \linewidth ~
1290   \dim_eval:n
1291   { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1292   \dim_eval:n
1293   { \linewidth - \l__scripture_poetry_big_indent_tl }
1294   \hook_use:n { scripture / poetry / para / after }
1295 }

```

(End definition for \\_\_scripture\_poetry\_par:.)

\\_\_scripture\_obeylines: Special version of obeylines which doesn't insert par at end of environment.

```

1296 \group_begin:
1297 \char_set_catcode_active:N \^^M
1298 \cs_gset_protected_nopar:Nn \__scripture_obeylines: %
1299 {%
1300   \char_set_catcode_active:N \^^M%
1301   \cs_set_eq:NN \^^M \__scripture_obeylines_end:%
1302 }%
1303 \group_end:
1304 \cs_new_protected:Nn \__scripture_obeylines_end:
1305 {
1306   \peek_meaning:NF \end
1307   {
1308     \par

```

```

1309         \int_set:Nn \l__scripture_poetry_prevgraf_int { \int_use:N \prevgraf }
1310     }
1311 }

```

(End definition for \\_scripture\_obeylines:.)

\\_scripture\_poetry\_begin: Begin a poetry section in a scripture quotation.

```

1312 \cs_new_protected:Nn \_scripture_poetry_begin:
1313 {
1314     \bool_if:NT \l__scripture_active_inner_bool
1315     {
1316         \msg_error:nn { scripture } { nested-environment }
1317     }
1318     \bool_set_true:N \l__scripture_active_inner_bool
1319     \tl_set:Nn \l__scripture_currenvir_str { poetry }
1320     \mode_if_horizontal:T
1321     { \par }
1322     \list { }
1323     {
1324         \skip_set_eq:NN \l__scripture_delta_below_skip \l__scripture_poetry_belowskip_tl
1325         \bool_if:NTF \g__scripture_start_bool
1326         {
1327             \skip_zero:N \topsep
1328             \skip_sub:Nn \topsep \parskip
1329             \skip_add:Nn \l__scripture_delta_below_skip \parskip
1330             \bool_gset_false:N \g__scripture_start_bool
1331         }
1332         {
1333             \dim_compare:nTF
1334             { \parskip >= \l__scripture_poetry_aboveskip_tl > \c_zero_skip }
1335             {
1336                 \skip_zero:N \topsep
1337                 \skip_zero:N \l__scripture_delta_below_skip
1338             }
1339             {
1340                 \skip_set_eq:NN \topsep \l__scripture_poetry_aboveskip_tl
1341                 \skip_sub:Nn \l__scripture_delta_below_skip \l__scripture_poetry_aboveskip_t
1342             }
1343             \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
1344             { \addvspace { \baselineskip } }
1345             \int_gzero:N \g__scripture_chap_par_prevgraf_int
1346         }
1347         \dim_set_eq:NN \leftmargin \l__scripture_poetry_leftmargin_tl
1348         \dim_set_eq:NN \rightmargin \l__scripture_poetry_rightmargin_tl
1349         \dim_set_eq:NN \itemindent \l__scripture_poetry_indent_tl
1350         \dim_set_eq:NN \listparindent \l__scripture_poetry_indent_tl
1351         \skip_zero:N \parsep
1352         \skip_zero:N \partopsep
1353         \dim_zero:N \labelsep
1354     }
1355     \raggedright
1356     \dim_set_eq:NN \listparindent \l__scripture_poetry_indent_tl
1357     \dim_set_eq:NN \parindent \l__scripture_poetry_indent_tl
1358     \bool_gset_false:N \g__scripture_poetry_midparachap_show_verse_bool

```



```

1359 \DeclareDocumentCommand { \ch } { sm }
1360 {
1361   \bool_if:NTF \l__scripture_chap_show_bool
1362   {
1363     \bool_if:NTF \l__scripture_chap_drop_bool
1364     { \__scripture_poetry_chap:n { ##2 } }
1365     { \__scripture_poetry_nodrop_chap:n { ##2 } }
1366   }
1367   { \__scripture_poetry_nodrop_chap:n { ##2 } }
1368 }
1369 \cs_set_eq:NN \vs \__scripture_poetry_mode_vertical_verse:n
1370 \cs_set_eq:NN \extraskip \__scripture_poetry_extra_skip:
1371 \cs_set_eq:NN \selah \__scripture_selah_output:
1372 \item
1373 \relax
1374 \cs_set_eq:NN \__scripture_tmp_para_end: \par
1375 \cs_set_eq:NN \par \__scripture_poetry_par:
1376 \hook_gput_next_code:nn { para / after }
1377 { \bool_gset_eq:NN \g__scripture_poetry_midparachap_show_verse_bool \l__scripture_midp
1378 }

```

(End definition for `\__scripture_poetry_begin:`.)

`\__scripture_poetry_end:` End a poetry section in a scripture quotation.

```

1379 \cs_new_protected:Nn \__scripture_poetry_end:
1380 {
1381   \__scripture_calc_final_line_length:
1382   \skip_add:Nn \@topsepadd \l__scripture_delta_below_skip
1383   \int_set_eq:NN \@endparpenalty \@lowpenalty
1384   \endlist
1385   \bool_gset_true:N \g__scripture_poetry_end_bool
1386   \hook_gput_next_code:nn { para / begin }
1387   { \bool_gset_false:N \g__scripture_poetry_end_bool }
1388 }

```

(End definition for `\__scripture_poetry_end:`.)

### 3.6 Public L<sup>A</sup>T<sub>E</sub>X Interface

`\scripturecurrentchapter` Globally stores the most recent argument of `\ch` and `\vs`. These could be used in hooks, for example.

```

1389 \cs_set_nopar:Npn \scripturecurrentchapter { }
1390 \cs_set_nopar:Npn \scripturecurrentverse { }

```

(End definition for `\scripturecurrentchapter` and `\scripturecurrentverse`. These functions are documented on page 5.)

`\scripturesetup` #1 : `<options>` to set.  
Set key-value settings.

```

1391 \NewDocumentCommand { \scripturesetup } { m }
1392 {
1393   \keys_set:nn { scripture } { #1 }
1394 }

```

(End definition for `\scripturesetup`. This function is documented on page 5.)

**scripture** #1 :  $\langle$ reference $\rangle$  of quotation.  
#2 :  $\langle$ options $\rangle$  to set.  
Format a scripture quotation with optional reference.

```

1395 \NewDocumentEnvironment { scripture } { oo }
1396 {
1397   \_scripture_begin:n { #2 }

```

**center** #1 :  $\langle$ options $\rangle$  to set.

```

1398   \DeclareDocumentEnvironment { center } { o }
1399   {
1400     \_scripture_center_begin:n { ##1 }
1401     \ignorespaces
1402   }
1403   { \_scripture_center_end: }

```

**flushright** #1 :  $\langle$ options $\rangle$  to set.

```

1404   \DeclareDocumentEnvironment { flushright } { o }
1405   {
1406     \_scripture_flushright_begin:n { ##1 }
1407     \ignorespaces
1408   }
1409   { \_scripture_flushright_end: }

```

**hanging** #1 :  $\langle$ options $\rangle$  to set.

```

1410   \DeclareDocumentEnvironment { hanging } { o }
1411   {
1412     \_scripture_hanging_begin:n { ##1 }
1413     \ignorespaces
1414   }
1415   { \_scripture_hanging_end: }

```

**midparachap** #1 :  $\langle$ options $\rangle$  to set.

```

1416   \DeclareDocumentEnvironment { midparachap } { o }
1417   {
1418     \_scripture_mid_para_chap_begin:n { ##1 }
1419     \ignorespaces
1420   }
1421   { \_scripture_mid_para_chap_end: }

```

**narrow** #1 :  $\langle$ options $\rangle$  to set.

```

1422   \DeclareDocumentEnvironment { narrow } { o }
1423   {
1424     \_scripture_narrow_begin:n { ##1 }
1425     \ignorespaces
1426   }
1427   { \_scripture_narrow_end: }

```

**poetry** #1 :  $\langle$ options $\rangle$  to set.  
The poetryaux environment is required because \\_scripture\_obeylines: breaks the reading of optional arguments.

```

1428   \DeclareDocumentEnvironment { poetryaux } { o }
1429   {
1430     \tl_if_novalue:nF { ##1 }

```

```

1431     {
1432         \keys_set:nn
1433             { scripture / poetry }
1434             { ##1 }
1435     }
1436     \__scripture_poetry_begin:
1437     \ignorespaces
1438 }
1439 { \__scripture_poetry_end: }
1440 \DeclareDocumentEnvironment { poetry } { }
1441 {
1442     \__scripture_obeylines:
1443     \poetryaux
1444 }
1445 { \endpoetryaux }

1446 \bool_if:NT \l__scripture_compact_bool
1447 {
1448     \scripturesetup { chapter / nodrop }
1449     \RenewDocumentEnvironment { center } { o } { \ignorespaces } { }
1450     \RenewDocumentEnvironment { flushright } { o } { \ignorespaces } { }
1451     \RenewDocumentEnvironment { hanging } { o } { \ignorespaces } { }
1452     \RenewDocumentEnvironment { midparachap } { o } { \ignorespaces } { }
1453     \RenewDocumentEnvironment { narrow } { o } { \ignorespaces } { }
1454     \RenewDocumentEnvironment { poetry } { o } { \ignorespaces } { }
1455     \cs_set_eq:NN \par \relax
1456     \cs_set_eq:NN \extraskip \relax
1457     \cs_set_eq:NN \nohang \relax
1458     \cs_set:Npn \selah
1459     {
1460         \group_begin:
1461         \l__scripture_selah_font_tl
1462         \c_space_tl
1463         \__scripture_selah_format:n { \l__scripture_selah_text_tl }
1464         \c_space_tl
1465         \group_end:
1466     }
1467     \mode_leave_vertical:
1468 }
1469 \peek_remove_spaces:n
1470 {
1471     \peek_meaning:NF \begin
1472     { \bool_gset_false:N \g__scripture_start_bool }
1473 }
1474 }
1475 {
1476     \bool_if:NT \l__scripture_compact_bool
1477     { \cs_set_eq:NN \par \endgraf }
1478     \__scripture_end:n { #1 }
1479 }

```

(End definition for *scripture* and others. These functions are documented on page 8.)

```

1480 \endpackage

```

# Change History

v1.0		Add compact option . . . . .	9
General: First public release . . . . .	1	Add poetry/verse/left option . .	16
v1.1		Add poetry/verse/right option .	17
General: Add		Add poetry/verse/sep option . . .	17
\scripturecurrentchapter and		Add verse/hide option . . . . .	13
\scripturecurrentverse		Add verse/sep option with small	
variables . . . . .	5	default . . . . .	13
Add \selah function . . . . .	5	Add verse/show option . . . . .	13
Add chapter/format option . . . . .	10	Add before and after hooks for	
Add chapter/hide option . . . . .	10	verses and chapters . . . . .	8
Add chapter/show option . . . . .	11	Bug fixes . . . . .	1

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>Symbols</b>	
\\ . . . . .	9
\~ . . . . .	1297, 1300
<b>A</b>	
\abovedisplayshortskip . . . . .	402, 403
\abovedisplayskip . . . . .	403
aboveskip (option) . . . . .	5, 9, 27, 31, 31, 32, 36, 41
\addvspace . . . . .	208, 212, 451,
	482, 562, 568, 610, 667, 812, 1026, 1344
<b>B</b>	
\baselineskip . . . . .	23, 206, 208, 255, 257, 276, 355,
	402, 425, 447, 610, 667, 738, 812,
	955, 960, 976, 1026, 1056, 1117, 1344
\begin . . . . .	1471
\belowdisplayshortskip . . . . .	404
\belowdisplayskip . . . . .	405
belowskip (option) . . . . .	5, 9, 29, 31
\bfseries . . . . .	10, 12, 30, 69
bool commands:	
\bool_gset_eq:NN . . . . .	1063, 1377
\bool_gset_false:N . . . . .	474, 596, 653,
	798, 1012, 1057, 1330, 1358, 1387, 1472
\bool_gset_true:N . . . . .	473, 1385
\bool_if:NTF . . . . .	249, 332, 366,
	390, 433, 455, 457, 503, 574, 591,
	631, 648, 776, 793, 827, 829, 901,
	990, 1007, 1208, 1218, 1230, 1247,
	1314, 1325, 1361, 1363, 1446, 1476
\bool_if:nTF . . . . .	460
\bool_lazy_any:nTF . . . . .	507
\bool_lazy_or:nnTF . . . . .	486, 530, 548
\bool_new:N . . . . .	
	197, 198, 430, 853, 1048, 1049
\bool_set_true:N . . . . .	
	437, 578, 635, 780, 917, 994, 1318
box commands:	
\box_clear:N . . . . .	935
\box_ht:N . . . . .	274
\box_ht_plus_dp:N . . . . .	953
\box_move_down:nn . . . . .	354, 737, 1116
\box_new:N . . . . .	
	230, 261, 262, 854, 857, 859, 860, 861
\box_set_dp:Nn . . . . .	365, 748, 1127
\box_set_ht:Nn . . . . .	364, 747, 1126
\box_set_to_last:N . . . . .	868, 926
\box_use:N . . . . .	
	259, 323, 359, 742, 751, 1121, 1205
\box_use_drop:N . . . . .	944, 949, 964, 966, 970
\box_wd:N . . . . .	252, 294, 879, 934
<b>C</b>	
center (environment) . . . . .	5, 50
center/aboveskip (option) . . . . .	13
center/belowskip (option) . . . . .	14
center/leftmargin (option) . . . . .	14
center/rightmargin (option) . . . . .	14

<code>\centering</code> .....	618		
<code>\ch</code> 3–5, 10, 11, 15, 21, 42, 49, 453, 825, 1359			
<code>\ch*</code> .....	3, 4		
<code>chap/font</code> (option) .....	8		
<code>chap/sep</code> (option) .....	8		
<code>chapter/drop</code> (option) .....	10, 11		
<code>chapter/font</code> (option) .....	10		
<code>chapter/format</code> (option) .....	10, 52		
<code>chapter/hide</code> (option) .....	10, 11, 52		
<code>chapter/nodrop</code> (option) .....	10, 10, 11		
<code>chapter/sep</code> (option) .....	11		
<code>chapter/show</code> (option) .....	10, 11, 52		
char commands:			
<code>\char_set_catcode_active:N</code>	1297, 1300		
<code>\clubpenalty</code> .....	295, 296, 304		
color commands:			
<code>\color_group_begin:</code> .....	851		
<code>compact</code> (option) .....	10, 52		
cs commands:			
<code>\cs_gset_nopar:Nn</code> .....	412		
<code>\cs_gset_nopar:Npn</code> .....			
..	270, 271, 329, 330, 385, 1215, 1216		
<code>\cs_gset_protected_nopar:Nn</code> ..	1298		
<code>\cs_new_protected:Nn</code> 200, 214, 231,			
243, 268, 307, 327, 349, 383, 400,			
431, 517, 572, 622, 629, 681, 689,			
757, 774, 840, 862, 907, 921, 988,			
1040, 1054, 1069, 1084, 1093, 1213,			
1242, 1266, 1275, 1304, 1312, 1379			
<code>\cs_new_protected:Npn</code> .....	847		
<code>\cs_new_protected_nopar:Nn</code> ....	769		
<code>\cs_set:Npn</code> .....	1458		
<code>\cs_set_eq:NN</code> ..	476, 477, 835, 836,		
1279, 1283, 1301, 1369, 1370, 1371,			
1374, 1375, 1455, 1456, 1457, 1477			
<code>\cs_set_nopar:Npn</code> .....	1389, 1390		
<b>D</b>			
<code>\DeclareDocumentCommand</code> ..	453, 825, 1359		
<code>\DeclareDocumentEnvironment</code> ..	1398,		
1404, 1410, 1416, 1422, 1428, 1440			
dim commands:			
<code>\dim_add:Nn</code> ....	495, 499, 500, 534, 555		
<code>\dim_compare:nNnTF</code> .....			
....	205, 251, 407, 419, 423, 559,		
692, 877, 952, 1103, 1142, 1151, 1178			
<code>\dim_compare:nTF</code> .....			
....	599, 656, 801, 1015, 1333		
<code>\dim_compare_p:n</code> .....			
....	487, 488, 531, 532, 549, 550		
<code>\dim_eval:n</code> .....			
....	311, 313, 315, 317, 447, 697,		
702, 707, 712, 717, 728, 1134, 1136,			
1138, 1140, 1164, 1166, 1168, 1170,			
1191, 1193, 1195, 1197, 1290, 1292			
<code>\dim_gadd:Nn</code> .....	942		
<code>\dim_gset:Nn</code> .....	409, 934		
<code>\dim_gset_eq:NN</code> .....	421, 925		
<code>\dim_new:N</code> .....	263, 264, 265,		
267, 399, 688, 855, 1050, 1051, 1052			
<code>\dim_ratio:nn</code> .....	280		
<code>\dim_set:Nn</code> 273, 275, 277, 293, 414,			
815, 818, 819, 1108, 1128, 1157, 1184			
<code>\dim_set_eq:NN</code> .....			
....	475, 670, 671, 817, 823, 974,		
1029, 1030, 1031, 1032, 1098, 1102,			
1347, 1348, 1349, 1350, 1356, 1357			
<code>\dim_sub:Nn</code> .....	490, 538		
<code>\dim_use:N</code> .....	414		
<code>\dim_zero:N</code> ....	615, 616, 674, 675,		
795, 822, 1035, 1101, 1155, 1182, 1353			
<code>\c_zero_dim</code> .....	24,		
27, 119, 122, 131, 134, 149, 184,			
364, 365, 407, 423, 747, 748, 1126, 1127			
<code>dropchap</code> (option) .....	3		
<b>E</b>			
<code>\end</code> .....	1306		
<code>\endgraf</code> .....	1477		
<code>\endlist</code> .....	627, 686, 845, 1045, 1384		
<code>\endpoetryaux</code> .....	1445		
environments:			
<code>center</code> .....	5, 50		
<code>flushright</code> .....	6, 50		
<code>hanging</code> .....	6, 50		
<code>midparachap</code> .....	6, 50		
<code>narrow</code> .....	7, 50		
<code>poetry</code> .....	7, 50		
<code>scripture</code> .....	8, 50		
<code>\everydisplay</code> .....	28, 470		
<code>extraskip</code> (option) .....	4, 11		
<code>\extraskip</code> 4, 10, 11, 15, 376, 476, 1370, 1456			
<b>F</b>			
<code>\finalhyphendemerits</code> .....	226, 1081		
<code>flushright</code> (environment) .....	6, 50		
<code>flushright/aboveskip</code> (option) .....	14		
<code>flushright/belowskip</code> (option) .....	14		
<code>flushright/leftmargin</code> (option) .....	14		
<code>flushright/rightmargin</code> (option) .....	14		
<code>font</code> (option) .....	11		
<code>\fontsize</code> .....	287		
<b>G</b>			
<code>\goodbreak</code> .....	965		

group commands:

- \group\_begin: . . . . . 233, 321,  
331, 335, 388, 749, 893, 1086, 1203,  
1217, 1223, 1244, 1268, 1296, 1460
- \c\_group\_begin\_token . . . . . 850
- \group\_end: . . . . . 241, 325,  
338, 347, 397, 753, 899, 1091, 1207,  
1226, 1240, 1264, 1273, 1303, 1465

## H

hanging (environment) . . . . . 6, 50

hanging/aboveskip (option) . . . . . 14

hanging/belowskip (option) . . . . . 14

hanging/hang (option) . . . . . 4, 4, 14

hanging/leftmargin (option) . . . . . 14

hanging/rightmargin (option) . . . . . 14

hbox commands:

- \hbox:n . . . . . 221, 1076
- \hbox\_overlap\_left:n . . . . .  
357, 740, 762, 1119, 1220, 1249, 1255
- \hbox\_overlap\_right:n . . . . . 1257
- \hbox\_set:Nn . . . . .  
245, 272, 284, 352, 735, 869, 927, 1114
- \hbox\_to\_wd:nn . . . . . 772
- \hbox\_unpack:N . . . . . 929
- \hbox\_unpack\_drop:N . . . . . 871, 887, 896
- \hfil . . . . . 218, 1073
- \hfill . . . . . 12, 66, 223, 1078

hook commands:

- \hook\_gclear\_next\_code:n . . . . . 478, 1174
- \hook\_gput\_next\_code:nn . . . . . 297,  
303, 372, 462, 505, 754, 980, 1059,  
1061, 1147, 1172, 1176, 1376, 1386
- \hook\_new:n . . . . . 1047
- \hook\_new\_pair:nn . . . . . 195, 196
- \hook\_use:n . . . . . 322, 324, 334, 340,  
343, 344, 389, 396, 750, 752, 1204,  
1206, 1222, 1228, 1236, 1237, 1294

hooks:

- scripture/chap/after . . . . . 8, 8, 8, 10, 21
- scripture/chap/before . . . . . 8, 8, 10, 21
- scripture/poetry/para/after . . . . . 42
- scripture/verse/after . . . . . 8, 13, 21
- scripture/verse/before . . . . . 8, 8, 13, 21

## I

\ignorespaces . . . . .  
1401, 1407, 1413, 1419, 1425, 1437,  
1449, 1450, 1451, 1452, 1453, 1454

indent (option) . . . . . 11, 11

int commands:

- \int\_compare:nNnTF . . . . . 202, 256,  
300, 374, 378, 492, 535, 552, 609,  
666, 811, 937, 983, 1025, 1149, 1343
- \int\_gset\_eq:NN . . . . . 299, 924, 979
- \int\_gzero:N . . . . . 210,  
377, 463, 611, 668, 813, 982, 1027, 1345
- \int\_new:N . . . . . 199, 266, 856, 858, 1053
- \int\_set:Nn . . . . . 415, 471, 957, 1309
- \int\_set\_eq:NN . . . . .  
295, 304, 472, 527, 626,  
685, 844, 865, 888, 1044, 1285, 1383
- \int\_use:N . . . . . 415, 1309
- \int\_zero:N . . . . . 226, 526, 975, 1081
- \c\_zero\_int 256, 379, 493, 536, 553, 984
- \item . . . . . 28, 619, 678, 837, 1037, 1372
- \itemindent . . . . . 818, 1032, 1349
- \itshape . . . . . 12, 81

## K

\kern . . . . . 394

keys commands:

- \keys\_define:nn . . . . . 11
- \keys\_set:nn . . . . . 441,  
582, 639, 784, 912, 998, 1393, 1432

## L

\labelsep . . . . . 616, 675, 822, 1035, 1353

leftmargin (option) . . . . . 10

\leftmargin . . . . . 615, 670, 674, 693,  
697, 704, 709, 714, 719, 815, 1029, 1347

\leftskip . . . . . 29, 499, 884, 895

legacy commands:

- \legacy\_if:nTF . . . . . 443
- \linewidth . . . . . 254,  
314, 318, 320, 380, 419, 421, 490,  
496, 534, 539, 542, 555, 556, 709,  
719, 722, 755, 884, 985, 1137, 1141,  
1167, 1171, 1194, 1198, 1289, 1293
- \list . . . . . 588, 645, 790, 1004, 1322
- \listparindent . . . . .  
819, 1031, 1270, 1272, 1350, 1356

## M

\medskipamount 11, 13–16, 49, 113, 116,  
125, 128, 137, 140, 157, 160, 169, 172

midparachap (environment) . . . . . 6, 50

midparachap/hideverse (option) . . . . . 15, 15

midparachap/showverse (option) . . . . . 15, 15

mode commands:

- \mode\_if\_horizontal:TF . . . . .  
586, 643, 788, 1002, 1320
- \mode\_if\_inner:TF . . . . . 946
- \mode\_if\_vertical:TF . . . . . 386,  
449, 480, 519, 724, 759, 1096, 1277
- \mode\_leave\_vertical: 387, 1099, 1467

msg commands:

- \msg\_error:nn . . . . .  
435, 576, 633, 778, 992, 1316

<code>\msg_new:nnnn</code> .....	7	<code>narrow/leftmargin</code> .....	15
<b>N</b>		<code>narrow/rightmargin</code> .....	16
<code>narrow (environment)</code> .....	7, 50	<code>noindent</code> .....	11, 11
<code>narrow/aboveskip (option)</code> .....	15	<code>parindent</code> .....	4, 11, 11, 12
<code>narrow/belowskip (option)</code> .....	15	<code>parskip</code> .....	12, 27
<code>narrow/leftmargin (option)</code> .....	15	<code>poetry/aboveskip</code> .....	16
<code>narrow/rightmargin (option)</code> .....	16	<code>poetry/belowskip</code> .....	16
<code>\NeedsTeXFormat</code> .....	3	<code>poetry/bigindent</code> .....	16
<code>\NewDocumentCommand</code> .....	1391	<code>poetry/indent</code> .....	16
<code>\NewDocumentEnvironment</code> .....	1395	<code>poetry/leftmargin</code> .....	16
<code>\nobreak</code> .....	222, 1077	<code>poetry/rightmargin</code> .....	16
<code>\nohang</code> .....	4, 836, 1457	<code>poetry/verse/left</code> .....	16, 17, 52
<code>noindent (option)</code> .....	11, 11	<code>poetry/verse/right</code> .....	16, 17, 52
<code>\noindent</code> .....		<code>poetry/verse/sep</code> .....	17, 52
	309, 894, 940, 948, 963, 969, 977, 1280	<code>reference/delim</code> .....	12
<code>\nointerlineskip</code> .....	876, 936	<code>reference/font</code> .....	12
<b>O</b>		<code>reference/format</code> .....	12
options:		<code>reference/sep</code> .....	12
<code>aboveskip ...</code> 5, 9, 27, 31, 31, 32, 36, 41		<code>rightmargin</code> .....	10
<code>belowskip</code> .....	5, 9, 29, 31	<code>selah/font</code> .....	5, 12
<code>center/aboveskip</code> .....	13	<code>selah/format</code> .....	5, 12
<code>center/belowskip</code> .....	14	<code>selah/sep</code> .....	5, 12
<code>center/leftmargin</code> .....	14	<code>selah/text</code> .....	5, 12, 12
<code>center/rightmargin</code> .....	14	<code>verse/font</code> .....	8, 12
<code>chap/font</code> .....	8	<code>verse/format</code> .....	13
<code>chap/sep</code> .....	8	<code>verse/hide</code> .....	13, 13, 52
<code>chapter/drop</code> .....	10, 11	<code>verse/sep</code> .....	8, 13, 52
<code>chapter/font</code> .....	10	<code>verse/show</code> .....	13, 13, 52
<code>chapter/format</code> .....	10, 52	<code>version</code> .....	13
<code>chapter/hide</code> .....	10, 11, 52	<code>version/delim</code> .....	13
<code>chapter/nodrop</code> .....	10, 10, 11	<code>version/format</code> .....	13
<code>chapter/sep</code> .....	11	<b>P</b>	
<code>chapter/show</code> .....	10, 11, 52	<code>\pagegoal</code> .....	955, 960
<code>compact</code> .....	10, 52	<code>\pagetotal</code> .....	955, 960
<code>dropchap</code> .....	3	<code>\par</code> .....	10, 369, 446, 547, 587, 644,
<code>extraskip</code> .....	4, 11		789, 867, 898, 916, 923, 973, 1003,
<code>flushright/aboveskip</code> .....	14		1308, 1321, 1374, 1375, 1455, 1477
<code>flushright/belowskip</code> .....	14	<code>para commands:</code>	
<code>flushright/leftmargin</code> .....	14	<code>\para_end:</code> .....	227
<code>flushright/rightmargin</code> .....	14	<code>\para_omit_indent:</code> .....	513
<code>font</code> .....	11	<code>\para_raw_noindent:</code> .....	771
<code>hanging/aboveskip</code> .....	14	<code>\parfillskip</code> .....	225, 897, 1080
<code>hanging/belowskip</code> .....	14	<code>parindent (option)</code> .....	4, 11, 11, 12
<code>hanging/hang</code> .....	4, 4, 14	<code>\parindent</code> .....	12,
<code>hanging/leftmargin</code> .....	14		33, 35, 60, 475, 823, 1031, 1032, 1357
<code>hanging/rightmargin</code> .....	14	<code>\parsep</code> .....	613, 672, 820, 1033, 1351
<code>indent</code> .....	11, 11	<code>\parshape</code> .....	2, 29, 30, 42,
<code>leftmargin</code> .....	10		44, 45, 310, 380, 496, 539, 542, 556,
<code>midparachap/hideverse</code> .....	15, 15		701, 755, 985, 1133, 1163, 1190, 1287
<code>midparachap/showverse</code> .....	15, 15	<code>parskip (option)</code> .....	12, 27
<code>narrow/aboveskip</code> .....	15	<code>\parskip</code> .	12, 23, 27, 63, 206, 250, 425,
<code>narrow/belowskip</code> .....	15		447, 479, 484, 560, 564, 594, 595,
			600, 613, 651, 652, 657, 672, 796,

797, 802, 820, 919, 976, 1010, 1011,  
1016, 1033, 1056, 1328, 1329, 1334  
\partopsep . . . . 614, 673, 821, 1034, 1352  
peek commands:  
  \peek\_meaning:NTF . . . . . 1306, 1471  
  \peek\_remove\_spaces:n . . . . . 1469  
\penalty . . . . . 219, 302, 1074  
poetry (environment) . . . . . 7, 50  
poetry/aboveskip (option) . . . . . 16  
poetry/belowskip (option) . . . . . 16  
poetry/bigindent (option) . . . . . 16  
poetry/indent (option) . . . . . 16  
poetry/leftmargin (option) . . . . . 16  
poetry/rightmargin (option) . . . . . 16  
poetry/verse/left (option) . . . . 16, 17, 52  
poetry/verse/right (option) . . . . 16, 17, 52  
poetry/verse/sep (option) . . . . . 17, 52  
\poetryaux . . . . . 1443  
\postdisplaypenalty . . . . . 472, 526, 527  
\predisplaypenalty . . . . . 471  
\predisplaysize . . . . . 407, 410, 414  
\prevdepth . . . . . 37, 925, 974  
\prevgraf . . . . . 37,  
256, 299, 415, 924, 938, 975, 1285, 1309  
\ProcessKeysOptions . . . . . 194  
\ProvidesExplPackage . . . . . 4

## R

\raggedleft . . . . . 677  
\raggedright . . . . . 1355  
reference/delim (option) . . . . . 12  
reference/font (option) . . . . . 12  
reference/format (option) . . . . . 12  
reference/sep (option) . . . . . 12  
\relax . . . . . 10, 620,  
679, 838, 1038, 1373, 1455, 1456, 1457  
\renewcommand\* . . . . . 5  
\RenewDocumentEnvironment . . . . .  
. . . 1449, 1450, 1451, 1452, 1453, 1454  
\RequirePackage . . . . . 6  
rightmargin (option) . . . . . 10  
\rightmargin . . . . . 671, 817, 1030, 1348  
\rightskip . . . . . 29, 500, 884

## S

scripture (environment) . . . . . 8, 50  
scripture internal commands:  
  \l\_\_scripture\_aboveskip\_tl . . 13, 451  
  \l\_\_scripture\_active\_bool . . . . .  
. . . . . 197, 433, 437  
  \l\_\_scripture\_active\_inner\_bool .  
. . . . . 197, 574, 578,  
631, 635, 776, 780, 990, 994, 1314, 1318  
  \\_\_scripture\_begin:n . . 431, 431, 1397

\l\_\_scripture\_belowskip\_tl . . . . .  
. . . . . 16, 560, 564, 568  
\\_\_scripture\_calc\_final\_line\_-  
length: . . . . . 400,  
400, 528, 624, 683, 842, 1042, 1381  
\l\_\_scripture\_center\_aboveskip\_-  
tl . . . . . 111, 600, 606, 607  
\\_\_scripture\_center\_begin:n . . . . .  
. . . . . 572, 572, 1400  
\l\_\_scripture\_center\_belowskip\_-  
tl . . . . . 114, 590  
\\_\_scripture\_center\_end: . . . . .  
. . . . . 622, 622, 1403  
\l\_\_scripture\_center\_leftmargin\_-  
tl . . . . . 117  
\l\_\_scripture\_center\_rightmargin\_-  
tl . . . . . 120  
\\_\_scripture\_chap:n . . . 349, 349, 459  
\l\_\_scripture\_chap\_box . . . . .  
. . . . 261, 323, 352, 364, 365, 735,  
747, 748, 751, 1114, 1126, 1127, 1205  
\l\_\_scripture\_chap\_drop\_bool . . . . .  
. . . . . 31, 39, 457, 829, 1363  
\l\_\_scripture\_chap\_font\_tl . . . . .  
. . . . . 28, 286, 336, 1224  
\l\_\_scripture\_chap\_fontsize\_dim . . . . .  
. . . . . 263, 277, 288, 289  
\\_\_scripture\_chap\_format:n . . 34, 291  
\l\_\_scripture\_chap\_height\_dim . . . . .  
. . . . . 264, 275, 281  
\g\_\_scripture\_chap\_par\_prevgraf\_-  
int . . . 203, 210, 266, 299, 301, 375,  
377, 463, 609, 611, 666, 668, 811,  
813, 979, 982, 1025, 1027, 1343, 1345  
\l\_\_scripture\_chap\_sep\_tl . . . . .  
. . . . . 41, 312, 314, 316, 318,  
339, 360, 695, 705, 710, 715, 720,  
726, 730, 743, 881, 941, 942, 1102,  
1104, 1152, 1159, 1179, 1186, 1227  
\l\_\_scripture\_chap\_show\_bool . . . . .  
. . . . 37, 44, 332, 455, 827, 1218, 1361  
\l\_\_scripture\_chap\_tmp\_box . . . . .  
. . . . 262, 272, 274, 284, 294, 359, 742, 1121  
l\_\_scripture\_chap\_tmp\_box . . . . . 261  
\l\_\_scripture\_chap\_width\_dim . . . . .  
. . . . . 265, 293, 312,  
314, 316, 318, 693, 697, 704, 709,  
714, 719, 880, 941, 942, 1104, 1111,  
1130, 1143, 1152, 1159, 1179, 1186  
\l\_\_scripture\_chap\_X\_height\_dim . . . . .  
. . . . . 267, 273, 276, 282  
\l\_\_scripture\_clubpenalty\_saved\_-  
int . . . . . 199, 295, 304



\l__scripture_compact_bool . . . . .	\__scripture_hanging_verse:n . . . . .
. . . . . 19, 1446, 1476	. . . . . 757, 757, 835
\l__scripture_currenvir_str . . . . .	\l__scripture_indent_bool 53, 56, 503
. . . . . 428, 438, 509,	\l__scripture_leftmargin_tl . 22,
510, 511, 579, 636, 781, 909, 995, 1319	487, 491, 495, 499, 531, 534, 538, 549
\l__scripture_delta_below_skip . . . . .	\__scripture_mid_para_chap_-
. 571, 590, 595, 603, 607, 625, 647,	begin:n . . . . . 907, 907, 1418
652, 660, 664, 684, 792, 797, 805,	\l__scripture_mid_para_chap_bool
809, 843, 1006, 1011, 1019, 1023,	. . . . . 366, 853, 917
1043, 1324, 1329, 1337, 1341, 1382	\l__scripture_mid_para_chap_box .
\__scripture_drop_chap_output: . . . . .	. . . . . 859, 918, 949, 953, 959, 966, 970
. . . . . 307, 307, 370, 886, 900	\__scripture_mid_para_chap_end: .
\__scripture_drop_chap_set_up:n . . . . .	. . . . . 921, 921, 1421
. . . . . 268, 268, 351, 691, 1095	\l__scripture_mid_para_chap_-
\__scripture_end:n . . . 517, 517, 1478	line_box 854, 868, 871, 926, 929, 944
\__scripture_extra_skip: 200, 200, 476	\g__scripture_mid_para_chap_-
\l__scripture_extraskip_tl . . . . .	prevdepth_dim . . . . . 855, 925, 974
. . . . . 47, 206, 212, 1056	\g__scripture_mid_para_chap_-
\g__scripture_final_line_dim 252,	prevgraf_int . . . . . 856, 924, 979
399, 409, 419, 421, 423, 934, 942, 978	\l__scripture_mid_para_chap_-
\l__scripture_flushright_-	snap_box . . . . . 857,
aboveskip_tl . . . 123, 657, 663, 664	869, 879, 887, 896, 927, 934, 935
\__scripture_flushright_begin:n . . . . .	\l__scripture_mid_para_chap_-
. . . . . 629, 629, 1406	spacefactor_int . . . . . 858, 865, 888
\l__scripture_flushright_-	\l__scripture_mid_para_chap_-
belowskip_tl . . . . . 126, 647	split_box . . . . . 859, 959, 962
\__scripture_flushright_end: . . . . .	\l__scripture_mid_para_chap_-
. . . . . 681, 681, 1409	split_top_box . . . . . 859, 961, 964
\l__scripture_flushright_-	\__scripture_mid_para_drop_chap_-
leftmargin_tl . . . . . 129, 670	output: . . . . . 367, 862, 862
\l__scripture_flushright_-	\l__scripture_midparachap_show_-
rightmargin_tl . . . . . 132, 671	verse_bool 150, 152, 901, 1065, 1377
\l__scripture_font_tl . . . . . 50, 485	\l__scripture_narrow_aboveskip_-
\__scripture_format_full_ref:n . . . . .	tl . . . . . 155, 1016, 1022, 1023
. . . . . 231, 231, 247	\__scripture_narrow_begin:n . . . . .
\l__scripture_hanging_aboveskip_-	. . . . . 988, 988, 1424
tl . . . . . 135, 802, 808, 809	\l__scripture_narrow_belowskip_-
\__scripture_hanging_begin:n . . . . .	tl . . . . . 158, 1006
. . . . . 774, 774, 1412	\__scripture_narrow_end: . . . . .
\l__scripture_hanging_belowskip_-	. . . . . 1040, 1040, 1427
tl . . . . . 138, 792	\l__scripture_narrow_leftmargin_-
\__scripture_hanging_chap:n . . . . .	tl . . . . . 161, 1029
. . . . . 689, 689, 830	\l__scripture_narrow_rightmargin_-
\__scripture_hanging_end: . . . . .	tl . . . . . 164, 1030
. . . . . 840, 840, 1415	\__scripture_nodrop_chap:n . . . . .
\l__scripture_hanging_hang_tl . . . . .	. . . . . 327, 327, 466, 468, 831, 833
. . . . . 141, 816, 818, 819	\__scripture_nohang: 733, 769, 769, 836
\l__scripture_hanging_leftmargin_-	\__scripture_obeylines: . . . . .
tl . . . . . 144, 816	. . . . . 23, 44, 50, 1296, 1298, 1442
\l__scripture_hanging_parindent_-	\__scripture_obeylines_end: . . . . .
saved_dim . . . . . 688, 730, 772, 823	. . . . . 1301, 1304
\l__scripture_hanging_rightmargin_-	\l__scripture_parindent_tl . . 58, 475
tl . . . . . 147, 817	\l__scripture_parskip_correction_-
	skip . . . . . 429, 479, 482

\l__scripture_parskip_tl	61, 479, 484	\l__scripture_poetry_verse_-	
\l__scripture_poetry_aboveskip_-		right_bool	185, 187, 1247
tl	167, 1334, 1340, 1341	\l__scripture_poetry_verse_sep_-	
\__scripture_poetry_begin:	1312, 1312, 1436	tl	190, 1245, 1269
\l__scripture_poetry_belowskip_-		\l__scripture_ref_box	230, 245, 252, 259
tl	170, 1324	\l__scripture_ref_delim_tl	64, 258
\l__scripture_poetry_big_indent_-		\l__scripture_ref_font_tl	67, 234
tl	173, 1139, 1141, 1169, 1171, 1196, 1198, 1291, 1293	\__scripture_ref_format:n	70, 235
\__scripture_poetry_chap:n	1093, 1093, 1364	\l__scripture_ref_sep_tl	73, 252
\l__scripture_poetry_chap_-		\__scripture_reference:n	243, 243, 545
indent_dim	1050, 1098, 1101, 1106, 1110, 1131	\__scripture_reset_spacing:	412, 418
\l__scripture_poetry_chap_-		\l__scripture_rightmargin_tl	25, 488, 491, 500, 532, 550, 555
parshape_correction_dim	1052, 1128, 1135, 1137, 1155, 1157, 1165, 1167, 1182, 1184, 1192, 1194	\l__scripture_selah_font_tl	79, 1087, 1461
\l__scripture_poetry_chap_sep_-		\__scripture_selah_format:n	82, 1090, 1463
dim	1050, 1102, 1108, 1122, 1130, 1143	\__scripture_selah_output:	1084, 1084, 1371
\__scripture_poetry_end:	1379, 1379, 1439	\l__scripture_selah_sep_tl	85, 1089
\g__scripture_poetry_end_bool	249, 474, 1048, 1385, 1387	\l__scripture_selah_text_tl	76, 1090, 1463
\__scripture_poetry_extra_skip:	1054, 1054, 1370	\g__scripture_start_bool	430, 473, 591, 596, 648, 653, 793, 798, 1007, 1012, 1325, 1330, 1472
\l__scripture_poetry_indent_tl	176, 1098, 1154, 1160, 1349, 1350, 1356, 1357	\__scripture_text_right:n	214
\l__scripture_poetry_leftmargin_-		\__scripture_text_right:nn	214
tl	179, 1106, 1110, 1131, 1145, 1154, 1160, 1181, 1187, 1261, 1347	\__scripture_tmp_para_end:	1284, 1374
\g__scripture_poetry_midparachap_-		\__scripture_vbox_set_top:Nw	847, 847, 918
show_verse_bool	1049, 1057, 1064, 1208, 1230, 1358, 1377	\l__scripture_verse_font_tl	88, 392
\__scripture_poetry_mode_-		\__scripture_verse_format:n	91, 393
horizontal_verse:n	1266, 1283	\__scripture_verse_output:n	383, 383, 477, 764, 767, 890, 903, 1210, 1232, 1251, 1259
\__scripture_poetry_mode_-		\l__scripture_verse_sep_tl	96, 394, 1245, 1269
vertical_verse:n	1242, 1242, 1271, 1279, 1369	\l__scripture_verse_show_bool	94, 99, 390
\__scripture_poetry_nodrop_-		\l__scripture_version_delim_tl	105, 238
chap:n	1213, 1213, 1365, 1367	\__scripture_version_format:n	108, 239
\__scripture_poetry_par:	44, 1275, 1275, 1375	\l__scripture_version_tl	102, 236, 239
\l__scripture_poetry_prevgraf_-		scripture/chap/after (hook)	8, 8, 8, 10, 21
int	1053, 1149, 1285, 1309	scripture/chap/before (hook)	8, 8, 10, 21
\l__scripture_poetry_rightmargin_-		scripture/poetry/para/after (hook)	42
tl	182, 1348	scripture/verse/after (hook)	8, 13, 21
\__scripture_poetry_text_right:n	1069	scripture/verse/before (hook)	8, 8, 13, 21
\__scripture_poetry_text_-		\scripturecurrentcapter	5
right:nn	1069, 1088	\scripturecurrentchapter	5, 21, 52, 270, 329, 1215, 1389

<code>\scripturecurrentverse</code> .....	31, 625, 684, 843, 1043, 1382
<i>5, 21, 52, 271, 330, 385, 1216, 1389</i>	
<code>\scripturesetup</code> ..	312, 316, 319, 380, 495, 496, 538, 539, 542, 556, 704, 714, 722, 755, 985, 1135, 1139, 1165, 1169, 1192, 1196, 1288, 1291
<code>\selah</code> .....	5, 12, 52, 1371, 1458
<code>selah/font</code> (option) .....	5, 12
<code>selah/format</code> (option) .....	5, 12
<code>selah/sep</code> (option) .....	5, 12
<code>selah/text</code> (option) .....	5, 12, 12
<code>\selectfont</code> .....	290
skip commands:	
<code>\skip_add:Nn</code> .....	595, 625, 652, 684, 797, 843, 1011, 1043, 1329, 1382
<code>\skip_eval:n</code> .....	564
<code>\skip_horizontal:N</code> .....	339, 360, 743, 978, 1122, 1227, 1261, 1272
<code>\skip_horizontal:n</code> .....	220, 895, 941, 1075, 1270
<code>\skip_new:N</code> .....	429, 571
<code>\skip_set:Nn</code> .....	402, 479
<code>\skip_set_eq:NN</code> .....	403, 484, 590, 606, 613, 647, 663, 672, 792, 808, 820, 1006, 1022, 1033, 1324, 1340
<code>\skip_sub:Nn</code> .....	594, 607, 651, 664, 796, 809, 1010, 1023, 1328, 1341
<code>\skip_vertical:N</code> .....	255
<code>\skip_vertical:n</code> .....	250, 257, 425, 976, 1056
<code>\skip_zero:N</code> .....	225, 404, 405, 593, 602, 603, 614, 650, 659, 660, 673, 804, 805, 821, 897, 919, 1009, 1018, 1019, 1034, 1080, 1327, 1336, 1337, 1351, 1352
<code>\c_zero_skip</code> .....	15, 18, 600, 657, 802, 1016, 1334
<code>\spacefactor</code> .....	865, 888
str commands:	
<code>\str_if_eq_p:nn</code> .....	509, 510, 511
<code>\str_new:N</code> .....	428
<code>\strut</code> .....	445, 761, 866, 1058, 1246
T	
T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> commands:	
<code>\endparpenalty</code> .....	626, 685, 844, 1044, 1383
<code>\highpenalty</code> .....	527
<code>\listdepth</code> ...	379, 493, 536, 553, 984
<code>\lowpenalty</code> .....	472, 626, 685, 844, 1044, 1383
U	
<code>\unpenalty</code> .....	874, 932
<code>\unskip</code> .....	29, 217, 521, 522, 864, 872, 873, 930, 931, 1072
<code>\usepackage</code> .....	9
V	
<code>\vbadness</code> .....	957
vbox commands:	
<code>\vbox_set_end:</code> .....	945
<code>\vbox_set_split_to_ht:NNn</code> .....	958
<code>\vbox_set_top:Nn</code> .....	961
<code>\vbox_set_top:Nw</code> .....	37
<code>\vbox_unpack_drop:N</code> .....	962
<code>verse/font</code> (option) .....	8, 12
<code>verse/format</code> (option) .....	13
<code>verse/hide</code> (option) .....	13, 13, 52
<code>verse/sep</code> (option) .....	8, 13, 52
<code>verse/show</code> (option) .....	13, 13, 52
<code>version</code> (option) .....	13
<code>version/delim</code> (option) .....	13
<code>version/format</code> (option) .....	13
<code>\vs</code> .....	5, 12, 13, 15, 17, 35, 49, 345, 477, 835, 1238, 1279, 1283, 1369
<code>\vspace</code> .....	447