

se2thesis – A Thesis Class for the Chair of Software Engineering II at the University of Passau, Germany*

Stephan Lukasczyk[†]

Released 2023-04-18

Abstract

One can choose from a wide variety of templates to write a thesis. Many universities provide very rigorous style guides and force their students to obey to those guides, even though they might be questionable from a typography point of view. Other universities do not provide such guides and leave it to their students to choose or come up with a template. The latter is causing very differently-looking theses. To avoid such a situation in the future this bundle combines several L^AT_EX packages and classes for the use at the Chair of Software Engineering II at the University of Passau. We provide, among others, a document class for theses that shall be used by our students. The bundle is designed in a way that one can use the basic components as standalone packages to allow their reuse for other projects.

Contents

I	User Documentation	1
1	Introduction	1
1.1	Installation	1
1.2	General Macros	2
2	License	2
3	The se2thesis class	2
3.1	Load-time options	2
3.2	The title page	3
3.3	Type-area settings	5
3.4	Abstract for the thesis	5
3.5	Acknowledgements	5
3.6	Document structuring	5
3.7	Authorship declaration	6
3.8	Research Questions and findings summaries	6
4	The se2colors package	8

*This file describes v3.0.0, last revised 2023-04-18.

[†]E-mail: tex@lukasczyk.me

5	The <code>se2fonts</code> package	10
6	The <code>se2packages</code> package	11
6.1	The Recommended Packages	11
6.1.1	Quoting with <code>csquotes</code>	11
6.1.2	Number formatting with <code>siunitx</code>	11
6.1.3	Code Listings	11
6.1.4	Designing Tables	12
6.1.5	Controlling Ligatures, Orphans, and Widows	12
6.1.6	Use <code>microtype</code> for Microtypographic Optimisation	12
6.1.7	Use <code>biblatex</code> for Bibliographic References	12
6.1.8	Use <code>cleveref</code> for Internal References	12
6.2	Loading <code>se2packages</code>	13
6.3	Additional Recommended Packages	14
II	Implementation	15
1	Global helpers	16
2	The <code>se2thesis</code> implementation	16
2.1	Define Variables	17
2.2	Load-time options	18
2.3	Package loading	20
2.4	User macros for the title page	20
2.5	Define logo, paper size, and paper style	21
2.6	The title page	23
2.7	Styling of the sectioning commands	28
2.8	Provide an environment for abstracts	28
2.9	Provide an environment for acknowledgements	29
2.10	Document structuring macros	30
2.11	Declaration of authorship	30
2.12	Research questions and summary boxes	31
3	Translations for <code>se2thesis</code>	32
3.1	English Translations	32
3.2	German Translations	33
4	<code>se2colors</code> implementation	34
4.1	Load-time options	34
4.2	Option handling	34
4.3	Colour definitions	35
5	<code>se2fonts</code> implementation	37
5.1	Load-time options	37
5.2	Option handling	37
5.3	Helper macros	38
5.4	Font loading	38

6	se2packages implementation	40
6.1	Load-time options	40
6.2	Option handling	42
6.3	Package loading	42
	Index	45

Part I

User Documentation

The first part of this file provides the documentation for the user of the `se2thesis` bundle. We provide the implementation in the second part of this document, starting at page 15, for those who are curious.

1 Introduction

The University of Passau does not provide a common thesis template to its students. For theses, written at the Chair of Software Engineering II, many students chose between two templates that were provided by different people from the chair; other students chose from the large variety of templates available from the internet, causing each thesis looking differently.

The author of this package provided a template, which he initially created for his bachelor and master thesis, that was recommended and used by many students. The implementation of that template, however, was very hacky and required some changes over time. This led to the idea of creating a new template from scratch, that shall be used by all our students for their various types of theses, from bachelor to PhD level. The result is the `se2thesis` bundle.

The bundle itself consists of several L^AT_EX classes and packages that also allow reuse of various parts of it. Its main class is the `se2thesis` document class, an extension of the KOMA-Script `scrreprt` document class. The packages `se2colors` and `se2fonts` provide necessary colour and font settings for the `se2thesis` class. They are available as separate packages, however, to allow their reuse for other classes, packages, and projects, as well.

1.1 Installation

The `se2thesis` bundle is available from CTAN¹. It is part of both MiK_TE_X and T_EXLive. You can find its development version from GitHub². The easiest way of installing it is through your T_EX distribution; please check your distribution's documentation on this. Note that it might be necessary to update your T_EX distribution because they might not provide you updates; for example, there is a new version of T_EXLive every year which needs to be installed separately. If you have installed an older version of `se2thesis` consider updating it to the latest version available from CTAN through your distribution.

For manual installation, we recommend to clone the Git repository and run the `l3build` tool that we also use for building the bundle. Running `l3build ctan` builds the source files and compiles the documentation. This creates a folder `build` containing these artefacts; `build/doc` contains the documentation, `build/local` the source files. See the documentation of `l3build` and your T_EX distribution on how to install them manually. Please note that `l3build` also provides a `l3build install` target to install the bundle files to your local texmf tree.

The “Island of T_EX” project provides Docker images of T_EXLive. If you do not want to install/update T_EXLive on your system you might want to consider their `latest` image, which contains a recent T_EXLive 2023 build. They build their images weekly, thus also recent releases of `se2thesis` will be part of the image soon after their release date.

¹ctan.org/pkg/se2thesis

²github.com/se2p/se2thesis

1.2 General Macros

They all have in common one macro, `\IfFormatAtLeastTF`; this macro is part of the latest L^AT_EX kernel. However, not all users might have upgraded their T_EX installation to a level using a recently-enough kernel version. Therefore, every class and package of this bundle will conditionally define the following macro:

```
\IfFormatAtLeastTF \IfFormatAtLeastTF {<version>} {<then block>} {<else-block>}
```

Checks whether the used L^AT_EX format is at least the one from the given date value. The date needs to be specified either in YYYY/MM/DD or in YYYY-MM-DD format.

2 License

Permission is granted to copy, distribute, and/or modify this software under the terms of the L^AT_EX Project Public License (LPPL), version 1.3c or later (<https://www.latex-project.org/lppl.txt>). The software has the status ‘maintained’.

3 The se2thesis class

The `se2thesis` class is the central component of this bundle. It provides a wide variety of settings, mostly regarding the title page (see Section 3.2) and the type area (see Section 3.3).

We aim to keep the `se2thesis` class relatively small, especially considering packages that we load. Currently, the class itself loads the `se2colors` (see Section 4) and `se2fonts` (see Section 5) packages. The following packages and classes are loaded: `expl3`, `l3keys2e` in case one uses a L^AT_EX kernel from before 2022-06-01, `graphicx`, `translations`, `KOMA-Script`, `xcolor`, `ifthen`, as well as `fontspec`, `unicode-math`, and `libertinus-otf` if one uses LuaT_EX; for pdfL^AT_EX we load `fontenc`, `libertinus-type1`, and `AnonymousPro` instead of the latter three. Furthermore, we load `microtype`; when using LuaT_EX, we also load `lua-widow-control` and `selnolig`.

However, we recommend to use a couple of further packages, together with some further options to those package. We describe these settings in Section 6. Please consider looking at this section when starting to write your document.

Before we start with a detailed documentation of the class, we explain one helper macro that can be used to check whether a package has been loaded.

```
\slcd_package_if_loaded_p:n * \slcd_package_if_loaded:nTF {<package name>} {<true code>} {<false code>}
\slcd_package_if_loaded:nTF *
```

Updated: 2022-09-27

Checks whether a package has been loaded and conditionally executes code.

3.1 Load-time options

The `se2thesis` class defines several load-time options, all of them optional, on top of the options provided by the KOMA-Script document classes.

```
class class = <choice>
```

Set the base document class. Values are `scrreprt`, `scrartcl`, or `scrbook`. Default is `scrbook`.

<hr/> paper <hr/>	<code>paper = <choice></code> Set the paper format. Possible values are a4 or b5 . Default is a4 .
<hr/> logfile <hr/>	<code>logfile = {\<path-to-file>}</code> Defines the path to the University's logo for the title page.
<hr/> thesistype <hr/>	<code>thesistype = <choice></code> Defines the type of the thesis. Possible values are: bachelor for a bachelor thesis, bachelorproposal for a proposal to a bachelor thesis, master for a master thesis, masterproposal for a proposal to a master thesis, phdproposal for a proposal to a PhD thesis, and phd for a PhD thesis.
<hr/> colormode <hr/>	<code>colormode = <choice></code> Select the color scheme used by the automatically loaded se2colors package, see Section 4 for a description.
<hr/> fontmode <hr/>	<code>fontmode = <choice></code>
<hr/> Updated: 2023-01-10 <hr/>	Select the font scheme used by the automatically loaded se2fonts package, see Section 5 for a description. <i>This option is deprecated and will be removed in the future!</i>

3.2 The title page

Designing a title package for a thesis can be complicated. There might be some requirements that are not obvious to the user, especially considering the positioning of elements. The University of Passau, for example, requires the logo to be positioned on the top right of a page; theses—especially PhD theses that shall be published through the University's library system—could be rejected from publication by the library until this is fixed.

We thus redeclare the standard `\maketitle` macro from KOMA-Script and customise it to our needs.

<hr/> \@maketitle <hr/>	<code>\@maketitle</code> We override the definition of the <code>\@maketitle</code> macro for our needs. In addition to the macros provided by the KOMA-Script classes for the title-page values (e.g. <code>\author</code> , <code>\title</code>), we provide some further macros that can be used. Setting values to these macros is optional in any case, if they are not set, the corresponding value is not put to the title page.
<hr/> \version <hr/>	<code>\version {\<version>}</code> Specify the version of the document. This can, for example, be a git hash of the current version.
<hr/> \degreeprogramme <hr/>	<code>\degreeprogramme {\<programme-name>}</code> Specify the degree programme the thesis is meant to be accepted in. Possible values are, among others, 'Informatik' if you are writing your thesis in German, or 'Computer Science' if you are writing the thesis in English.

<hr/> \matrnumber <hr/>	\matrnumber $\{\langle matriculation-number \rangle\}$
	Specify the matriculation number of the student writing the thesis. This is required for Bachelor and Master theses.
<hr/> \supervisor <hr/>	\supervisor $\{\langle name \rangle\}$
\cosupervisor <hr/>	\cosupervisor $\{\langle name \rangle\}$
	Specify the name of your supervisor and co-supervisor. Both people usually are professors.
<hr/> \advisor <hr/>	\advisor $\{\langle name \rangle\}$
\coadvisor <hr/>	\coadvisor $\{\langle name \rangle\}$
	Specify the name of your advisor and co-advisor. Both people usually are PhD students or postdocs.
<hr/> \department <hr/>	\department $\{\langle name \rangle\}$
\institute <hr/>	\institute $[\langle short-name \rangle] \{\langle name \rangle\}$
	Specify the department and institute. The department is, for example, ‘Faculty of Computer Science and Mathematics’, the institute, for example, ‘Chair of Software Engineering II’. If the \department value is not specify, we use ‘Faculty of Computer Science’ as the default value for English theses and ‘Fakultät für Informatik und Mathematik’ as the default value of German theses.
<hr/> \external <hr/>	\external $\{\langle name \rangle\}$
	Specify the name of an external referee.
<hr/> \location <hr/>	\location $\{\langle name-of-town \rangle\}$
	Specify the name of your residence town for the signature field. <p>To define the path to the logo graphics we require a different workflow: We do not bundle logo graphics with this package due to legal restrictions. They can be downloaded from the University’s website; please note that the website for downloading the logo graphics is only accessible from within the University’s campus network or a VPN connection. To specify the path to the logo graphics, we provide a load-time option to the se2thesis class called logfile (see Section 3.1).</p> <p>When printing the thesis in two-side mode—which we recommend—the back of the title page again denotes author and title on the bottom.</p>
<hr/> \@lowertitleback <hr/>	\l@lowertitleback
	Override this internal macro of KOMA-Script to print this information on the back side of the title page. <p>Additionally, we provide some internal rewritings to standard macros from KOMA-Script that allow to automatically split authors using the \and command.</p>
<hr/> \author <hr/>	\author $\{\langle author \rangle\}$
\@author <hr/>	We rewrite the definitions of \author and \@author to do this splitting automatically. Additionally, this also adds a correctly translated version of ‘and’ between the author names if required.

3.3 Type-area settings

The `se2thesis` class manipulates the type area compared to the default settings of the KOMA-Script classes. Our settings are inspired by the `classicthesis` package, which itself is inspired by the style used by famous statistician Edward Tufte. We provide predefined settings for DIN-A4, DIN-A5, and DIN-B5 papers. If you need settings for other paper sizes, please open an issue on this package's GitHub repository (<https://github.com/se2p/se2thesis>) and we will happily include those settings in a future release of this bundle.

Additionally, we are setting the page footer in a way that it contains the page numbers in the outer margin and the headmarks split from the page numbers by a vertical bar.

3.4 Abstract for the thesis

Each thesis shall come with an abstract that summarises its content. The abstract should be written in the language the thesis is written in. Additionally, there is the requirement to provide a German abstract if the thesis is written in a foreign language.

`\abstract` `\abstract`

`abstract` (*env.*) We ensure that the `\abstract` command is defined for all document classes. To typeset an abstract, we provide an environment called `abstract`. The environment takes an optional argument that specifies the language that is used in this abstract. Setting the abstract's language will cause its title to change to the respective language; additionally, hyphenation is also changed for that language.

```
\begin{abstract}[language]
  Your abstract text.
\end{abstract}
```

3.5 Acknowledgements

`acknowledgements` (*env.*) We provide the `acknowledgements` environment to typeset acknowledgements for your thesis. Using this environment is optional. Usually, bachelor and master thesis do not contain such an acknowledgements section, however, there is no general rule to this.

```
\begin{acknowledgements}[language]
  Your acknowledgements.
\end{acknowledgements}
```

3.6 Document structuring

A larger work, such as a thesis, is usually structured in three large blocks: a frontmatter that provides all the overview, such as abstract, table of contents, etc., a mainmatter that contains all the actual content, and a backmatter for appendices. `se2thesis` ensures that the following macros are defined because they are not provided by all KOMA-Script classes.

<code>\frontmatter</code>	<code>\frontmatter</code>
<code>\mainmatter</code>	<code>\mainmatter</code>
<code>\backmatter</code>	<code>\backmatter</code>

Switches between frontmatter, mainmatter, and backmatter. Most notably, the frontmatter will have roman page numbers, while the other two will have arabic page numbers.

3.7 Authorship declaration

The University of Passau requires its students to provide an authorship declaration as part of their thesis for submission. They provide a template form, which would not fit the style of the `se2thesis` class. Thus, we provide the `\authorshipDeclaration` macro to typeset such a declaration. It uses the original (German) text of the declaration and fills in the values that are specified by the `\author` and `\location` macros.

<code>\authorshipDeclaration</code>	<code>\authorshipDeclaration</code>
-------------------------------------	-------------------------------------

Print the authorship declaration text.

Please note: the authorship declaration will always be printed in German, no matter what the language of the thesis is. This happens due to legal requirements. In order to make this work, you have to load the `babel` or `polyglossia` package in a way that it also supports German hyphenation. For example, use

```
\usepackage[ngerman,main=UKenglish]{babel}
```

for a thesis with *traditional English*³ as its main language and support for German.

<code>\signatureBox</code>	<code>\signatureBox</code> [<code><width></code>] [<code><signature-name></code>]
----------------------------	---

A helper macro to print the signature box for the authorship declaration. The optional argument [`<width>`] allows to specify a custom width for the signature line. The default is 5 cm. The mandatory argument [`<signature-name>`] specifies the name of the signee, which will be typeset below the signature line.

3.8 Research Questions and findings summaries

Most theses written at our Chair will require the student to provide some empirical evaluation of their work to shed insights whether their proposed ideas are actually useful. For an empirical study, one needs to specify research questions and maybe also hypotheses. The `se2thesis` class supports this by providing environments for this.

<code>resq</code> (<i>env.</i>)	The <code>resq</code> environment shall be used to specify a research question.
<code>hyp</code> (<i>env.</i>)	The <code>hyp</code> environment shall be used to specify a hypothesis.
<code>summary</code> (<i>env.</i>)	After describing the results, we recommend to give an explicit summary of the findings for a research question or hypothesis. This summary shall be given in one or two sentences. The <code>summary</code> environment provides a convenient way for this; it will be typeset in a highlighted box that is easy to spot and also allows readers of the work to quickly grasp the main findings.

```
\begin{summary}{label-reference}
  The summary text itself.
\end{summary}
```

³there is a nice, probably photoshopped, picture of a Steam setup dialogue stating that American English is a ‘simplified version’ of British English, see <https://jakubmarian.com/is-american-english-simplified-and-british-english-traditional/>.

The environment expects as a parameter a label, for example, to a research question; however, this can also be arbitrary text.

4 The se2colors package


Several colours are specific to the university and we want to have a comprehensive interface to access them throughout all our packages.

The `se2colors` package provides this exact features. One can load it using `\usepackage{se2colors}` in the document preamble.





<code>cmode</code>	<code>cmode = <choice></code>
Updated: 2022-11-03	Selects the colour mode that shall be used for creating the results, a choice from the options specified in Table 1. The default setting is 4C.

Table 1: Options provided by `se2colors`.

























Option	Description
<code>cmode=4C</code>	Define colours in CMYK colour space (<i>default</i>).
<code>cmode=CMYK</code>	Alias for the previous.
<code>CMYK</code> , <code>cmk</code>	Aliases for the previous.
<code>cmode=RGB</code>	Define colours in RGB colour space.
<code>RGB</code> , <code>rgb</code>	Aliases for the previous.
<code>cmode=BW</code>	Define colours in black-and-white colour space.
<code>cmode=1C</code>	Alias for the previous.
<code>gray</code>	Alias for the previous.





































We define two basic colours that are taken from the University's logo, namely UPSE2-Gray  and UPSE2-Orange .

Additionally, we define four colours for the four faculties of the University:

- the Faculty of Law UPSE2-JUR ,
- the School of Business, Economics and Information Systems UPSE2-WIWI ,
- the Faculty of Arts and Humanities UPSE2-PHIL , and
- the Faculty of Computer Science and Mathematics UPSE2-FIM .

Finally, we define a full set of supplementary colours:

- UPSE2-DarkGray  with its derivatives
UPSE2-DarkGray1 , UPSE2-DarkGray2 , UPSE2-DarkGray3 , UPSE2-DarkGray4 , and UPSE2-DarkGray5 .
- UPSE2-White  with its derivatives
UPSE2-White1 , UPSE2-White2 , UPSE2-White3 , UPSE2-White4 ,
and UPSE2-White5 .
- UPSE2-MediumGray  with its derivatives
UPSE2-MediumGray1 , UPSE2-MediumGray2 , UPSE2-MediumGray3 , UPSE2-MediumGray4 , and UPSE2-MediumGray5 .
- UPSE2-LightGray  with its derivatives
UPSE2-LightGray1 , UPSE2-LightGray2 , UPSE2-LightGray3 , UPSE2-LightGray4 , and UPSE2-LightGray5 .

- UPSE2-Orange  with its derivatives
UPSE2-Orange1 , UPSE2-Orange2 , UPSE2-Orange3 , UPSE2-Orange4 , and UPSE2-Orange5 .
- UPSE2-LightRed  with its derivatives
UPSE2-LightRed1 , UPSE2-LightRed2 , UPSE2-LightRed3 , UPSE2-LightRed4 , and UPSE2-LightRed5 .
- UPSE2-DarkRed  with its derivatives
UPSE2-DarkRed1 , UPSE2-DarkRed2 , UPSE2-DarkRed3 , UPSE2-DarkRed4 , and UPSE2-DarkRed5 .
- UPSE2-Green  with its derivatives
UPSE2-Green1 , UPSE2-Green2 , UPSE2-Green3 , UPSE2-Green4 , and UPSE2-Green5 .
- UPSE2-Blue  with its derivatives
UPSE2-Blue1 , UPSE2-Blue2 , UPSE2-Blue3 , UPSE2-Blue4 , and UPSE2-Blue5 .
- UPSE2-AccentGray  with its derivatives
UPSE2-AccentGray1 , UPSE2-AccentGray2 , UPSE2-AccentGray3 , UPSE2-AccentGray4 , and UPSE2-AccentGray5 .

5 The se2fonts package

The `se2fonts` package sets the fonts of the document. In the first version of the bundle, we were running to use Hermann Zaph's *Palatino*, *Helvetica*, and *Neo Euler* fonts. However, we figured out that they are not part of a standard L^AT_EX installation, and thus required manual work by the user to install them. Furthermore, loading the fonts did not always work in a correct way.

Thus, we decided to rethink this decision and—as a consequence—now use different fonts that are part of a recent standard L^AT_EX installation: we use the *Libertinus* fonts⁴ for serif, sans-serif, and math typesetting and the *Anonymous Pro* font⁵ as a monospaced font.

Please note: this change might affect the way your documents look, and also might affect paragraph and line breaks!

If you are using Lua_T_EX, fonts are expected to be present as open-type fonts; using pdfL^AT_EX will fallback to Type-1 fonts.

Please note: the package does not support X_T_L_EX!

The following options are defined by the `se2fonts` package to influence the selection of the fonts.

<code>fmode</code>	<code>fmode = <choice></code>
--------------------	-------------------------------------

Updated: 2022-11-03 The argument is deprecated and will raise a warning. It is to be removed by a future version of the `se2thesis` bundle.

The following list provides examples for each of the fonts:

- An example text in Libertinus Serif
- An example text in Libertinus Sans
- An example text in Anonymous Pro

The package provides additional helper functions that are also available to the user.

<code>\pdftexengine</code>	<code>\pdftexengine</code>
<code>\xetexengine</code>	<code>\xetexengine</code>
<code>\luatexengine</code>	<code>\luatexengine</code>

These commands alias the built-in L^AT_EX3 macros `\sys_if_engine_pdftex_p:`, `\sys_if_engine_xetex_p:`, and `\sys_if_engine_luatex_p:`. They can be used to check which engine the user is currently running.

<code>\ifengineTF</code>	<code>\ifengineTF {<engine>} {<then block>} {<else block>}</code>
<code>\ifengineT</code>	<code>\ifengineT {<engine>} {<then block>}</code>
<code>\ifengineF</code>	<code>\ifengineF {<engine>} {<then block>}</code>

Allows to execute code based on the running engine. The base variant `\ifengineTF` expects the user to specify a condition, which can be built of combinations of the `\pdftexengine`, `\xetexengine`, and `\luatexengine` macros, followed by the code that will be executed if the condition holds and the code that will be executed if the condition does not hold.

For convenience, we provide the variants `\ifengineT` and `\ifengineF` that allow to omit an empty then or else branch, respectively.

⁴<https://github.com/alerque/libertinus>

⁵<https://www.marksimonson.com/fonts/view/anonymous-pro>

6 The `se2packages` package

Several packages can be useful for writing a thesis. We provide a simple package for the user that loads these support packages with the recommended options. Please note that you might not need all these packages, however, having a look at them (especially their documentation) might give you an insight whether to use a certain package. Our general recommendation is to use as few packages as you can; some might have conflicts, others basically do the same, or are outdated. Please consider reading the documentation of each package you are using to figure out whether they have any conflicts with other packages (for example, one cannot use the recommended `siunitx` package together with `Slunits`) or they might require to be loaded at special places in your preamble (for example, `hyperref` is usually meant to be loaded as the last package, except you are also using `cleveref`, which needs to be loaded *after* `hyperref`).

6.1 The Recommended Packages

We first present the packages we recommend and give a rationale why we believe they should be used. Afterwards, we will discuss how to load the `se2packages` package to use one or the other of these recommended packages in the next section.

6.1.1 Quoting with `csquotes`

The `csquotes` packages allows you for intelligent quoting of text. While verbose quotes are not that common in computer science, the package still provides some useful macros to the user.

6.1.2 Number formatting with `siunitx`

While `siunitx`'s original purpose was to format physical quantities, it provides a lot of useful features when typesetting theses (and other documents) in computer science. When you skim through its documentation, especiall look at the `\qty` and `\num` macros, as well as the section on typesetting tabular material. We also recommend reading an extensive discussion on number formatting, precision of presented numbers, and more related topics in Beyer et al.'s journal paper on requirements and solutions for reliable benchmarking [1].

6.1.3 Code Listings

We prefer using the `minted` package for code listings because it provides a lot of options for styling as well as built-in support for a huge number of languages. However, this package requires the installation of Python and the setting of the `-shell-escape` option to your \TeX engine. Please read the package's documentation to set it up; the aforementioned Docker images from the Island of \TeX project provide you everything set up already.

In case you do not want to use the `minted` package, please consider using `listings` for typesetting your code listings.

Please be aware to use *either* `minted` *or* `listings`!

6.1.4 Designing Tables

A basically mandatory package to all users of tables is the `booktabs` package. Especially its documentation is a must-read! It provides a large variety of hints for designing tables, most notably that one should never ever use vertical lines; horizontal lines should be used sparsely; `booktabs` provides three macros for lines that shall be used instead of `\hline` from standard L^AT_EX: `\toprule` for a rule on the top of a table, above the column heads; `\midrule` to separate column heads and the content, and `\bottomrule` to mark the bottom of a table. We highly recommend that you follow this style when writing your thesis.

Note that captions of tables shall be put *above* the table whereas captions of figures shall go *below* the figure. The rationale is that a figure should be more or less self explaining while a table almost always needs some explanation.

Unfortunately, the distances when using a `\caption` above a table are wrong by default; when creating tables, consider loading the `hvfloats` package and use its `\tabcaption` instead of `\caption` for tables. The `hvfloats` package furthermore provides additional useful macros to typeset all kinds of floats.

6.1.5 Controlling Ligatures, Orphans, and Widows

When using LuaT_EX (which we recommend anyway), we additionally recommend to use the `selnolig` and `lua-widow-control` packages. The former implements a better control over ligatures, the latter provides better control over orphans and widows.

6.1.6 Use `microtype` for Microtypographic Optimisation

`microtype` is a game changer when writing documents. While standard L^AT_EX provides reasonably good typography, the `microtype` package brings it to the next level. We refer you to the documentation of the package for details.

Additionally, we prefer to have a thin space around the m-dash. Although we are aware of the discussion whether to have such a space in English, we think it looks more beautiful and thus recommend it.

6.1.7 Use `biblatex` for Bibliographic References

The standard way of typesetting bibliographic references used to be B^IB^TE_X. The original B^IB^TE_X, however, seems to be very outdated in various ways: it originally only supported 7 bit character sets and creating citation styles requires the usage of a kind of an archaic language. BibL^AT_EX resolves many of the drawbacks of B^IB^TE_X; when combined with the `biber` engine, it supports full UTF-8 unicode, therefore correct sorting of the references now works out of the box; also creating citation styles can now be done using simple L^AT_EX commands.

6.1.8 Use `cleveref` for Internal References

L^AT_EX provides an easy-to-use reference mechanism using the `\label` and `\ref` macros. However, this requires some manual effort and the text needs to specify whether a reference is to a figure, section, or table. We often see in drafts artefacts such as ‘we discuss our findings in 4’; but what is ‘4’ here? Is it a section? A table? A figure?

To avoid such confusion, use the `cleveref` package, which automatically infers the type of the reference (see its documentation on how this works). The `cleveref` package

furthermore avoids an additional, common mistake: between the name of the element and its reference one needs to have a non-breaking space that is often forgotten. Instead people are using normal spaces that can break at the end of a line which looks very ugly.

Please note that, in contrast to most other packages, `cleveref` has to be loaded *after* the `hyperref` package!

6.2 Loading `se2packages`

When you load the `se2packages` package it will automatically load the `csquotes` and `booktabs` packages because we believe that you definitely should use them. Still, it is possible to avoid this by setting the following load-time options to the package.

<code>csquotes</code>	<code>csquotes = $\langle true, false \rangle$</code>
<code>nocsquotes</code>	<code>nocsquotes</code>

The argument to `csquotes` can be one of `true` or `false`. The latter does not load `csquotes`, the former is the default value. By using `nocsquotes` you can also avoid that `csquote` is loaded.

<code>booktabs</code>	<code>booktabs = $\langle true, false \rangle$</code>
<code>nobooktabs</code>	<code>nobooktabs</code>

The argument to `booktabs` can be one of `true` or `false`. The latter does not load `booktabs`, the former is the default value. By using `nobooktabs` you can also avoid that `booktabs` is loaded.

The `siunitx` package is helpful to set quantities and to automatically format numbers consistently. The following load-time option loads it automatically.

<code>siunitx</code>	<code>siunitx = $\langle true, false \rangle$</code>
----------------------	---

Decides whether the package loads `siunitx` and sets the options for `siunitx` to the values we recommend. The default value is `false`, set it to `true` to load `siunitx`.

We provide a load-time option to load `minted` and configure it.

<code>minted</code>	<code>minted = $\langle true, false \rangle$</code>
---------------------	--

Decides whether the package loads `minted` and sets the options for `minted` to the values we recommend. The default value is `false`, set it to `true` to load `minted`. Note that `minted` requires additional installation effort and the use of the `-shell-escape` option, see its documentation.

We also provide a load-time option to load `listings` and configure it. This option and the `minted` option are mutually exclusive!

<code>listings</code>	<code>listings = $\langle true, false \rangle$</code>
-----------------------	--

Decides whether the package loads `listings` and sets the options for `listings` to the values we recommend. The default value is `false`, set it to `true` to load `listings`.

We provide a load-time option to load `selnolig`.

<code>selnolig</code>	<code>selnolig = $\langle true, false \rangle$</code>
<code>noselnolig</code>	<code>noselnolig</code>

The argument to `selnolig` can be one of `true` or `false`. The latter does not load `selnolig`, the former is the default value. By using `noselnolig` you can also avoid that `selnolig` is loaded.

We provide a load-time option to load `lua-widow-control`.

<code>widowcontrol</code>	<code>widowcontrol = \langle true, false \rangle</code>
<code>nowidowcontrol</code>	<code>nowidowcontrol</code>

The argument to `widowcontrol` can be one of `true` or `false`. The latter does not load `lua-widow-control`, the former is the default value. By using `nowidowcontrol` you can also avoid that `lua-widow-control` is loaded.

We provide a load-time option to load and configure `microtype`.

<code>microtype</code>	<code>microtype = \langle true, false \rangle</code>
<code>nomicrotype</code>	<code>nomicrotype</code>

The argument to `microtype` can be one of `true` or `false`. The latter does not load `microtype`, the former is the default value. By using `nomicrotype` you can also avoid that `microtype` is loaded.

We provide a load-time option to load and configure `biblatex`.

<code>biblatex</code>	<code>biblatex = \langle true, false \rangle</code>
-----------------------	---

Decides whether the package loads `biblatex` and sets the options for `biblatex` to the values we recommend. The default value is `false`, set it to `true` to load `biblatex`.

Additionally, we provide a load-time option to load `cleveref`. This option makes use of L^AT_EX's hook system to load it as the very last thing in the preamble. You shall not use this option, but load `cleveref` on your own, if your document requires packages that need to be loaded even *after* `cleveref`.

<code>cleveref</code>	<code>cleveref = \langle true, false \rangle</code>
-----------------------	---

Decides whether the package load `cleveref`. The default value is `false`, set it to `true` to load `cleveref`.

Lastly, we provide one option to load all recommended packages (with `minted` preferred over `listings`).

<code>all</code>	<code>all = \langle true, false \rangle</code>
------------------	--

Decides whether the package loads all recommended packages. The default value is `false`, set it to `true` to load them.

6.3 Additional Recommended Packages

The following packages are not part of `se2packages` because they serve a very specific purpose. They might not be needed by many thesis writers, however, we mention them here in order to give you a pointer. We list them in alphabetic order.

- `algorithm2e`: provides tooling for typesetting algorithm diagrams. We recommend loading it with the following options:

`\usepackage[ruled,noline,noend,linesnumbered]{algorithm2e}`

- `hvfloa`: a package to control captions, fullpage, and double-page floats. We recommend to load it and use its `\tabcaption` for table captions.

- **lettrine**: allows to start a paragraph with a large initial. This is a beautiful opener for the first paragraph of a thesis' main content.
- **mathtools**: an enhanced version of the famous $\mathcal{A}\mathcal{M}\mathcal{S}$ mathpackage that provides more functionality and fixes some of the known bugs.
- **pdfx**: adds support for PDF/X and PDF/A, which is useful for creating documents that can be archived, for example, by the University's library.
- **pgfplots**: a library for creating all kinds of plots, based on **pgf**, which is also the basis of the **tikz** package.
- **sidenotesplus**: a package to place all kinds of objects in the margin of a document, from footnotes (then called sidenotes) to figures and tables.
- **subcaption**: support for sub-captions and sub-figures.
- **tabularray**: a rewrite of L^AT_EX's array and tabular abilities in L^AT_EX3. While the package offers a great combination of several other packages' functionality, it tends to be quite slow for large tables due to the way it is implemented internally.
- **tcolorbox**: allows to typeset coloured boxes, for example, for short summaries on research questions or hypotheses.
- **tikz**: for creating all kinds of figures. Beware: TikZ is a really huge package with a lot of functionality and a manual of more than 1300 pages.

References

- [1] Dirk Beyer, Stefan Löwe, and Philipp Wendler: *Reliable benchmarking: requirements and solutions*. STTT 21(1): 1–29 (2019)

Part II

Implementation

The second part of this file provides the implementation of the package for a better understanding of what is happening.

1 Global helpers

These helpers might be useful for many exported packages and classes, thus we keep them on the global level of this implementation.

```

1 <*init>

   Load only the essential support (expl3) ‘up-front’, and only if required.
2 \ifundefined{ExplLoaderFileDate}
3   { \RequirePackage{expl3} }
4   {}

   Make sure that the version of l3kernel in use is sufficiently new. We use
\ExplFileDate as \ifpackagelater does not work for pre-loaded expl3 in the absence
of the package.
5 \ifl@t@r\ExplLoaderFileDate{2020-01-09}
6   {}
7   {%
8     \PackageError{se2colors}{Support package expl3 too old}
9     {%
10      You need to update your installation of the bundles 'l3kernel' and
11      'l3packages'.\MessageBreak
12      Loading~se2colors~will~abort!%
13    }%
14    \endinput
15  }%
```

`\IfFormatAtLeastTF` This macro is not present in older kernels, thus we use the L^AT_EX 2_ε mechanism as this is correct for this case.

```

16 \providecommand \IfFormatAtLeastTF { \ifl@t@r \fmtversion }

(End definition for \IfFormatAtLeastTF. This function is documented on page 2.)

17 </init>
```

2 The se2thesis implementation

Start the DocStrip guards.

```

18 <*class>

   Identify the internal prefix (LATEX3 DocStrip convention): only internal material in
this submodule should be used directly.
19 <@=slcd>

   Identify the class and give the overall version number.
20 \ProvidesExplClass {se2thesis} {2023-04-18} {3.0.0}
21 {A thesis class for the Chair of Software Engineering II}
```

`\slcd_package_if_loaded:nTF` Defines various L^AT_EX3 variants for the internal `\ifpackageloaded` macro to check whether a package has been loaded.

```

\slcd_package_if_loaded:nT
\slcd_package_if_loaded:nF
\slcd_package_if_loaded_p:n
22 \prg_new_conditional:Nnn \slcd_package_if_loaded:n { p, T, F, TF }
23 {
24   \use:c { @ifpackageloaded }
25   { #1 }
26   { \prg_return_true: }
```

```

27     { \prg_return_false: }
28 }

```

(End definition for `\slcd_package_if_loaded:nTF` and others. These functions are documented on page 2.)

Load required packages early.

```

29 \RequirePackage{graphicx}
30 \RequirePackage{translations}
31 \LoadDictionary{se2translations}
32 \DeclareTranslationFallback{version-of-date}{%
33   Version~\l__slcd_version_tl\ of~\@date
34 }
35 \DeclareTranslation{German}{version-of-date}{%
36   Version~\l__slcd_version_tl\ vom~\@date
37 }
38 \DeclareTranslation{English}{version-of-date}{%
39   Version~\l__slcd_version_tl\ of~\@date
40 }

```

2.1 Define Variables

The following variables are necessary for the argument handling.

`\l__slcd_paper_int` A variable to store the key of the page size selected by the user.

```

41 \int_new:N \l__slcd_paper_int

```

(End definition for `\l__slcd_paper_int`.)

We also need properties to store class options that are not for us, thus shall be handled by the underlying base class.

`\l__slcd_base_class_tl` Store the base class, the known, and the unknown class options. The latter will be forwarded to the base class later.

```

\l__slcd_clsopts_prop
\l__slcd_unknown_clsopts_prop
42 \tl_new:N \l__slcd_base_class_tl
43 \prop_new:N \l__slcd_clsopts_prop
44 \prop_new:N \l__slcd_unknown_clsopts_prop

```

(End definition for `\l__slcd_base_class_tl`, `\l__slcd_clsopts_prop`, and `\l__slcd_unknown_clsopts_prop`.)

Define internal variables to hold the values of the fields of the title page.

```

\l__slcd_version_tl
\l__slcd_degreeprogramme_tl
\l__slcd_matrnumber_tl
\l__slcd_supervisor_tl
\l__slcd_cosupervisor_tl
\l__slcd_advisor_tl
\l__slcd_coadvisor_tl
\l__slcd_department_tl
\l__slcd_institute_tl
\l__slcd_external_tl
\l__slcd_logofile_tl
\l__slcd_signature_tl
\l__slcd_location_tl
45 \tl_new:N \l__slcd_version_tl
46 \tl_new:N \l__slcd_degreeprogramme_tl
47 \tl_new:N \l__slcd_matrnumber_tl
48 \tl_new:N \l__slcd_supervisor_tl
49 \tl_new:N \l__slcd_cosupervisor_tl
50 \tl_new:N \l__slcd_advisor_tl
51 \tl_new:N \l__slcd_coadvisor_tl
52 \tl_new:N \l__slcd_department_tl
53 \tl_new:N \l__slcd_institute_tl
54 \tl_new:N \l__slcd_external_tl
55 \tl_new:N \l__slcd_logofile_tl
56 \tl_new:N \l__slcd_signature_tl
57 \tl_new:N \l__slcd_location_tl

```

(End definition for `\l__slcd_version_tl` and others.)

Define several dimensions for the `typearea` package to define the package style.

```

\l__slcd_marginspace_dim
\l__slcd_headmarkspace_dim
\l__slcd_rulespace_dim
\l__slcd_pagemark_minipage_dim
\l__slcd_ruleraise_dim
\l__slcd_rulewidth_dim
\l__slcd_rulethickness_dim
58 \dim_new:N \l__slcd_marginspace_dim
59 \dim_new:N \l__slcd_headmarkspace_dim
60 \dim_new:N \l__slcd_rulespace_dim
61 \dim_new:N \l__slcd_pagemark_minipage_dim
62 \dim_new:N \l__slcd_ruleraise_dim
63 \dim_new:N \l__slcd_rulewidth_dim
64 \dim_new:N \l__slcd_rulethickness_dim
65 \dim_gset:Nn \l__slcd_marginspace_dim { -1.85cm }
66 \dim_gset:Nn \l__slcd_headmarkspace_dim { 0.75cm }
67 \dim_gset:Nn \l__slcd_rulespace_dim { 10pt }
68 \dim_gset:Nn \l__slcd_pagemark_minipage_dim { 1.5cm }
69 \dim_gset:Nn \l__slcd_ruleraise_dim { -5pt }
70 \dim_gset:Nn \l__slcd_rulewidth_dim { 1.25pt }
71 \dim_gset:Nn \l__slcd_rulethickness_dim { 15pt }

```

(End definition for `\l__slcd_marginspace_dim` and others.)

2.2 Load-time options

We define the key-value interface for the class.

```

\l__slcd_base_class_tl
\l__slcd_unknown_clsopts_prop
\l__slcd_paper_int
\l__slcd_thesis_type_tl
\l__slcd_licensetype_tl
\l__slcd_licensemodifier_tl
\l__slcd_licenseversion_tl
\l__slcd_colormode_tl
\l__slcd_fontmode_tl
72 \keys_define:nn { seiithesis }
73 {
74   class .choice:,
75   class / report .meta:n = {class=scrreprt},
76   class / scrreprt .code:n = \tl_gset:Nn \l__slcd_base_class_tl {scrreprt},
77   class / article .meta:n = {class=scrartcl},
78   class / scrartcl .code:n = \tl_gset:Nn \l__slcd_base_class_tl {scrartcl},
79   class / book .meta:n = {class=scrbook},
80   class / scrbook .code:n = \tl_gset:Nn \l__slcd_base_class_tl {scrbook},
81   class .initial:n = scrbook,
82
83   paper .choices:nn = {a4,b5}{
84     \int_gset_eq:NN \l__slcd_paper_int \l_keys_choice_int
85   },
86   paper .initial:n = a4,
87
88   logfile .tl_gset:N = \l__slcd_logofile_tl,
89   logfile .initial:n =,
90
91   thesistype .choice:,
92   thesistype / bachelor .code:n = \tl_gset:Nn \l__slcd_thesis_type_tl {bachelor},
93   thesistype / bachelorproposal .code:n = {
94     \tl_gset:Nn \l__slcd_thesis_type_tl {bachelorproposal}
95   },
96   thesistype / master .code:n = \tl_gset:Nn \l__slcd_thesis_type_tl {master},
97   thesistype / masterproposal .code:n = {
98     \tl_gset:Nn \l__slcd_thesis_type_tl {masterproposal}
99   },

```

```

100 thesistype / phd .code:n = \tl_gset:Nn \l__slcd_thesis_type_tl {phd},
101 thesistype / phdproposal .code:n = {
102   \tl_gset:Nn \l__slcd_thesis_type_tl {phdproposal}
103 },
104 thesistype .initial:n = master,
105
106 colormode .choices:nn = {cmyk,rgb,bw}{
107   \tl_gset_eq:NN \l__slcd_colormode_tl \l_keys_choice_tl
108 },
109 colormode .initial:n = cmyk,
110
111 fontmode .choices:nn = {original,replacement,auto}{
112   \tl_gset_eq:NN \l__slcd_fontmode_tl \l_keys_choice_tl
113 },
114 fontmode .initial:n = auto,
115
116 unknown .code:n = {
117   \prop_gput:NVn \l__slcd_unknown_clsopts_prop \l_keys_key_tl {#1}
118 },
119 }

```

(End definition for `\l__slcd_base_class_tl` and others.)

Handle the options

```

120 \IfFormatAtLeastTF { 2022-06-01 }
121 { \ProcessKeyOptions [ seiithesis ] }
122 {
123   \RequirePackage{ l3keys2e }
124   \ProcessKeysOptions { seiithesis }
125 }

```

Handle the known options for base class

```

126 \prop_map_inline:Nn \l__slcd_clsopts_prop
127 {
128   \tl_if_empty:nTF {#2}
129   { \PassOptionsToClass {#1} {\l__slcd_base_class_tl} }
130   {
131     \clist_map_inline:nn {#2}
132     { \PassOptionsToClass {#1=##1} {\l__slcd_base_class_tl} }
133   }
134 }

```

Load the base class

```

135 \LoadClass{\l__slcd_base_class_tl}

```

Attempt to handle the unknown options

```

136 \prop_map_inline:Nn \l__slcd_unknown_clsopts_prop
137 {
138   \cs_if_exist:cT {KV@KOMMA.\l__slcd_base_class_tl.cls@#1}
139   {
140     \tl_if_empty:nTF {#2}
141     { \KOMAOptions{#1} }
142     { \KOMAOption{#1}{#2}}
143   }
144 }

```

2.3 Package loading

We load some packages with options that depend on options to the `se2thesis` class. Thus, we load them here to be able to hand them over the respective values.

We start with the `se2colors` and `se2fonts` packages.

```
145 \PassOptionsToPackage{\l__slcd_colormode_tl}{se2colors}
146 \RequirePackage{se2colors}
147
148 \RequirePackage{se2fonts}
```

2.4 User macros for the title page

In addition to the macros provided by the KOMA-Script classes for the title-page values (e.g. `\author`, `\title`), provide these additional macros to the user.

`\version` Specify the version of the document, e.g., a `git` hash.

```
149 \ProvideDocumentCommand \version { m }
150 {
151   \tl_set:Nn \l__slcd_version_tl {#1}
152 }
```

(End definition for `\version`. This function is documented on page 3.)

`\degreeprogramme` Specify the degree programme the thesis is meant to be accepted in.

```
153 \ProvideDocumentCommand \degreeprogramme { m }
154 {
155   \tl_set:Nn \l__slcd_degreeprogramme_tl {#1}
156 }
```

(End definition for `\degreeprogramme`. This function is documented on page 3.)

`\matrnumber` Specify the matriculation number of the student.

```
157 \ProvideDocumentCommand \matrnumber { m }
158 {
159   \tl_set:Nn \l__slcd_matrnumber_tl {#1}
160 }
```

(End definition for `\matrnumber`. This function is documented on page 4.)

`\supervisor` Specify the supervisor and co-supervisor of the thesis, usually a professor.

```
\cosupervisor
161 \ProvideDocumentCommand \supervisor { m }
162 {
163   \tl_set:Nn \l__slcd_supervisor_tl {#1}
164 }
165 \ProvideDocumentCommand \cosupervisor { m }
166 {
167   \tl_set:Nn \l__slcd_cosupervisor_tl {#1}
168 }
```

(End definition for `\supervisor` and `\cosupervisor`. These functions are documented on page 4.)

`\advisor` Specify the advisor and co-advisor of the thesis, usually a PhD student or postdoc.
`\coadvisor`

```

169 \ProvideDocumentCommand \advisor { m }
170 {
171   \tl_set:Nn \l__slcd_advisor_tl {#1}
172 }
173 \ProvideDocumentCommand \coadvisor { m }
174 {
175   \tl_set:Nn \l__slcd_coadvisor_tl {#1}
176 }

```

(End definition for `\advisor` and `\coadvisor`. These functions are documented on page 4.)

`\department` Specify the university's department and institute you are writing the thesis for.
`\institute`

```

177 \ProvideDocumentCommand \department { m }
178 {
179   \tl_set:Nn \l__slcd_department_tl {#1}
180 }
181 \ProvideDocumentCommand \institute { o m }
182 {
183   \tl_set:Nn \l__slcd_institute_tl {#2}
184 }

```

(End definition for `\department` and `\institute`. These functions are documented on page 4.)

`\external` Specify an external referee.

```

185 \ProvideDocumentCommand \external { m }
186 {
187   \tl_set:Nn \l__slcd_external_tl {#1}
188 }

```

(End definition for `\external`. This function is documented on page 4.)

`\location` Specify the location for the signature field.

```

189 \ProvideDocumentCommand \location { m }
190 {
191   \tl_set:Nn \l__slcd_location_tl {#1}
192 }

```

(End definition for `\location`. This function is documented on page 4.)

2.5 Define logo, paper size, and paper style

For the logo on the titlepage, we define further variables to store its height and a box to store the logo itself.

```

\l__slcd_logo_height_dim
\l__slcd_logo_box
193 \dim_if_exist:NF \l__slcd_logo_height_dim
194 {
195   \dim_new:N \l__slcd_logo_height_dim
196   \int_compare:nTF { \l__slcd_paper_int=1 }
197   {
198     \dim_gset:Nn \l__slcd_logo_height_dim { 67.5pt }
199   } {
200     \dim_gset:Nn \l__slcd_logo_height_dim { 56.8pt }
201   }

```



```

202 }
203 \box_if_exist:NF \l__slcd_logo_box
204 {
205   \box_new:N \l__slcd_logo_box
206 }
207 \tl_if_empty:NF \l__slcd_logofile_tl
208 {
209   \hbox_gset:Nn \l__slcd_logo_box
210   {
211     \includegraphics[%
212       height=\l__slcd_logo_height_dim%
213     ]{\l__slcd_logofile_tl}
214   }
215 }

```

(End definition for `\l__slcd_logo_height_dim` and `\l__slcd_logo_box`.)

Set the paper size depending on the selected paper option.

```

216 \int_compare:nTF { \l__slcd_paper_int=1 }
217 {
218   \areaset[current]{350pt}{567pt}
219   \setlength{\marginparsep}{8.5cm}
220   \setlength{\marginparsep}{1em}
221 }{
222   \areaset[current]{350pt}{567pt}
223   \setlength{\marginparsep}{7.4cm}
224   \setlength{\marginparsep}{0.87em}
225 }

```

Provide the package style. We start by loading the `scrlayer-scrpage` package with the appropriate options and set some basic properties.

```

226 \PassOptionsToPackage{automark}{scrlayer-scrpage}
227 \RequirePackage{scrlayer-scrpage}
228 \clearpairofpagestyles
229 \setkomafont{pagefoot}{\normalfont\sffamily}

```

We can then define the footer for odd pages, which will appear on the right side of the page's footer. This definition contains first, as an optional argument, the style of a page with `pagestyle` set to `empty`, i.e., a page where a new chapter starts, and afterwards the style of a regular right-hand side page.

```

230 \rofoot[{\%
231   \group_begin: \ \group_end:
232   \footnotesize%
233   \hspace*{\l__slcd_headmarkspace_dim}%
234   \group_begin:
235     \color{UPSE2-Blue}%
236     \rule[\l__slcd_ruleraise_dim]{\l__slcd_rulewidth_dim}{\l__slcd_rulethickness_dim}%
237   \group_end:
238   \hspace*{\l__slcd_rulespace_dim}%
239   \begin{minipage}[b]{\l__slcd_pagemark_minipage_dim}%
240     \normalsize\textbf{\pagemark}%
241   \end{minipage}%
242   \hspace{\l__slcd_marginspace_dim}%
243 }]{\%
244   \group_begin: \ \group_end:
245   \footnotesize%

```

```

246 \group_begin:
247   \color{UPSE2-Blue}\headmark
248 \group_end:
249 \hspace*{\l__slcd_rulespace_dim}%
250 \group_begin:
251   \color{UPSE2-Blue}%
252   \rule[\l__slcd_ruleraise_dim]{\l__slcd_rulewidth_dim}{\l__slcd_rulethickness_dim}%
253 \group_end:
254 \hspace*{\l__slcd_rulespace_dim}%
255 \begin{minipage}[b]{\l__slcd_pagemark_minipage_dim}%
256   \normalsize\textbf{\pagemark}%
257 \end{minipage}%
258 \hspace{\l__slcd_marginspace_dim}%
259 }

```

Similarly, we define the footer for even pages, which will appear on the left side of the page's footer.

```

260 \lefoot[{\%
261   \null\hspace{\l__slcd_marginspace_dim}%
262   \footnotesize%
263   \begin{minipage}[b]{\l__slcd_pagemark_minipage_dim}%
264     \raggedleft\normalsize\textbf{\pagemark}%
265   \end{minipage}%
266   \footnotesize%
267   \hspace*{\l__slcd_rulespace_dim}%
268   \group_begin:
269     \color{UPSE2-Blue}%
270     \rule[\l__slcd_ruleraise_dim]{\l__slcd_rulewidth_dim}{\l__slcd_rulethickness_dim}%
271   \group_end:
272 }]{\%
273   \null\hspace{\l__slcd_marginspace_dim}%
274   \footnotesize%
275   \begin{minipage}[b]{\l__slcd_pagemark_minipage_dim}%
276     \raggedleft\normalsize\textbf{\pagemark}%
277   \end{minipage}%
278   \footnotesize%
279   \hspace*{\l__slcd_rulespace_dim}%
280   \group_begin:
281     \color{UPSE2-Blue}%
282     \rule[\l__slcd_ruleraise_dim]{\l__slcd_rulewidth_dim}{\l__slcd_rulethickness_dim}%
283   \group_end:
284   \hspace*{\l__slcd_headmarkspace_dim}%
285   \group_begin:
286     \color{UPSE2-Blue}\headmark
287   \group_end:
288 }

```

Finally, set the page style.

```

289 \pagestyle{scrheadings}

```

2.6 The title page

We start out by adjusting some KOMA-Script fonts.

```

290 \setkomafont{title}{\Huge}

```

```

291 \setkomafont{subtitle}{\Large}
292 \setkomafont{subject}{\normalsize}
293 \setkomafont{author}{\large}
294 \setkomafont{date}{\normalsize}
295 \setkomafont{publishers}{\normalsize}

```

`\author` Allow for automated splitting of author's names.

```

\@author
296 \seq_new:N \l__slcd_author_seq
297 \renewcommand*\author[2][]{
298   \seq_gset_split:Nnn \l__slcd_author_seq {\and} {#2}
299   \tl_if_empty:nTF {#1}
300     { \tl_set:Nn \l__slcd_signature_tl {#2} }
301     { \tl_set:Nn \l__slcd_signature_tl {#1} }
302 }
303 \renewcommand*\@author{
304   \group_begin:
305     \hyphenpenalty=100000
306     \seq_use:Nnnn \l__slcd_author_seq {~\GetTranslation{and}~} {,~} {~\&~}
307   \group_end:
308 }

```

(End definition for `\author` and `\@author`. These functions are documented on page 4.)

Define a new layer using the functionality from `scrlayer-scrpage` for the logo image.

```

309 \DeclareNewLayer[
310   mode=picture,
311   foreground,
312   align=tr,
313   hoffset=\oddsidemargin+1.5in+\textwidth,
314   voffset=\coverpagetopmargin+1.5in+\ht\strutbox,
315   width=\textwidth - \box_wd:N \l__slcd_logo_box,
316   height=\box_ht:N \l__slcd_logo_box,
317   contents={\putUL{\box_use:N \l__slcd_logo_box}},
318 ]{title.seii.logo}
319 \DeclareNewPageStyleByLayers{title.seii}{title.seii.logo}
320 \renewcommand*\titlepagestyle{title.seii}

```

Redefine the `\maketitle` command. The following code is an adapted version of the corresponding KOMA-Script macro by Markus Kohm.

```

321 \renewcommand*\maketitle{[1][1]{
322   \begin{titlepage}
323     \setcounter{page}{#1}
324     \def\thefootnote{\fnsymbol{footnote}}
325     \edef\titlepage@restore{%
326       \noexpand\endgroup
327       \noexpand\global\noexpand\@colht\the\@colht
328       \noexpand\global\noexpand\@colroom\the\@colroom
329       \noexpand\global\vsizethe\vsizethe
330       \noexpand\global\noexpand\@titlepageiscoverpagefalse
331       \noexpand\let\noexpand\titlepage@restore\noexpand\relax
332     }%
333     \begin{group}
334       \topmargin=\dimexpr \coverpagetopmargin-1in\relax
335       \oddsidemargin=\dimexpr 0in\relax
336       \evensidemargin=\dimexpr 0in\relax

```

```

337 \textwidth=\dimexpr \paperwidth-2in\relax
338 \textheight=\dimexpr
339 \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
340 \headheight=0pt
341 \headsep=0pt
342 \footskip=\baselineskip
343 \@colht=\textheight
344 \@colroom=\textheight
345 \vsize=\textheight
346 \columnwidth=\textwidth
347 \hsize=\textwidth
348 \linewidth=\hsize
349 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
350 \thispagestyle{title.seii}
351 %
352 \@maketitle
353 %
354 \if@twoside
355 \@tempwattrue
356 \if@tempswa
357 \next@tpage
358 \begin{minipage}[t]{\textwidth}
359 \@uppertitleback
360 \end{minipage}
361 \vfill
362 \begin{minipage}[b]{\textwidth}
363 \@lowertitleback
364 \end{minipage}\par
365 \@thanks\let\@thanks\@empty
366 \fi
367 \fi
368 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
369 \end{titlepage}
370 }

```

`\l__slcd_title_box` Define a box for the title if it does not yet exist.

```

371 \box_if_exist:NF \l__slcd_title_box
372 {
373 \box_new:N \l__slcd_title_box
374 }

```

(End definition for \l__slcd_title_box.)

`\@maketitle` Redecare the `\@maketitle` macro.

```

375 \renewcommand*{\@maketitle}{%
376 \group_begin:
377 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
378 \thispagestyle{title.seii}
379 \hbox_gset:Nn \l__slcd_title_box
380 {
381 \parbox{\textwidth}{\__slcd_print_title:}
382 }
383 \null
384 \skip_vertical:n { 2.5 \box_ht:N \l__slcd_logo_box }

```

```

385     \box_use:N \l__slcd_title_box
386     \skip_vertical:n { .5 \box_ht:N \l__slcd_logo_box }
387 \group_end:
388 \@thanks\let\@thanks\@empty
389 }

```

(End definition for \@maketitle. This function is documented on page 3.)

Load the ifthen package.

```

390 \RequirePackage{ifthen}

```

Prints the title formatted appropriately. We start with printing the title, optional subtitle, and the author names.

```

391 \cs_new:Nn \__slcd_print_title:
392 {
393     \group_begin:
394     \usekomafont{title}\centering\@title\par
395     \group_end:
396     \ifx\@subtitle\@empty\else{%
397         \medskip\usekomafont{subtitle}\centering\@subtitle\par%
398     }\fi
399     \bigskip
400     \group_begin:
401     \usekomafont{author}\centering\@author\par
402     \group_end:
403     \bigskip

```

The next block generates the text that describes the thesis. In case of a PhD thesis, this text is predefined to match the requirements. In case of a bachelor or master thesis, or a proposal thereof, we generate a text based on the values of the `thesistype` load-time option and the values of the `\degreeprogramme`, `\department`, and `\institute` variables.

```

404     \exp_args:NV
405     {
406         \begin{center}
407         \tl_if_eq:NnTF \l__slcd_thesis_type_tl { phd }
408         {
409             Dissertation~ zur~ Erlangung~ des~ Doktorgrades\\
410             der~ Naturwissenschaften~ (Dr.\,rer.\,nat.)\\
411             eingereicht~ an~ der~ Fakultät~ für~ Informatik~ und~ Mathematik\\
412             der~ Universität~ Passau\\
413             \rule{\textwidth}{.1pt}\\
414             Dissertation~ submitted~ to\\
415             the~ Faculty~ of~ Computer~ Science~ and~ Mathematics\\
416             of~ the~ University~ of~ Passau\\
417             in~ partial~ fulfillment~ of~ obtaining\\
418             the~ degree~ of~ a~ Doctor~ of~ Natural~ Sciences
419         } {
420             \tl_if_eq:NnTF \l__slcd_thesis_type_tl { bachelor }
421             { \GetTranslation{Bachelor-thesis} }
422             \tl_if_eq:NnTF \l__slcd_thesis_type_tl { bachelorproposal }
423             { \GetTranslation{Bachelor-thesis-proposal} }
424             \tl_if_eq:NnTF \l__slcd_thesis_type_tl { master }
425             { \GetTranslation{Master-thesis} }
426             \tl_if_eq:NnTF \l__slcd_thesis_type_tl { masterproposal }

```

```

427         { \GetTranslation{Master-thesis-proposal} }
428     \tl_if_eq:NnT \l__slcd_thesis_type_tl { phdproposal }
429     { \GetTranslation{PhD-thesis-proposal} }
430     \tl_if_empty:NF \l__slcd_degreeprogramme_tl
431     {
432         \ in~\l__slcd_degreeprogramme_tl
433     }
434     \par
435     \tl_if_empty:NF \l__slcd_department_tl { \l__slcd_department_tl \par }
436     \tl_if_empty:NF \l__slcd_institute_tl { \l__slcd_institute_tl \par }
437 }
438 \end{center}\par\bigskip

```

Finally, generate a table with information about supervisors, advisors, etc.

```

439 \begin{center}
440 \begin{tabular}{@{} l @{\quad} l}
441     \tl_if_empty:NF \l__slcd_matrnumber_tl
442     {
443         \GetTranslation{Matrnumber} & \l__slcd_matrnumber_tl \\
444     }
445     \tl_if_empty:NF \l__slcd_supervisor_tl
446     {
447         \GetTranslation{Supervisor} & \l__slcd_supervisor_tl \\
448     }
449     \tl_if_empty:NF \l__slcd_cosupervisor_tl
450     {
451         \GetTranslation{Co-supervisor} & \l__slcd_cosupervisor_tl \\
452     }
453     \tl_if_empty:NF \l__slcd_advisor_tl
454     {
455         \GetTranslation{Advisor} & \l__slcd_advisor_tl \\
456     }
457     \tl_if_empty:NF \l__slcd_coadvisor_tl
458     {
459         \GetTranslation{Co-advisor} & \l__slcd_coadvisor_tl \\
460     }
461     \tl_if_empty:NF \l__slcd_external_tl
462     {
463         \GetTranslation{External} & \l__slcd_external_tl \\
464     }
465 \end{tabular}
466 \end{center}
467 \par\medskip

```

Last, print the date or the version.

```

468 \group_begin:
469 \usekomafont{date}
470 \centering
471 \tl_if_empty:NTF \l__slcd_version_tl
472 { \@date }
473 { \GetTranslation{version-of-date} }
474 \par\smallskip
475 \group_end:
476 }
477 }

```

`\@lowertitleback` Afterwards, override the definition of `\@lowertitleback`.

```

478 \renewcommand*{\@lowertitleback}{%
479   \group_begin:
480     \noindent\textbf{\@author}:\@
481     \emph{\@title}\@
482     \tl_if_eq:NnT \l__slcd_thesis_type_tl { bachelor }
483     { \GetTranslation{Bachelor-thesis},~ }
484     \tl_if_eq:NnT \l__slcd_thesis_type_tl { master }
485     { \GetTranslation{Master-thesis},~ }
486     \tl_if_eq:NnT \l__slcd_thesis_type_tl { phd }
487     { \GetTranslation{PhD-thesis},~ }
488     \GetTranslation{up},~\the\year.
489   \group_end:
490 }

```

(End definition for `\@lowertitleback`. This function is documented on page 4.)

2.7 Styling of the sectioning commans

We change the formatting of the chapter, section, and sub-section headings.

```

491 \addtokomafont{chapterprefix}{\raggedleft\bfseries}
492 \addtokomafont{chapter}{\mdseries}
493 \addtokomafont{section}{\large\mdseries}
494 \addtokomafont{subsection}{\normalsize\mdseries}
495 \renewcommand*{\chapterformat}{%
496   \mbox{%
497     \scalebox{1.3}{\chapappifchapterprefix{\nobreakspace}}%
498     \scalebox{3.5}{\color{UPSE2-Gray}\thechapter\autodot}\enskip%
499   }%
500 }
501 \renewcommand*{\chapterlineswithprefixformat}[3]{%
502   \Ifstr{#1}{chapter}
503     {\#2\textls*[75]{\MakeUppercase{\#3}}}% change definition for chapter
504     {\#2\#3}% original definition
505 }%
506 \renewcommand*{\sectionlinesformat}[4]{%
507   \#3\textls*[75]{\MakeUppercase{\#4}}%
508 }

```

Change the loop of a `\paragraph` to be italic and end with a full stop.

```

509 \setkomafont{paragraph}{\normalsize\normalfont\itshape}
510 \AddtoDoHook{heading/endgroup/paragraph}{\headingdot}
511 \newcommand*{\headingdot}[1]{.}

```

Change the width of a dictum

```

512 \renewcommand*{\dictumwidth}{0.42\linewidth}

```

2.8 Provide an environment for abstracts

We want to allow abstracts in German and English, which is also a requirement when writing a thesis in English. First, ensure that the `\abstract` macro is available for all classes.

`\abstract`

```
513 \providecommand{\abstract}{}{}
```

(End definition for `\abstract`. This function is documented on page 5.)

Then redefine the `abstract` environment such that it provides an optional argument for language selection.

abstract (*env.*) Used to typeset an abstract for the thesis. The optional argument allows to specify a language. As a default the current document language will be used.

```
514 \RenewDocumentEnvironment { abstract } { o }
515 {
516   \group_begin:
517   \IfNoValueF {#1} { \selectlanguage{#1} }
518   \scr@ifundefinedorrelax{chapter}{
519     \Iftocfeature{toc}{leveldown}
520     {\subsection*}
521     {\section*}
522   }{
523     \let\clearpage\relax
524     \Iftocfeature{toc}{leveldown}
525     {\section*}
526     {\chapter*}
527   } { \GetTranslation{Abstract} }
528 } {
529   \group_end:
530 }
```

2.9 Provide an environment for acknowledgements

Often, especially in a PhD thesis, one wants to acknowledge the help of certain people, for example, supervisors, family, and friends.

acknowledgements (*env.*) Use to typeset the acknowledgements for the thesis.

```
531 \NewDocumentEnvironment { acknowledgements } { o }
532 {
533   \group_begin:
534   \IfNoValueF {#1} { \selectlanguage{#1} }
535   \scr@ifundefinedorrelax{chapter}{
536     \Iftocfeature{toc}{leveldown}
537     {\subsection*}
538     {\section*}
539   }{
540     \Iftocfeature{toc}{leveldown}
541     {\section*}
542     {\chapter*}
543   } { \GetTranslation{Acknowledgements} }
544 } {
545   \group_end:
546 }
```


2.10 Document structuring macros

Ensure that these macros are defined. These are the exact definitions from KOMA-Script.

```
547 \newif\if@mainmatter\@mainmattertrue
```

\frontmatter Starts the frontmatter. Most notably, set the page numbers to roman.

```
548 \providecommand*\frontmatter{
549   {
550     \if@twoside\cleardoubleoddpages\else\clearpage\fi
551     \@mainmatterfalse
552     \pagenumbering { roman }
553   }
```

(End definition for \frontmatter. This function is documented on page 6.)

\mainmatter Starts the mainmatter or the backmatter. Most notably, set the page numbers to arabic.

```
\backmatter
554 \providecommand*\mainmatter{
555   {
556     \if@twoside\cleardoubleoddpages\else\clearpage\fi
557     \@mainmattertrue
558     \pagenumbering { arabic }
559   }
560 \providecommand*\backmatter{
561   {
562     \if@twoside\cleardoubleoddpages\else\clearpage\fi
563     \@mainmatterfalse
564   }
```

(End definition for \mainmatter and \backmatter. These functions are documented on page 6.)

2.11 Declaration of authorship

\authorshipDeclaration Provide a command to typeset the authorship declaration.

```
565 \NewDocumentCommand \authorshipDeclaration { o }
566 {
567   \par
568   \group_begin:
569     \selectlanguage{ngerman}
570     \IfNoValueF {#1}
571       { \tl_gset:Nn \l__slcd_location_tl {#1} }
572
573   \tl_if_empty:NT \l__slcd_location_tl
574   {
575     \msg_new:nnn { seiithesis }
576     { no-location-specified }
577     {
578       You~ need~ to~ specify~ a~ location~ for~ the~ authorship~
579       declaration.~ Either~ via~ the~ location~ macro~ or~ via~ the~
580       optional~ argument~ of~ the~ authorshipDeclaration~ macro.
581     }
582     \msg_warning:nn { seiithesis } { no-location-specified }
583   }
584
585   \scr@ifundefinedorrelax{chapter}{
```

```

586     \Iftocfeature{toc}{leveldown}
587     {\subsection*}
588     {\section*}
589   }{
590     \Iftocfeature{toc}{leveldown}
591     {\section*}
592     {\chapter*}
593   } { Eigenständigkeitserklärung }
594
595   Hiermit~ versichere~ ich,~ \l__slcd_signature_tl,
596   \begin{enumerate}
597     \item dass~ ich~ die~ vorliegende~ Arbeit~ selbstständig~ und~ ohne~
598     unzulässige~ Hilfe~ verfasst~ und~ keine~ anderen~ als~ die~
599     angegebenen~ Quellen~ und~ Hilfsmittel~ benutzt,~ sowie~ die~
600     wörtlich~ und~ sinngemäß~ übernommenen~ Passagen~ aus~ anderen~
601     Werken~ kenntlich~ gemacht~ habe.
602     \item Außerdem~ erkläre~ ich,~ dass~ ich~ der~ Universität~ ein~
603     einfaches~ Nutzungsrecht~ zum~ Zwecke~ der~ Überprüfung~ mittels~
604     einer~ Plagiatsoftware~ in~ anonymisierter~ Form~ einräume.
605   \end{enumerate}\par
606   \bigskip
607   \noindent \l__slcd_location_tl,~ \@date\hfill
608   \signatureBox{\l__slcd_signature_tl}
609   \group_end:
610   \\strut\cleardoublepage
611 }

```

(End definition for `\authorshipDeclaration`. This function is documented on page 6.)

`\signatureBox` Provide a box for the signature.

```

612 \newcommand*{\signatureBox}[2][5cm]{
613   \parbox[t]{#1}{
614     \centering
615     \rule{\linewidth}{.3pt}\\makebox[0pt][c]{#2}
616   }
617 }

```

(End definition for `\signatureBox`. This function is documented on page 6.)

2.12 Research questions and summary boxes

We utilise the `ntheorem` package for defining new theorem environments that are used for defining research questions and hypotheses. Therefore, start with loading this package.

```

618 \slcd_package_if_loaded:nT { amsmath }
619 {
620   \PassOptionsToPackage{amsmath}{ntheorem}
621 }
622 \RequirePackage{ntheorem}
623 \theoremseparator{:}

```

`resq (env.)` We can then define the `resq` and `hyp` environments using the `\newtheorem` macro from `hyp (env.)` `ntheorem`.

```

624 \newtheorem{resq}{Research~ Question}
625 \newtheorem{hyp}{Hypothesis}

```

For the summary boxes, we utilise the `tcolorbox` package. We start with loading this package.

```
626 \RequirePackage{tcolorbox}
```

`summary` (*env.*) The `summary` environment expects a label and has the summary text in its content.

```
627 \NewDocumentEnvironment { summary } { m }
628 { \begin{tcolorbox}[title={Summary~ (#1)}] }
629 { \end{tcolorbox} }

630 \end{class}
```

3 Translations for `se2thesis`

```
631 \begin{translations}
```

3.1 English Translations

```
632 \begin{english}
```

We provide the following English translations.

```
633 \ProvideDictionaryFor{English}{se2translations}[2023/04/18]
634 \ProvideDictTranslation{abstract}{abstract}
635 \ProvideDictTranslation{Abstract}{Abstract}
636 \ProvideDictTranslation{acknowledgement}{acknowledgement}
637 \ProvideDictTranslation{Acknowledgement}{Acknowledgement}
638 \ProvideDictTranslation{acknowledgements}{acknowledgements}
639 \ProvideDictTranslation{Acknowledgements}{Acknowledgements}
640 \ProvideDictTranslation{advisor}{advisor}
641 \ProvideDictTranslation{Advisor}{Advisor}
642 \ProvideDictTranslation{advisors}{advisors}
643 \ProvideDictTranslation{Advisors}{Advisors}
644 \ProvideDictTranslation{co-advisor}{co-advisor}
645 \ProvideDictTranslation{Co-advisor}{Co-advisor}
646 \ProvideDictTranslation{co-advisors}{co-advisors}
647 \ProvideDictTranslation{Co-advisors}{Co-advisors}
648 \ProvideDictTranslation{matrnumber}{matriculation number}
649 \ProvideDictTranslation{Matrnumber}{Matriculation number}
650 \ProvideDictTranslation{supervisor}{supervisor}
651 \ProvideDictTranslation{Supervisor}{Supervisor}
652 \ProvideDictTranslation{co-supervisor}{co-supervisor}
653 \ProvideDictTranslation{Co-supervisor}{Co-supervisor}
654 \ProvideDictTranslation{external}{external examiner}
655 \ProvideDictTranslation{External}{External Examiner}
656 \ProvideDictTranslation{degreeprogramme}{programme}
657 \ProvideDictTranslation{Degreeprogramme}{Programme}
658 \ProvideDictTranslation{Bachelor-thesis}{Bachelor Thesis}
659 \ProvideDictTranslation{Bachelor-thesis-proposal}{Bachelor Thesis Proposal}
660 \ProvideDictTranslation{Master-thesis}{Master Thesis}
661 \ProvideDictTranslation{Master-thesis-proposal}{Master Thesis Proposal}
662 \ProvideDictTranslation{PhD-thesis}{PhD Thesis}
663 \ProvideDictTranslation{PhD-thesis-proposal}{PhD Thesis Proposal}
664 \ProvideDictTranslation{date}{date}
665 \ProvideDictTranslation{Date}{Date}
666 \ProvideDictTranslation{university-of-passau}{University of Passau}
```

```

667 \ProvideDictTranslation{up}{University of Passau}
668 \ProvideDictTranslation{fim}{Faculty of Computer Science and Mathematics}
669 </english>

```

3.2 German Translations

```

670 <*german>

    We provide the following German translations.
671 \ProvideDictionaryFor{German}{se2translations}[2023/04/18]
672 \ProvideDictTranslation{abstract}{Zusammenfassung}
673 \ProvideDictTranslation{Abstract}{Zusammenfassung}
674 \ProvideDictTranslation{acknowledgement}{Danksagung}
675 \ProvideDictTranslation{Acknowledgement}{Danksagung}
676 \ProvideDictTranslation{acknowledgements}{Danksagungen}
677 \ProvideDictTranslation{Acknowledgements}{Danksagungen}
678 \ProvideDictTranslation{advisor}{Betreuer}
679 \ProvideDictTranslation{Advisor}{Betreuer}
680 \ProvideDictTranslation{advisors}{Betreuer}
681 \ProvideDictTranslation{Advisors}{Betreuer}
682 \ProvideDictTranslation{co-advisor}{Mitbetreuer}
683 \ProvideDictTranslation{Co-advisor}{Mitbetreuer}
684 \ProvideDictTranslation{co-advisors}{Mitbetreuer}
685 \ProvideDictTranslation{Co-advisors}{Mitbetreuer}
686 \ProvideDictTranslation{matrnumber}{Matrikelnummer}
687 \ProvideDictTranslation{Matrnumber}{Matrikelnummer}
688 \ProvideDictTranslation{supervisor}{Prüfer}
689 \ProvideDictTranslation{Supervisor}{Prüfer}
690 \ProvideDictTranslation{co-supervisor}{Zweitprüfer}
691 \ProvideDictTranslation{Co-supervisor}{Zweitprüfer}
692 \ProvideDictTranslation{external}{Externer Gutachter}
693 \ProvideDictTranslation{External}{Externer Gutachter}
694 \ProvideDictTranslation{degreeprogramme}{Studiengang}
695 \ProvideDictTranslation{Degreeprogramme}{Studiengang}
696 \ProvideDictTranslation{Bachelor-thesis}{Bachelorarbeit}
697 \ProvideDictTranslation{Bachelor-thesis-proposal}{Bachelorarbeitsproposal}
698 \ProvideDictTranslation{Master-thesis}{Masterarbeit}
699 \ProvideDictTranslation{Master-thesis-proposal}{Masterarbeitsproposal}
700 \ProvideDictTranslation{PhD-thesis}{Dissertation}
701 \ProvideDictTranslation{PhD-thesis-proposal}{Dissertationsproposal}
702 \ProvideDictTranslation{date}{Datum}
703 \ProvideDictTranslation{Date}{Datum}
704 \ProvideDictTranslation{university-of-passau}{Universität Passau}
705 \ProvideDictTranslation{up}{Universität Passau}
706 \ProvideDictTranslation{fim}{Fakultät für Informatik und Mathematik}

707 </german>
708 </translations>

```

4 se2colors implementation

Start the DocStrip guards.

```
709 <*package>
```

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

```
710 <@@=slcd_colors>
```

Identify the package and give the overall version information.

```
711 \ProvidesExplPackage {se2colors} {2023-04-18} {3.0.0}
```

```
712 {A colour support package for the se2thesis bundle}
```

4.1 Load-time options

`\l__slcd_colors_colormode_tl` Holds the colour mode selected by the user as a package load-time option.

```
713 \keys_define:nn { seiicolors }
714 {
715   cmode .choice:,
716   cmode / 4C .code:n = {
717     \PassOptionsToPackage{cmyk}{xcolor}
718     \tl_gset:Nn \l__slcd_colors_colormode_tl {4C}
719   },
720   cmode / RGB .code:n = {
721     \PassOptionsToPackage{rgb}{xcolor}
722     \tl_gset:Nn \l__slcd_colors_colormode_tl {RGB}
723   },
724   cmode / BW .code:n = {
725     \PassOptionsToPackage{gray}{xcolor}
726     \tl_gset:Nn \l__slcd_colors_colormode_tl {BW}
727   },
728   cmode / CMYK .meta:n = {cmode=4C},
729   cmode / cmyk .meta:n = {cmode=4C},
730   cmode / rgb .meta:n = {cmode=RGB},
731   cmode / gray .meta:n = {cmode=BW},
732   RGB .meta:n = {cmode=RGB},
733   rgb .meta:n = {cmode=RGB},
734   CMYK .meta:n = {cmode=4C},
735   cmyk .meta:n = {cmode=4C},
736   gray .meta:n = {cmode=BW},
737 }
738 \keys_set:nn { seiicolors } { cmode = 4C }
```

(End definition for `\l__slcd_colors_colormode_tl`.)

4.2 Option handling

```
739 \IfFormatAtLeastTF { 2022-06-01 }
740 { \ProcessKeyOptions [ seiicolors ] }
741 {
742   \RequirePackage { l3keys2e }
743   \ProcessKeyOptions { seiicolors }
744 }
```

4.3 Colour definitions

Load the xcolor package for colour definitions.

```
745 \RequirePackage{xcolor}
```

Define the primary colours gray and orange as given by the University of Passau's style guides.

```
746 \definecolorset[named]{RGB/cmyk}{UPSE2-}{-}{%
747   Orange,242,148,0/0.00,0.44,0.95,0.01;%
748   Gray,153,159,158/0.40,0.28,0.28,0.00;%
749   JUR,229,49,56/0.01,0.90,0.81,0.01;%
750   WIWI,0,96,57/0.87,0.20,0.87,0.36;%
751   PHIL,188,42,51/0.06,0.93,0.81,0.11;%
752   FIM,0,90,161/0.93,0.63,0.01,0.02;%
753   DarkGray,77,77,77/0.74,0.67,0.62,0.18;%
754   White,255,255,255/0.00,0.00,0.00,0.00;%
755   MediumGray,127,127,127/0.52,0.43,0.40,0.02;%
756   LightGray,229,229,229/0.08,0.06,0.04,0.00;%
757   LightRed,229,49,56/0.01,0.90,0.81,0.01;%
758   DarkRed,188,42,51/0.06,0.93,0.80,0.11;%
759   Green,0,96,57/0.87,0.20,0.86,0.35;%
760   Blue,0,90,161/0.93,0.63,0.01,0.02;%
761   AccentGray,153,159,158/0.40,0.28,0.28,0.00%
762 }
```

Define the derived colours.

```
763 \colorlet{UPSE2-DarkGray1}{UPSE2-DarkGray!20!white}
764 \colorlet{UPSE2-DarkGray2}{UPSE2-DarkGray!40!white}
765 \colorlet{UPSE2-DarkGray3}{UPSE2-DarkGray!60!white}
766 \colorlet{UPSE2-DarkGray4}{UPSE2-DarkGray!75!black}
767 \colorlet{UPSE2-DarkGray5}{UPSE2-DarkGray!50!black}
768 \colorlet{UPSE2-White1}{UPSE2-White!95!black}
769 \colorlet{UPSE2-White2}{UPSE2-White!85!black}
770 \colorlet{UPSE2-White3}{UPSE2-White!75!black}
771 \colorlet{UPSE2-White4}{UPSE2-White!65!black}
772 \colorlet{UPSE2-White5}{UPSE2-White!50!black}
773 \colorlet{UPSE2-MediumGray1}{UPSE2-MediumGray!20!white}
774 \colorlet{UPSE2-MediumGray2}{UPSE2-MediumGray!40!white}
775 \colorlet{UPSE2-MediumGray3}{UPSE2-MediumGray!60!white}
776 \colorlet{UPSE2-MediumGray4}{UPSE2-MediumGray!75!black}
777 \colorlet{UPSE2-MediumGray5}{UPSE2-MediumGray!50!black}
778 \colorlet{UPSE2-LightGray1}{UPSE2-LightGray!90!black}
779 \colorlet{UPSE2-LightGray2}{UPSE2-LightGray!75!black}
780 \colorlet{UPSE2-LightGray3}{UPSE2-LightGray!55!black}
781 \colorlet{UPSE2-LightGray4}{UPSE2-LightGray!25!black}
782 \colorlet{UPSE2-LightGray5}{UPSE2-LightGray!10!black}
783 \colorlet{UPSE2-Orange1}{UPSE2-Orange!20!white}
784 \colorlet{UPSE2-Orange2}{UPSE2-Orange!40!white}
785 \colorlet{UPSE2-Orange3}{UPSE2-Orange!60!white}
786 \colorlet{UPSE2-Orange4}{UPSE2-Orange!75!black}
787 \colorlet{UPSE2-Orange5}{UPSE2-Orange!50!black}
788 \colorlet{UPSE2-LightRed1}{UPSE2-LightRed!20!white}
789 \colorlet{UPSE2-LightRed2}{UPSE2-LightRed!40!white}
790 \colorlet{UPSE2-LightRed3}{UPSE2-LightRed!60!white}
791 \colorlet{UPSE2-LightRed4}{UPSE2-LightRed!75!black}
```

```

792 \colorlet{UPSE2-LightRed5}{UPSE2-LightRed!50!black}
793 \colorlet{UPSE2-DarkRed1}{UPSE2-DarkRed!20!white}
794 \colorlet{UPSE2-DarkRed2}{UPSE2-DarkRed!40!white}
795 \colorlet{UPSE2-DarkRed3}{UPSE2-DarkRed!60!white}
796 \colorlet{UPSE2-DarkRed4}{UPSE2-DarkRed!75!black}
797 \colorlet{UPSE2-DarkRed5}{UPSE2-DarkRed!50!black}
798 \colorlet{UPSE2-Green1}{UPSE2-Green!10!white}
799 \colorlet{UPSE2-Green2}{UPSE2-Green!25!white}
800 \colorlet{UPSE2-Green3}{UPSE2-Green!50!white}
801 \colorlet{UPSE2-Green4}{UPSE2-Green!75!white}
802 \colorlet{UPSE2-Green5}{UPSE2-Green!90!white}
803 \colorlet{UPSE2-Blue1}{UPSE2-Blue!20!white}
804 \colorlet{UPSE2-Blue2}{UPSE2-Blue!40!white}
805 \colorlet{UPSE2-Blue3}{UPSE2-Blue!60!white}
806 \colorlet{UPSE2-Blue4}{UPSE2-Blue!75!black}
807 \colorlet{UPSE2-Blue5}{UPSE2-Blue!50!black}
808 \colorlet{UPSE2-AccentGray1}{UPSE2-AccentGray!20!white}
809 \colorlet{UPSE2-AccentGray2}{UPSE2-AccentGray!40!white}
810 \colorlet{UPSE2-AccentGray3}{UPSE2-AccentGray!60!white}
811 \colorlet{UPSE2-AccentGray4}{UPSE2-AccentGray!75!black}
812 \colorlet{UPSE2-AccentGray5}{UPSE2-AccentGray!50!black}
813 \end{package}

```

5 se2fonts implementation

Start the DocStrip guards.

```
814 <*package>
```

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

```
815 <@@=slcd_fonts>
```

Identify the package and give the overall version information.

```
816 \ProvidesExplPackage {se2fonts} {2023-04-18} {3.0.0}
```

```
817 {A font-selection support package for the se2thesis bundle}
```

5.1 Load-time options

`\l__slcd_fonts_fontmode_tl` Holds the font-selection mode specified by the user as a package load-time option. *Please note:* this option is deprecated!

```
818 \tl_new:N \l__slcd_fonts_fontmode_tl
819 \keys_define:nn { seiifonts }
820 {
821   fmode .choice:,
822   fmode / original .code:n = {
823     \tl_gset:Nn \l__slcd_fonts_fontmode_tl {original}
824   },
825   fmode / replacement .code:n = {
826     \tl_gset:Nn \l__slcd_fonts_fontmode_tl {replacement}
827   },
828   fmode / auto .code:n = {
829     \tl_gset:Nn \l__slcd_fonts_fontmode_tl {auto}
830   },
831   original .meta:n = {fmode=original},
832   replacement .meta:n = {fmode=replacement},
833   auto .meta:n = {fmode=auto},
834 }
```

(End definition for `\l__slcd_fonts_fontmode_tl`.)

5.2 Option handling

```
835 \IfFormatAtLeastTF { 2022-06-01 }
836 { \ProcessKeyOptions [ seiifonts ] }
837 {
838   \RequirePackage{ l3keys2e }
839   \ProcessKeysOptions { seiifonts }
840 }
```

Define a warning message

```
841 \msg_set:nnnn { seiifonts } { deprecated-option }
842 { The~ option~ fmode~ to~ the~ se2fonts~ package~ is~ deprecated. }
843 { Remove~ it~ from~ your~ code. }
```

Raise the warning if the option was used

```
844 \tl_if_empty:NF \l__slcd_fonts_fontmode_tl
845 {
846   \msg_warning:nn { seiifonts } { deprecated-option }
```



```
847 }
```

5.3 Helper macros

`\pdfteXengine` We define several alias macros to identify which engine the user is running.

```
\xetexengine 848 \cs_new_eq:NN \pdfteXengine \sys_if_engine_pdfTeX_p:
\luatexengine 849 \cs_new_eq:NN \xetexengine \sys_if_engine_xetex_p:
850 \cs_new_eq:NN \luatexengine \sys_if_engine_luatex_p:
```

(End definition for `\pdfteXengine`, `\xetexengine`, and `\luatexengine`. These functions are documented on page 10.)

`\ifengineTF` True, if the engine used matches the given first argument.

```
\ifengineT 851 \NewExpandableDocumentCommand \ifengineTF { mmm }
\ifengineF 852 {
853 \bool_if:nTF { #1 } { #2 } { #3 }
854 }
855 \NewExpandableDocumentCommand \ifengineT { mm }
856 {
857 \bool_if:nT { #1 } { #2 }
858 }
859 \NewExpandableDocumentCommand \ifengineF { mm }
860 {
861 \bool_if:nF { #1 } { #2 }
862 }
```

(End definition for `\ifengineTF`, `\ifengineT`, and `\ifengineF`. These functions are documented on page 10.)

The package is not tested with Xe_{La}TeX, thus we provide an error to the user and stop the execution if they want to use the package with Xe_{La}TeX.

```
863 \ifengineT { \xetexengine }
864 {
865 \msg_set:nnnn { seiifonts } { xetex-not-supported }
866 { XeTeX~ is~ not~ supported~ by~ the~ se2fonts~ package. }
867 { Switch~ to~ pdfTeX~ or~ (preferably)~ LuaTeX. }
868 \msg_error:nn { seiifonts } { xetex-not-supported }
869 }
```

5.4 Font loading

Depending on the engine used by the user, we can use fontspec for loading fonts.

```
870 \ifengineTF { \luatexengine }
871 {
```

If the user uses Lua_{La}TeX, load fontspec and unicode-math.

```
872 \RequirePackage{fontspec}
873 \RequirePackage{unicode-math}
```

To make sure the scaling of the fonts matches, we let fontspec do this matching based on the lower-case characters.

```
874 \defaultfontfeatures{ Scale = MatchLowercase }
875 \defaultfontfeatures[\rmfamily]{ Scale = 1 }
```

Load the respective libertine-otf package and omit the monospaced font.

```
876 \PassOptionsToPackage{mono=false}{libertinus-otf}
877 \RequirePackage{libertinus-otf}
```

Load the *Anonymous Pro* monospaced font.

```
878 \setmonofont{AnonymousPro}[  
879   RawFeature      = {+tnum, +lnum},  
880   Scale           = {MatchLowercase},  
881   FakeStretch     = {0.9},  
882   UprightFont     = *-Regular,  
883   ItalicFont      = *-Italic,  
884   SlantedFont     = *-Italic,  
885   BoldFont        = *-Bold,  
886   BoldItalicFont  = *-BoldItalic,  
887   Extension       = .ttf,  
888 ]  
889 } {
```

The user does not use Lua_T_EX, thus fallback to T1 fonts.

```
890 \PassOptionsToPackage{T1}{fontenc}  
891 \PassOptionsToPackage{scale=0.85}{AnonymousPro}  
892 \PassOptionsToPackage{mono=false}{libertinus-type1}  
893 \RequirePackage{fontenc}  
894 \RequirePackage{AnonymousPro}  
895 \RequirePackage{libertinus-type1}  
896 }  
897 </package>
```

6 se2packages implementation

Start the DocStrip guards.

```
898 <*package>
```

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

```
899 <@@=slcd_packages>
```

Identify the package and give the overall version information.

```
900 \ProvidesExplPackage {se2packages} {2023-04-18} {3.0.0}
```

```
901 {Supporting packages for the se2thesis bundle}
```

6.1 Load-time options

Before we define the actual options, define some Boolean variables to store the selected values.

```
\l_slcd_packages_csquotes_bool Whether or not to load csquotes.
```

```
902 \bool_new:N \l__slcd_packages_csquotes_bool
```

(End definition for `\l_slcd_packages_csquotes_bool`.)

```
\l_slcd_packages_booktabs_bool Whether or not to load booktabs.
```

```
903 \bool_new:N \l__slcd_packages_booktabs_bool
```

(End definition for `\l_slcd_packages_booktabs_bool`.)

```
\l_slcd_packages_siunitx_bool Whether or not to load and configure siunitx.
```

```
904 \bool_new:N \l__slcd_packages_siunitx_bool
```

(End definition for `\l_slcd_packages_siunitx_bool`.)

```
\l_slcd_packages_minted_bool Whether or not to load and configure minted.
```

```
905 \bool_new:N \l__slcd_packages_minted_bool
```

(End definition for `\l_slcd_packages_minted_bool`.)

```
\l_slcd_packages_listings_bool Whether or not to load and configure listings.
```

```
906 \bool_new:N \l__slcd_packages_listings_bool
```

(End definition for `\l_slcd_packages_listings_bool`.)

```
\l_slcd_packages_biblatex_bool Whether or not to load and configure biblatex.
```

```
907 \bool_new:N \l__slcd_packages_biblatex_bool
```

(End definition for `\l_slcd_packages_biblatex_bool`.)

```
\l_slcd_packages_selnolig_bool Whether or not to load selnolig (LuaTEX only).
```

```
908 \bool_new:N \l__slcd_packages_selnolig_bool
```

(End definition for `\l_slcd_packages_selnolig_bool`.)

```
\l_slcd_packages_luawindowcontrol_bool Whether or not to load luawindowcontrol (LuaTEX only).
```

```
909 \bool_new:N \l__slcd_packages_luawindowcontrol_bool
```

(End definition for \l__slcd_packages_luawidowcontrol_bool.)

\l__slcd_packages_microtype_bool Whether or not to load microtype.

910 \bool_new:N \l__slcd_packages_microtype_bool

(End definition for \l__slcd_packages_microtype_bool.)

\l__slcd_packages_cleveref_bool Whether or not to load and configure cleveref.

911 \bool_new:N \l__slcd_packages_cleveref_bool

(End definition for \l__slcd_packages_cleveref_bool.)

\l__slcd_packages_all_bool Whether or not to load and configure all recommended packages.

912 \bool_new:N \l__slcd_packages_all_bool

(End definition for \l__slcd_packages_all_bool.)

Define the actual load-time options.

913 \keys_define:nn { seiipackages }

914 {

915 csquotes .bool_gset:N = \l__slcd_packages_csquotes_bool,

916 csquotes .initial:n = true,

917 nocquotes .meta:n = {csquotes=false},

918

919 booktabs .bool_gset:N = \l__slcd_packages_booktabs_bool,

920 booktabs .initial:n = true,

921 nobooktabs .meta:n = {booktabs=false},

922

923 siunitx .bool_gset:N = \l__slcd_packages_siunitx_bool,

924 siunitx .initial:n = false,

925

926 minted .bool_gset:N = \l__slcd_packages_minted_bool,

927 minted .initial:n = false,

928

929 listings .bool_gset:N = \l__slcd_packages_listings_bool,

930 listings .initial:n = false,

931

932 biblatex .bool_gset:N = \l__slcd_packages_biblatex_bool,

933 biblatex .initial:n = false,

934

935 selsnolig .bool_gset:N = \l__slcd_packages_selsnolig_bool,

936 selsnolig .initial:n = true,

937 noselsnolig .meta:n = {selsnolig=false},

938

939 widowcontrol .bool_gset:N = \l__slcd_packages_luawidowcontrol_bool,

940 widowcontrol .initial:n = true,

941 nowidowcontrol .meta:n = {widowcontrol=false},

942

943 microtype .bool_gset:N = \l__slcd_packages_microtype_bool,

944 microtype .initial:n = true,

945 nomicrotype .meta:n = {microtype=false},

946

947 cleveref .bool_gset:N = \l__slcd_packages_cleveref_bool,

948 cleveref .initial:n = false,

949

```

950     all .bool_gset:N = \l__slcd_packages_all_bool,
951     all .initial:n = false,
952 }

```

6.2 Option handling

```

953 \IfFormatAtLeastTF { 2022-06-01 }
954 { \ProcessKeyOptions [ seiipackages ] }
955 {
956     \RequirePackage{ l3keys2e }
957     \ProcessKeysOptions { seiipackages }
958 }

```

Define an error message if both minted and listings are requested.

```

959 \msg_set:nnnn { seiipackages } { conflicting-packages }
960 { Setting~ both~ minted~ and~ listings~ to~ true~ is~ not~ possible. }
961 { Choose~ either~ of~ them! }

```

Define a message for logging that a specific package will be loaded by se2packages. Expects as parameter the name of the package that will be loaded.

```

962 \msg_new:nnn { seiipackages } { load-package }
963 { se2packages~ loads~ the~ #1~ package now. }

```

And, in case both values are set to true, raise the error message.

```

964 \bool_lazy_and:nnT { \l__slcd_packages_minted_bool } { \l__slcd_packages_listings_bool }
965 {
966     \msg_error:nn { seiipackages } { conflicting-packages }
967 }

```

In case the all option is set, set all other values to true.

```

968 \bool_if:NT \l__slcd_packages_all_bool
969 {
970     \bool_gset_true:N \l__slcd_packages_csquotes_bool
971     \bool_gset_true:N \l__slcd_packages_booktabs_bool
972     \bool_gset_true:N \l__slcd_packages_siunitx_bool
973     \bool_gset_true:N \l__slcd_packages_minted_bool
974     \bool_gset_false:N \l__slcd_packages_listings_bool
975     \bool_gset_true:N \l__slcd_packages_selnolig_bool
976     \bool_gset_true:N \l__slcd_packages_luawindowcontrol_bool
977     \bool_gset_true:N \l__slcd_packages_microtype_bool
978     \bool_gset_true:N \l__slcd_packages_biblatex_bool
979     \bool_gset_true:N \l__slcd_packages_cleveref_bool
980 }

```

6.3 Package loading

Conditionally load the csquotes package.

```

981 \bool_if:NT \l__slcd_packages_csquotes_bool
982 {
983     \msg_info:nnn { seiipackages } { load-package } { csquotes }
984     \RequirePackage{csquotes}
985 }

```

Conditionally load the booktabs package.

```

986 \bool_if:NT \l__slcd_packages_booktabs_bool
987 {
988     \msg_info:nnn { seiipackages } { load-package } { booktabs }

```

```

989     \RequirePackage{booktabs}
990 }

```

Conditionally load and configure the siunitx package.

```

991 \bool_if:NT \l__slcd_packages_siunitx_bool
992 {
993     \msg_info:nnn { seiipackages } { load-package } { siunitx }
994     \RequirePackage[
995         add-integer-zero=false,
996         detect-inline-weight=math,
997         detect-weight=true,
998         free-standing-units,
999         group-minimum-digits=4,
1000         list-final-separator={, and },
1001         round-mode=figures,
1002         round-precision=3,
1003         separate-uncertainty=true,
1004         uncertainty-mode=separate,
1005     ]{siunitx}
1006 }

```

Conditionally load and configure the minted package.

```

1007 \bool_if:NT \l__slcd_packages_minted_bool
1008 {
1009     \msg_info:nnn { seiipackages } { load-package } { minted }
1010     \RequirePackage[newfloat=true]{minted}
1011     \setminted{
1012         autogobble,
1013         breaklines=true,
1014         fontsize=\footnotesize,
1015         frame=single,
1016         linenos=false,
1017         resetmargins=true,
1018         xleftmargin=1em,
1019         xrightmargin=1em,
1020     }
1021 }

```

Conditionally load and configure the listings package.

```

1022 \bool_if:NT \l__slcd_packages_listings_bool
1023 {
1024     \msg_info:nnn { seiipackages } { load-package } { listings }
1025     \RequirePackage{listings}
1026     \lstset{
1027         basicstyle=\footnotesize\ttfamily,
1028         breaklines=true,
1029         captionpos=t,
1030         extendedchars=true,
1031         frame=single,
1032         keywordstyle=\color{blue}\bfseries,
1033         showspaces=false,
1034         showtabs=false,
1035         showstringspaces=false,
1036         tabsize=2,
1037     }

```

```

1038 }
    Conditionally load selnolig if present and we run LuaTeX.
1039 \bool_lazy_and:nnT { \l__slcd_packages_selnolig_bool } { \sys_if_engine luatex_p: }
1040 {
1041   \IfFileExists { selnolig.sty }
1042   {
1043     \RequirePackage{selnolig}
1044   } {
1045     \msg:nnnn { seiipackages }
1046       { selnolig-not-available }
1047       { Could~ not~ find~ selnolig.sty }
1048       { You~ might~ want~ to~ install~ it~ for~ better~ ligatures~ control.}
1049     \msg_note:nn { seiipackages } { selnolig-not-available }
1050   }
1051 }
    Conditionally load luawidowcontrol if present and we run LuaTeX.
1052 \bool_lazy_and:nnT { \l__slcd_packages_luawidowcontrol_bool } { \sys_if_engine luatex_p: }
1053 {
1054   \IfFileExists { lua-widow-control.sty }
1055   {
1056     \RequirePackage{lua-widow-control}
1057   } {
1058     \msg:nnnn { seiipackages }
1059       { lua-widow-control-not-available }
1060       { Could~ not~ find~ lua-widow-control.sty }
1061       {
1062         You~ might~ want~ to~ install~ it~ for~ better~ control~ over~
1063         widows~ and~ orphans.
1064       }
1065     \msg_note:nn { seiipackages } { lua-widow-control-not-available }
1066   }
1067 }
    Conditionally load and configure microtype.
1068 \bool_if:NT \l__slcd_packages_microtype_bool
1069 {
1070   \msg_info:nnn { seiipackages } { load-package } { microtype }
1071   \RequirePackage{microtype}
1072   \clubpenalty=10000
1073   \widowpenalty=10000
1074   \displaywidowpenalty=10000
1075   \SetExtraKerning{
1076     encoding = {OT1,T1,T2A,LY1,OT4,QX,T5,TS1,EU1,EU2}
1077   }{
1078     \textemdash = {167,167},
1079     - = {167,167}
1080   }
1081 }
    Conditionally load and configure the biblatex package.
1082 \bool_if:NT \l__slcd_packages_biblatex_bool
1083 {
1084   \msg_info:nnn { seiipackages } { load-package } { biblatex }
1085   \PassOptionsToPackage

```

```

1086     {
1087         backend=biber,
1088         backref=true,
1089         giveninits=true,
1090         hyperref=auto,
1091         maxnames=100,
1092         minalphanames=3,
1093         sorting=nyt,
1094         style=alphabetic,
1095     } { biblatex }
1096     \RequirePackage{biblatex}
1097 }

```

Conditionally load the cleveref package as the last of the preamble.

```

1098 \bool_if:NT \l__slcd_packages_cleveref_bool
1099 {
1100     \msg_info:nnn { seiipackages } { load-package } { cleveref }
1101     \AddToHook { begindocument/before }
1102     {
1103         \RequirePackage[capitalise]{cleveref}
1104     }
1105 }
1106 \</package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols		B	
$\&$	306	<code>\backmatter</code>	6, 554
\backslash	410	<code>\baselineskip</code>	342
$\backslash\backslash$	409, 410, 411, 412, 413, 414, 415, 416, 417, 443, 447, 451, 455, 459, 463, 480, 481, 610, 615	<code>\begin</code>	239, 255, 263, 275, 322, 358, 362, 406, 439, 440, 596, 628
\sqcup	33, 36, 39, 231, 244, 432	<code>\begingroup</code>	333
A		<code>\bfseries</code>	491, 1032
<code>abstract (env.)</code>	5, 514	<code>biblatex</code>	14
<code>\abstract</code>	5, 28, 513	<code>\bigskip</code>	399, 403, 438, 606
<code>acknowledgements (env.)</code>	5, 531	<code>booktabs</code>	13
<code>\AddtoDoHook</code>	510	bool commands:	
<code>\AddToHook</code>	1101	<code>\bool_gset_false:N</code>	974
<code>\addtokomafont</code>	491, 492, 493, 494	<code>\bool_gset_true:N</code>	970, 971, 972, 973, 975, 976, 977, 978, 979
<code>\advisor</code>	4, 169	<code>\bool_if:NTF</code>	968, 981, 986, 991, 1007, 1022, 1068, 1082, 1098
<code>all</code>	14	<code>\bool_if:nTF</code>	853, 857, 861
<code>\and</code>	4, 298	<code>\bool_lazy_and:nnTF</code>	964, 1039, 1052
<code>\areaset</code>	218, 222	<code>\bool_new:N</code>	902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912
<code>\author</code>	3, 4, 6, 20, 296	<code>\bottomrule</code>	12
<code>\authorshipDeclaration</code>	6, 565		
<code>\autodot</code>	498		

H		<code>\LoadClass</code> 135
hbox commands:		<code>\LoadDictionary</code> 31
<code>\hbox_gset:Nn</code>	209, 379	<code>\location</code> 4, 6, 189
<code>\headheight</code>	340	<code>logfile</code> 3
<code>\headingdot</code>	510, 511	<code>\lstset</code> 1026
<code>\headmark</code>	247, 286	<code>\luatexengine</code> 10, 848, 870
<code>\headsep</code>	341	
<code>\hfill</code>	607	M
<code>\hline</code>	12	<code>\mainmatter</code> 6, 554
<code>\hsize</code>	347, 348	<code>\makebox</code> 615
<code>\hspace</code>	233, 238, 242,	<code>\maketitle</code> 3, 24, 321
	249, 254, 258, 261, 267, 273, 279, 284	<code>\MakeUppercase</code> 503, 507
<code>\ht</code>	314	<code>\marginparsep</code> 219, 220, 223, 224
<code>\Huge</code>	290	<code>\matrnumber</code> 4, 157
<code>hyp (env.)</code>	6, 624	<code>\mbox</code> 496
<code>\hyphenpenalty</code>	305	<code>\mdseries</code> 492, 493, 494
I		<code>\medskip</code> 397, 467
<code>\ifengineF</code>	10, 851	<code>\MessageBreak</code> 11
<code>\ifengineT</code>	10, 851, 863	<code>microtype</code> 14
<code>\ifengineTF</code>	10, 851, 870	<code>\midrule</code> 12
<code>\IfFileExists</code>	1041, 1054	<code>minted</code> 13
<code>\IfFormatAtLeastTF</code> 2, 16, 120, 739, 835, 953		msg commands:
<code>\IfNoValueF</code>	517, 534, 570	<code>\msg:nnnn</code> 1045, 1058
<code>\Ifstr</code>	502	<code>\msg_error:nn</code> 868, 966
<code>\Iftocfeature</code> . 519, 524, 536, 540, 586, 590		<code>\msg_info:nnn</code> 983,
<code>\ifx</code>	368, 396	988, 993, 1009, 1024, 1070, 1084, 1100
<code>\includegraphics</code>	211	<code>\msg_new:nnn</code> 575, 962
<code>\institute</code>	4, 26, 177	<code>\msg_note:nn</code> 1049, 1065
int commands:		<code>\msg_set:nnnn</code> 841, 865, 959
<code>\int_compare:nTF</code>	196, 216	<code>\msg_warning:nn</code> 582, 846
<code>\int_gset_eq:NN</code>	84	
<code>\int_new:N</code>	41	N
<code>\item</code>	597, 602	<code>\newcommand</code> 511, 612
<code>\itshape</code>	509	<code>\NewDocumentCommand</code> 565
K		<code>\NewDocumentEnvironment</code> 531, 627
keys commands:		<code>\NewExpandableDocumentCommand</code>
<code>\l_keys_choice_int</code>	84	
<code>\l_keys_choice_tl</code>	107, 112	851, 855, 859
<code>\keys_define:nn</code>	72, 713, 819, 913	<code>\newif</code> 547
<code>\l_keys_key_tl</code>	117	<code>\newtheorem</code> 31, 624, 625
<code>\keys_set:nn</code>	738	<code>nobooktabs</code> 13
<code>\KOMAoption</code>	142	<code>\nobreakspace</code> 497
<code>\KOMAoptions</code>	141	<code>nocsquotes</code> 13
L		<code>\noexpand</code> 326, 327, 328, 329, 330, 331
<code>\label</code>	12	<code>\noindent</code> 480, 607
<code>\Large</code>	291	<code>nomicrotype</code> 14
<code>\large</code>	293, 493	<code>\normalfont</code> 229, 509
<code>\leftfoot</code>	260	<code>\normalsize</code> 240,
<code>\let</code>	331, 365, 388, 523	256, 264, 276, 292, 294, 295, 494, 509
<code>\linewidth</code>	348, 512, 615	<code>noselignolig</code> 13
<code>listings</code>	13	<code>nowidowcontrol</code> 14
		<code>\null</code> 261, 273, 383
		<code>\num</code> 11
		O
		<code>\oddsidemargin</code> 313, 335

P	
<code>\PackageError</code>	8
<code>\pagemark</code>	240, 256, 264, 276
<code>\pagenumbering</code>	552, 558
<code>\pagestyle</code>	289
<code>paper</code>	3
<code>\paperheight</code>	339
<code>\paperwidth</code>	337
<code>\par</code>	364, 394, 397, 401, 434, 435, 436, 438, 467, 474, 567, 605
<code>\paragraph</code>	28
<code>\parbox</code>	381, 613
<code>\PassOptionsToClass</code>	129, 132
<code>\PassOptionsToPackage</code> ..	145, 226, 620, 717, 721, 725, 876, 890, 891, 892, 1085
<code>\pdfTeXengine</code>	10, <u>848</u>
prg commands:	
<code>\prg_new_conditional:Nnn</code>	22
<code>\prg_return_false:</code>	27
<code>\prg_return_true:</code>	26
<code>\ProcessKeyOptions</code> ...	121, 740, 836, 954
<code>\ProcessKeysOptions</code> ..	124, 743, 839, 957
prop commands:	
<code>\prop_gput:Nnn</code>	117
<code>\prop_map_inline:Nn</code>	126, 136
<code>\prop_new:N</code>	43, 44
<code>\providecommand</code> ...	16, 513, 548, 554, 560
<code>\ProvideDictionaryFor</code>	633, 671
<code>\ProvideDictTranslation</code>	634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706
<code>\ProvideDocumentCommand</code>	149, 153, 157, 161, 165, 169, 173, 177, 181, 185, 189
<code>\ProvidesExplClass</code>	20
<code>\ProvidesExplPackage</code>	711, 816, 900
<code>\putUL</code>	317
Q	
<code>\qty</code>	11
<code>\quad</code>	440
R	
<code>\raggedleft</code>	264, 276, 491
<code>\ref</code>	12
<code>\relax</code> 331, 334, 335, 336, 337, 339, 368, 523	
<code>\renewcommand</code>	297, 303, 320, 321, 375, 478, 495, 501, 506, 512
<code>\RenewDocumentEnvironment</code>	514
<code>\RequirePackage</code>	3, 29, 30, 123, 146, 148, 227, 390, 622, 626, 742, 745, 838, 872, 873, 877, 893, 894, 895, 956, 984, 989, 994, 1010, 1025, 1043, 1056, 1071, 1096, 1103
<code>resq (env.)</code>	6, <u>624</u>
<code>\rmfamily</code>	875
<code>\rofoot</code>	230
<code>\rule</code>	236, 252, 270, 282, 413, 615
S	
<code>\scalebox</code>	497, 498
<code>\section</code>	521, 525, 538, 541, 588, 591
<code>\sectionlinesformat</code>	506
<code>\selectlanguage</code>	517, 534, 569
<code>selnolig</code>	13
seq commands:	
<code>\seq_gset_split:Nnn</code>	298
<code>\seq_new:N</code>	296
<code>\seq_use:Nnnn</code>	306
<code>\setcounter</code>	323
<code>\SetExtraKerning</code>	1075
<code>\setkomafont</code>	229, 290, 291, 292, 293, 294, 295, 509
<code>\setlength</code>	219, 220, 223, 224
<code>\setminted</code>	1011
<code>\setmonofont</code>	878
<code>\setparsizes</code>	349, 377
<code>\sffamily</code>	229
<code>\signatureBox</code>	6, 608, <u>612</u>
<code>siunitx</code>	13
skip commands:	
<code>\skip_vertical:n</code>	384, 386
slcd commands:	
<code>\slcd_package_if_loaded:n</code>	22
<code>\slcd_package_if_loaded:nTF</code> ..	2, <u>22</u> , 618
<code>\slcd_package_if_loaded_p:n</code> ...	2, <u>22</u>
slcd internal commands:	
<code>\l__slcd_advisor_tl</code> ..	45, 171, 453, 455
<code>\l__slcd_author_seq</code>	296, 298, 306
<code>\l__slcd_base_class_tl</code>	42, <u>72</u> , 129, 132, 135, 138
<code>\l__slcd_clsopts_prop</code>	42, 126
<code>\l__slcd_coadvisor_tl</code> ..	45, 175, 457, 459
<code>\l__slcd_colormode_tl</code>	72, 145
<code>\l__slcd_colors_colormode_tl</code> ...	<u>713</u>
<code>\l__slcd_csupervisor_tl</code>	45, 167, 449, 451
<code>\l__slcd_degreeprogramme_tl</code>	45, 155, 430, 432
<code>\l__slcd_department_tl</code> ..	45, 179, 435

<code>\l__slcd_external_tl</code>	45 , 187 , 461 , 463
<code>\l__slcd_fontmode_tl</code>	72
<code>\l__slcd_fonts_fontmode_tl</code>	818 , 844
<code>\l__slcd_headmarkspace_dim</code>	58 , 233 , 284
<code>\l__slcd_institute_tl</code>	45 , 183 , 436
<code>\l__slcd_licensemodifier_tl</code>	72
<code>\l__slcd_licensetype_tl</code>	72
<code>\l__slcd_licenseversion_tl</code>	72
<code>\l__slcd_location_tl</code>	45 , 191 , 571 , 573 , 607
<code>\l__slcd_logo_box</code>	193 , 315 , 316 , 317 , 384 , 386
<code>\l__slcd_logo_height_dim</code>	193
<code>\l__slcd_logofile_tl</code>	45 , 88 , 207 , 213
<code>\l__slcd_marginspace_dim</code>	58 , 242 , 258 , 261 , 273
<code>\l__slcd_matrnumber_tl</code>	45 , 159 , 441 , 443
<code>\l__slcd_packages_all_bool</code>	912 , 950 , 968
<code>\l__slcd_packages_biblatex_bool</code>	907 , 932 , 978 , 1082
<code>\l__slcd_packages_booktabs_bool</code>	903 , 919 , 971 , 986
<code>\l__slcd_packages_cleveref_bool</code>	911 , 947 , 979 , 1098
<code>\l__slcd_packages_csquotes_bool</code>	902 , 915 , 970 , 981
<code>\l__slcd_packages_listings_bool</code>	906 , 929 , 964 , 974 , 1022
<code>\l__slcd_packages_luawidowcontrol_bool</code>	909 , 939 , 976 , 1052
<code>\l__slcd_packages_microtype_bool</code>	910 , 943 , 977 , 1068
<code>\l__slcd_packages_minted_bool</code>	905 , 926 , 964 , 973 , 1007
<code>\l__slcd_packages_selnolig_bool</code>	908 , 935 , 975 , 1039
<code>\l__slcd_packages_siunitx_bool</code>	904 , 923 , 972 , 991
<code>\l__slcd_pagemark_minipage_dim</code>	58 , 239 , 255 , 263 , 275
<code>\l__slcd_paper_int</code>	41 , 72 , 196 , 216
<code>\l__slcd_print_title:</code>	381 , 391
<code>\l__slcd_ruleraise_dim</code>	58 , 236 , 252 , 270 , 282
<code>\l__slcd_rulespace_dim</code>	58 , 238 , 249 , 254 , 267 , 279
<code>\l__slcd_rulethickness_dim</code>	58 , 236 , 252 , 270 , 282
<code>\l__slcd_rulewidth_dim</code>	58 , 236 , 252 , 270 , 282
<code>\l__slcd_signature_tl</code>	45 , 300 , 301 , 595 , 608
<code>\l__slcd_supervisor_tl</code>	45 , 163 , 445 , 447
<code>\l__slcd_thesis_type_tl</code>	72 , 407 , 420 , 422 , 424 , 426 , 428 , 482 , 484 , 486
<code>\l__slcd_title_box</code>	371 , 379 , 385
<code>\l__slcd_unknown_clsopts_prop</code>	42 , 72 , 136
<code>\l__slcd_version_tl</code>	33 , 36 , 39 , 45 , 151 , 471
<code>\smallskip</code>	474
<code>\strut</code>	610
<code>\strutbox</code>	314
<code>\subsection</code>	520 , 537 , 587
<code>summary (env.)</code>	6 , 627
<code>\supervisor</code>	4 , 161
sys commands:	
<code>\sys_if_engine luatex_p:</code>	10 , 850 , 1039 , 1052
<code>\sys_if_engine pdftex_p:</code>	10 , 848
<code>\sys_if_engine xetex_p:</code>	10 , 849
T	
<code>\tabcaption</code>	12 , 14
TeX and L ^A T _E X 2 _ε commands:	
<code>\@author</code>	4 , 296 , 401 , 480
<code>\@colht</code>	327 , 343
<code>\@colroom</code>	328 , 344
<code>\@date</code>	33 , 36 , 39 , 472 , 607
<code>\@empty</code>	365 , 388 , 396
<code>\@ifl@t@r</code>	5 , 16
<code>\@ifpackagelater</code>	16
<code>\@ifpackageloaded</code>	16
<code>\@ifundefined</code>	2
<code>\@lowertitleback</code>	4 , 28 , 363 , 478
<code>\@mainmatterfalse</code>	551 , 563
<code>\@mainmattertrue</code>	547 , 557
<code>\@maketitle</code>	3 , 25 , 352 , 375
<code>\@plus</code>	349 , 377
<code>\@subtitle</code>	396 , 397
<code>\@tempwattrue</code>	355
<code>\@thanks</code>	365 , 388
<code>\@title</code>	394 , 481
<code>\@titlepageiscoverpagefalse</code>	330
<code>\@uppertitleback</code>	359
<code>\if@mainmatter</code>	547
<code>\if@tempswa</code>	356
<code>\if@twoside</code>	354 , 550 , 556 , 562
<code>\l@lowertitleback</code>	4
<code>\next@tpage</code>	357
<code>\par@updaterelative</code>	349 , 377
<code>\scr@ifundefinedorrelax</code>	518 , 535 , 585
<code>\titlepage@restore</code>	325 , 331 , 368

