

# inconsolata-nerd-font—Support package to use the InconsolataNerd Font TrueType fonts

Stephan Lukasczyk\*

v0.3, 2023-09-13

## Abstract

Inconsolata is a monospaced font designed by Raph Levien. It is already available via the `inconsolata` package. However, that package provides a pretty old version of the font; Additionally, the Nerd Font project extended the font by a huge amount of additional glyphs. This package provides the font itself and a convenient interface to load the font for the  $\text{\LaTeX}$  and  $\text{\Lua\TeX}$  engines.

## Contents

<b>1</b>	<b>User Manual</b>	<b>1</b>
1.1	License	2
1.2	Helper Macros	2
1.3	Package Arguments	2
1.4	Font Macros	2
<b>2</b>	<b>Font Tables</b>	<b>3</b>
2.1	Regular	3
2.2	Mono Regular	10
2.3	Proportional Regular	17
<b>3</b>	<b>Implementation</b>	<b>25</b>
3.1	Options	25
3.2	Load the Font	26
	<b>Index</b>	<b>27</b>
	<b>Change History</b>	<b>28</b>

---

\*E-mail: [stephan@dante.de](mailto:stephan@dante.de)

# 1 User Manual

The Inconsolata font is a monospaced font designed by Raph Levien. Its current version is available from the Google Fonts project.<sup>1</sup> There exists an extension of this font by the Nerd Font project,<sup>2</sup> which adds a huge amount of additional glyphs, especially useful for developers, to the original font. The extended version is available from GitHub.<sup>3</sup> This package provides the TrueType font files and a convenient way to use the font with the X<sub>Y</sub>TeX or LuaTeX engines.

This user guide gives a brief introduction into the possibilities provided by the `inconsolata-nerd-font` package.

## 1.1 License

Permission is granted to copy, distribute, and/or modify this software under the terms of the LaTeX Project Public License (LPPL), version 1.3c or later (<https://www.latex-project.org/lppl.txt>). The software has the status ‘maintained’.

The font files bundled with the package (`InconsolataNerdFont*.ttf`) are licensed under the terms of the SIL Open Font License (LPPL), version 1.1 (<http://scripts.sil.org/OFL>).

## 1.2 Helper Macros

The following macro is not strictly part of the package. It is actually defined by recent LaTeX kernels. However, to make the package compatible with older kernels, too, we provide it, if it is not yet defined.

The macro’s purpose is to check whether the used LaTeX format is at least from the given date and allows to execute code depending on the result of the check.

---

```
\IfFormatAtLeastTF {<date>} {<true>} {<false>}
```

---

We define this macro to execute code depending on the LaTeX format date. The macro is only defined if it is not already part of the LaTeX kernel, which it is for recent versions of the kernel.

## 1.3 Package Arguments

The `inconsolata-nerd-font` package provides the following load-time options.

---

```
variant variant = <choice>
```

---

Specifies which variant of the font shall be used, must be one of `default`, `mono`, or `propo`, where `default` is the default value.

The `mono` variant is limited to only mono-spaced characters, the `default` variant provides bigger icons (around 1.5 times the width of a normal character), the `propo` variant provides proportional symbols, which might be suitable, e.g., for presentations.

---

```
scale scale = {<factor>}
```

```
Scale Scale = {<factor>}
```

---

Set the scaling of the font. See the `fontspec` documentation for more details. The default value is `MatchLowercase` to match the height of the lower-case character of the default main font of your document.

---

<sup>1</sup>[github.com/googlefonts/Inconsolata](https://github.com/googlefonts/Inconsolata)

<sup>2</sup>[www.nerdfonts.com/](https://www.nerdfonts.com/)

<sup>3</sup>[github.com/ryanoasis/nerd-fonts/tree/master/patched-fonts/Inconsolata](https://github.com/ryanoasis/nerd-fonts/tree/master/patched-fonts/Inconsolata)

## 1.4 Font Macros

While the package sets the default mono-spaced font to the selected variant of the Inconsolata Nerd Font, the package provides six additional macros for convenience, one pair of each variant of the font.

---

`\inconsolatanfffamily` `\inconsolatanfffamily`

---

A font family for the Inconsolata Nerd Font, the default variant provided by this package.

---

`\inconsolatanfmonofamily` `\inconsolatanfmonofamily`

---

A font family for the Inconsolata Nerd Font, the mono variant provided by this package.

---

`\inconsolatanfpropofamily` `\inconsolatanfpropofamily`

---

A font family for the Inconsolata Nerd Font, the propo variant provided by this package.

---

`\textinconsolatanf` `\textinconsolatanf {<text>}`

---

A convenience macro to typeset a short text using the default Inconsolata Nerd Font variant.

---

`\textinconsolatanfmono` `\textinconsolatanfmono {<text>}`

---

A convenience macro to typeset a short text using the mono Inconsolata Nerd Font variant.

---

`\textinconsolatanfpropo` `\textinconsolatanfpropo {<text>}`

---

A convenience macro to typeset a short text using the propo Inconsolata Nerd Font variant.

The following sentence uses the `\textinconsolatanf` to typeset the words ‘an example’ using Inconsolata Nerd Font: Just an example sentence.

## 2 Font Tables

This section provides character tables of the different font variants, created using Frank Mittelbach’s `unicodefonttable` package. Thanks to Herbert Voß for his suggestion to add these.

### 2.1 Regular

Table 1: InconsolataNerdFont-Regular.ttf

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Basic Latin</b>																
U+0000 - 000F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+0020 - 002F		!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
U+0030 - 003F	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040 - 004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050 - 005F	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
U+0060 - 006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070 - 007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-

Table 1: InconsolataNerdFont-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Latin-1 Supplement</b>																
U+00A0 - 00AF		ı	¢	£	¤	¥	¦	§	¨	©	ª	«	¬	­	®	¯
U+00B0 - 00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0 - 00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0 - 00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0 - 00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0 - 00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
<b>Latin Extended-A</b>																
U+0100 - 010F	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Č	č	Ď	ď		
U+0110 - 011F	Đ	đ	Ē	ē	Ė	ė	È	è	Ě	ě	Ĝ	ĝ	Ğ	ğ		
U+0120 - 012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ĭ	ĭ	Į	į		
U+0130 - 013F	İ	ı	-	-	Ĵ	ĵ	Ķ	ķ	ĸ	Ĺ	ĺ	Ł	ł	Ł	ł	
U+0140 - 014F	Ṽ	ṽ	Ṽ	ṽ	Ṽ	ṽ	Ṽ	ṽ	Ṽ	ṽ	Ṽ	ṽ	Ṽ	ṽ	Ṽ	ṽ
U+0150 - 015F	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ	Œ	œ
U+0160 - 016F	Š	š	Ť	ť	Ť	ť	Ť	ť	Ť	ť	Ť	ť	Ť	ť	Ť	ť
U+0170 - 017F	Ů	ů	Ů	ů	Ů	ů	Ů	ů	Ů	ů	Ů	ů	Ů	ů	Ů	ů
<b>Latin Extended-B</b>																
U+0180 - 018F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
U+0190 - 019F	-	-	f	-	-	-	-	K	-	-	-	-	-	-	-	-
U+01A0 - 01AF	Œ	œ	-	-	-	-	-	-	-	-	-	-	-	-	-	U
U+01B0 - 01BF	Ů	-	-	-	-	-	-	Σ	Σ	-	-	-	-	-	-	-
U+01C0 - 01CF	-	-	-	-	-	-	-	Ů	Ů	Ů	-	-	-	-	-	-
U+01E0 - 01EF	-	-	-	-	-	-	Ğ	ğ	-	-	Q	q	-	-	-	-
U+01F0 - 01FF	-	-	-	-	-	-	-	-	-	-	Á	á	Ė	ė	Œ	œ
U+0200 - 020F	Ä	ä	Â	â	È	è	Ê	ê	Ï	ï	Î	î	Ò	ò	Ô	ô
U+0210 - 021F	Ř	ř	Ř	ř	Û	û	Ů	ů	Ş	ş	Ť	ť	-	-	-	-
U+0220 - 022F	-	-	-	-	-	-	-	-	-	-	Ů	ů	Ů	ů	-	-
U+0230 - 023F	Ů	ů	Ů	ů	-	-	-	J	-	-	-	-	-	-	-	-
U+0240 - 024F	-	-	-	-	-	-	-	-	-	-	-	-	-	f	-	-
<b>IPA Extensions</b>																
U+0250 - 025F	-	-	-	-	-	-	-	-	-	ə	-	-	-	-	-	-
U+0270 - 027F	-	-	-	-	-	-	-	-	-	-	-	ɹ	-	-	-	-
U+0290 - 029F	-	-	-	-	-	-	-	-	0	-	ø	-	-	-	-	-
<b>Spacing Modifier Letters</b>																
U+02B0 - 02BF	-	-	-	-	-	-	-	-	-	-	"	'	-	-	-	'
U+02C0 - 02CF	-	-	-	-	-	-	^	˘	-	-	'	-	-	-	-	-
U+02D0 - 02DF	-	-	-	-	-	-	-	˘	-	˘	-	˘	˘	˘	-	-
<b>Combining Diacritical Marks</b>																
U+0300 - 030F	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘	˘
U+0310 - 031F	-	˘	˘	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1: InconsolataNerdFont-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0320 - 032F	-	-	-	.	..	-	,	ˆ	˘	˙	-	-	-	-	˜	-
U+0330 - 033F	-	˘	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Greek and Coptic</b>																
U+0370 - 037F	-	-	-	-	-	,	-	-	-	-	-	-	-	-	-	-
<b>Latin Extended Additional</b>																
U+1E00 - 1E0F	-	-	-	-	-	-	-	-	Ç	ç	-	-	Đ	đ	Ð	ð
U+1E10 - 1E1F	-	-	-	-	È	è	É	é	-	-	-	-	Ė	ė	-	-
U+1E20 - 1E2F	Ĝ	ĝ	-	-	Ħ	ħ	-	-	-	-	Ĥ	ĥ	-	-	İ	ı
U+1E30 - 1E3F	-	-	-	-	-	-	Ł	ł	-	-	Ł	ł	-	-	-	-
U+1E40 - 1E4F	-	-	Ţ	ţ	Ŋ	ŋ	Ŧ	ŧ	Ŧ	ŧ	-	-	Ǫ	ǫ	Ǿ	ǿ
U+1E50 - 1E5F	Ò	ò	Ó	ó	-	-	-	-	-	-	Ŕ	ŕ	-	-	Ŗ	ŗ
U+1E60 - 1E6F	Ŝ	ŝ	Ş	ş	Š	š	Š	š	Ş	ş	-	-	Ţ	ţ	Ť	ť
U+1E70 - 1E7F	-	-	-	-	-	-	-	-	Ũ	ũ	Ũ	ũ	-	-	-	-
U+1E80 - 1E8F	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	-	-	-	-	-	-	-	-	Ỳ	ỳ
U+1E90 - 1E9F	-	-	Ẑ	ẑ	-	-	-	Ẕ	-	-	-	-	-	-	Ỵ	ỵ
U+1EA0 - 1EAF	Ạ	ạ	Ả	ả	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ
U+1EB0 - 1EBF	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ
U+1EC0 - 1ECF	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ
U+1ED0 - 1EDF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ
U+1EE0 - 1EEF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ
U+1EF0 - 1EFF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ
<b>General Punctuation</b>																
U+2000 - 200F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2010 - 201F	-	-	-	-	-	-	-	-	‘	’	,	-	“	”	„	-
U+2020 - 202F	†	‡	•	-	-	-	...	-	-	-	-	-	-	-	-	-
U+2030 - 203F	‰	-	’	”	-	-	-	-	-	◁	▷	-	-	-	-	-
U+2040 - 204F	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-
<b>Superscripts and Subscripts</b>																
U+2070 - 207F	⁰	-	-	-	⁴	⁵	⁶	⁷	⁸	⁹	-	-	-	-	-	n
U+2080 - 208F	⁰	¹	²	³	⁴	⁵	⁶	⁷	⁸	⁹	-	-	-	-	-	-
<b>Currency Symbols</b>																
U+20A0 - 20AF	-	₯	-	₯	₯	-	₯	₯	-	₯	-	₯	₯	₯	-	-
U+20B0 - 20BF	-	₯	₯	-	-	₯	-	-	-	₯	₯	-	₯	₯	-	-
<b>Letterlike Symbols</b>																
U+2110 - 211F	-	-	-	ℓ	-	-	ℕ	-	-	-	-	-	-	-	-	-
U+2120 - 212F	-	-	™	-	ℤ	-	Ω	-	-	-	-	-	-	-	e	-
<b>Arrows</b>																
U+2190 - 219F	←	↑	→	↓	↔	↕	↖	↗	↘	↙	-	-	-	-	-	-

Table 1: InconsolataNerdFont-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+21E0 - 21EF	-	-	-	-	-	-	↔	↑	↔	↓	↕	-	-	-	-	-
<b>Mathematical Operators</b>																
U+2200 - 220F	-	-	∂	-	-	∅	Δ	-	∈	-	-	-	-	-	-	∏
U+2210 - 221F	-	Σ	-	-	-	/	-	*	-	•	√	-	-	-	∞	-
U+2220 - 222F	-	-	-	-	-	-	-	-	-	-	∫	-	-	-	-	-
U+2240 - 224F	-	-	-	-	-	-	-	-	≈	-	-	-	-	-	-	-
U+2260 - 226F	≠	-	-	-	≤	≥	-	-	-	-	-	-	-	-	-	-
U+2290 - 229F	-	-	-	-	-	⊕	-	-	-	-	-	-	-	-	-	-
<b>Miscellaneous Technical</b>																
U+2300 - 230F	-	-	□	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2310 - 231F	-	-	-	-	-	-	-	-	⌘	-	-	-	-	-	-	-
U+2320 - 232F	-	-	-	-	-	↵	☒	☒	-	-	-	☒	-	-	-	-
U+2380 - 238F	-	-	-	-	-	-	-	-	-	-	-	↺	-	-	-	-
U+23C0 - 23CF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	↻	-
U+23F0 - 23FF	-	-	-	-	-	-	-	-	-	-	-	⏻	Ⓜ		☾	-
<b>Control Pictures</b>																
U+2420 - 242F	-	-	-	┐	-	-	-	-	-	-	-	-	-	-	-	-
<b>Box Drawing</b>																
U+2500 - 250F	─	─			⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯
U+2510 - 251F	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌
U+2520 - 252F	└	└	└	└	└	└	└	└	└	└	└	└	└	└	└	└
U+2530 - 253F	├	├	├	├	├	├	├	├	├	├	├	├	├	├	├	├
U+2540 - 254F	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤
U+2550 - 255F	═	═	═	═	═	═	═	═	═	═	═	═	═	═	═	═
U+2560 - 256F	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔	╔
U+2570 - 257F	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚	╚
<b>Block Elements</b>																
U+2580 - 258F	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
U+2590 - 259F	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
<b>Geometric Shapes</b>																
U+25C0 - 25CF	-	-	-	-	-	-	◆	◇	-	-	◇	○	-	-	-	●
<b>Miscellaneous Shapes</b>																
U+2630 - 263F	≡	-	-	-	-	-	-	-	-	⊙	⊙	●	-	-	-	-
U+2660 - 266F	♠	-	-	♣	-	♥	♦	-	-	-	-	-	-	-	-	-

Table 1: InconsolataNerdFont-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+26A0 - 26AF	-	⚡	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Dingbats</b>																
U+2710 - 271F	-	-	-	✓	✓	✕	-	✕	✕	-	-	-	-	-	-	-
U+2760 - 276F	-	-	-	-	-	-	-	-	-	-	-	-	<	>	<	>
U+2770 - 277F	◀	▶	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Miscellaneous Symbols and Arrows</b>																
U+2B00 - 2B0F	-	-	-	-	-	↩	⬆	⬇	-	-	-	-	-	-	-	-
U+2B50 - 2B5F	-	-	-	-	-	-	-	-	◯	-	-	-	-	-	-	-
U+2B90 - 2B9F	-	-	-	-	➡	-	-	-	-	-	-	-	-	-	-	-
<b>Supplemental Punctuation</b>																
U+2E10 - 2E1F	-	-	,	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Private Use Area</b>																
U+E000 - E00F	𐀀	🍏	🍎	🍇	🍓	☕	🌴	🌵	🍷	!	⚡	-	-	-	-	-
U+E0A0 - E0AF	🍷	🍷	🔒	🔓	-	-	-	-	-	-	-	-	-	-	-	-
U+E0B0 - E0BF	🔒	>	🔒	<	🌑	🌒	🌒	🌒	🌒	-	🌒	-	🌒	-	🌒	-
U+E0C0 - E0CF	🔒	🔒	🔒	🔒	🔒	🔒	🔒	🔒	🔒	-	🔒	-	🔒	-	🔒	-
U+E0D0 - E0DF	🔒	🔒	🔒	🔒	🔒	🔒	🔒	🔒	🔒	-	🔒	-	🔒	-	🔒	-
U+E200 - E20F	<	☁	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E210 - E21F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E220 - E22F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E230 - E23F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E240 - E24F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E250 - E25F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E260 - E26F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E270 - E27F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E280 - E28F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E290 - E29F	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E2A0 - E2AF	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷	🍷
U+E300 - E30F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E310 - E31F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E320 - E32F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E330 - E33F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E340 - E34F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E350 - E35F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E360 - E36F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E370 - E37F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E380 - E38F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E390 - E39F	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E3A0 - E3AF	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀
U+E3B0 - E3BF	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀	☀

Table 1: InconsolataNerdFont-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E3C0 - E3CF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3D0 - E3DF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3E0 - E3EF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E5F0 - E5FF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+E600 - E60F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E610 - E61F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E620 - E62F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E630 - E63F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E640 - E64F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E650 - E65F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E660 - E66F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E670 - E67F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E680 - E68F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E690 - E69F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E6A0 - E6AF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E700 - E70F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E710 - E71F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E720 - E72F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E730 - E73F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E740 - E74F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E750 - E75F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E760 - E76F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E770 - E77F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E780 - E78F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E790 - E79F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E7A0 - E7AF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E7B0 - E7BF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E7C0 - E7CF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EA60 - EA6F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EA70 - EA7F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EA80 - EA8F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EA90 - EA9F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EAA0 - EAAF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EAB0 - EABF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EAC0 - EACF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EAD0 - EADF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EAEO - EAEF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EAF0 - EAF9	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB00 - EB0F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB10 - EB1F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB20 - EB2F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB30 - EB3F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB40 - EB4F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB50 - EB5F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+EB60 - EB6F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡

Table 1: InconsolataNerdFont-Regular.ttf *cont.*[illegible]

Table 1: InconsolataNerdFont-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F260 - F26F																-
U+F270 - F27F																-
U+F280 - F28F																-
U+F290 - F29F																-
U+F2A0 - F2AF																-
U+F2B0 - F2BF																-
U+F2C0 - F2CF																-
U+F2D0 - F2DF																-
U+F2E0 - F2EF		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+F300 - F30F																
U+F310 - F31F																
U+F320 - F32F																
U+F400 - F40F																
U+F410 - F41F																
U+F420 - F42F																
U+F430 - F43F																
U+F440 - F44F																
U+F450 - F45F																
U+F460 - F46F																
U+F470 - F47F	GitHub															
U+F480 - F48F	Gist															
U+F490 - F49F																
U+F4A0 - F4AF																
U+F4B0 - F4BF																
U+F4C0 - F4CF																
U+F4D0 - F4DF																
U+F4E0 - F4EF																
U+F4F0 - F4FF																
U+F500 - F50F																
U+F510 - F51F																
U+F520 - F52F																
U+F530 - F53F																
Specials ...																
U+FFF0 - FFFF	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-

Total number of glyphs shown from InconsolataNerdFont-Regular.ttf: 3143

## 2.2 Mono Regular

Table 2: InconsolataNerdFontMono-Regular.ttf

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Basic Latin</b>																
U+0000 - 000F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+0020 - 002F		!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
U+0030 - 003F	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040 - 004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050 - 005F	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
U+0060 - 006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070 - 007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
<b>Latin-1 Supplement</b>																
U+00A0 - 00AF		ı	¢	£	¤	¥	¦	§	¨	©	ª	«	¬	­	®	¯
U+00B0 - 00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0 - 00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0 - 00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0 - 00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0 - 00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
<b>Latin Extended-A</b>																
U+0100 - 010F	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Č	č	Ď	ď		
U+0110 - 011F	Đ	đ	Ē	ē	Ė	ė	È	é	Ě	ě	Ĝ	ĝ	Ğ	ğ		
U+0120 - 012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Į	į
U+0130 - 013F	İ	ı	-	-	Ĵ	ĵ	Ķ	ķ	κ	Ĺ	ĺ	Ł	ł	Ł	ł	
U+0140 - 014F	Ṁ	ṁ	Ṃ	ṃ	Ṅ	ṅ	Ṇ	ṇ	-	Ṋ	ṋ	Ṍ	ṍ	Ṏ	ṏ	
U+0150 - 015F	Š	š	Œ	œ	Ř	ř	Ŕ	ŕ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş
U+0160 - 016F	Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů
U+0170 - 017F	Ú	ú	Ų	ų	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	-
<b>Latin Extended-B</b>																
U+0180 - 018F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
U+0190 - 019F	-	-	f	-	-	-	-	-	K	-	-	-	-	-	-	-
U+01A0 - 01AF	Œ	œ	-	-	-	-	-	-	-	-	-	-	-	-	-	Ů
U+01B0 - 01BF	Ű	-	-	-	-	-	-	-	Σ	Σ	-	-	-	-	-	-
U+01C0 - 01CF	-	-	-	-	-	-	-	Ų	Ų	Ų	-	-	-	-	-	-
U+01E0 - 01EF	-	-	-	-	-	-	Ğ	ğ	-	-	Q	q	-	-	-	-
U+01F0 - 01FF	-	-	-	-	-	-	-	-	-	-	Ă	ă	Ė	ė	Œ	œ
U+0200 - 020F	Ä	ä	Â	â	È	è	Ê	ê	Ì	ì	Î	î	Ò	ò	Ô	ô
U+0210 - 021F	Ř	ř	Ř	ř	Û	û	Ū	ū	Ş	ş	Ţ	ţ	-	-	-	-
U+0220 - 022F	-	-	-	-	-	-	-	-	-	-	Œ	œ	Œ	œ	-	-
U+0230 - 023F	Œ	œ	Ÿ	ÿ	-	-	-	J	-	-	-	-	-	-	-	-
U+0240 - 024F	-	-	-	-	-	-	-	-	-	-	-	-	-	f	-	-
<b>IPA Extensions</b>																
U+0250 - 025F	-	-	-	-	-	-	-	-	ə	-	-	-	-	-	-	-
U+0270 - 027F	-	-	-	-	-	-	-	-	-	-	ɹ	-	-	-	-	-

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0290 - 029F	-	-	-	-	-	-	-	-	Ø	-	ø	-	-	-	-	-
<b>Spacing Modifier Letters</b>																
U+02B0 - 02BF	-	-	-	-	-	-	-	-	-	ı	”	‘	’	-	’	‘
U+02C0 - 02CF	-	-	-	-	-	-	^	v	ı	-	ı	ı	-	-	-	-
U+02D0 - 02DF	-	-	-	-	-	-	-	-	ı	ı	ı	-	~	”	-	-
<b>Combining Diacritical Marks</b>																
U+0300 - 030F	˘	˙	ˆ	˜	-	-	˘	˙	˚	˛	˚	”	˘	-	-	”
U+0310 - 031F	-	ˆ	ˆ	-	-	-	-	-	-	-	-	˙	-	-	-	-
U+0320 - 032F	-	-	-	˙	˚	-	˙	˚	˙	-	-	-	-	-	˘	-
U+0330 - 033F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Greek and Coptic</b>																
U+0370 - 037F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Latin Extended Additional</b>																
U+1E00 - 1E0F	-	-	-	-	-	-	-	-	Ç	ç	-	-	Đ	đ	Đ	đ
U+1E10 - 1E1F	-	-	-	-	È	è	É	é	-	-	-	-	Ê	ê	-	-
U+1E20 - 1E2F	Ġ	ġ	-	-	Ĥ	ĥ	-	-	-	-	Ħ	ħ	-	-	İ	ı
U+1E30 - 1E3F	-	-	-	-	-	-	Ł	ł	-	-	Ł	ł	-	-	-	-
U+1E40 - 1E4F	-	-	Ṁ	ṁ	Ñ	ñ	Ṇ	ṇ	Ṃ	ṃ	-	-	Ŏ	ŏ	Ŏ	ŏ
U+1E50 - 1E5F	Ō	ō	Ŏ	ŏ	-	-	-	-	-	-	Ŕ	ŕ	-	-	Ŗ	ŗ
U+1E60 - 1E6F	Š	š	Ş	ş	Š	š	Š	š	Š	š	-	-	Ţ	ţ	Ţ	ţ
U+1E70 - 1E7F	-	-	-	-	-	-	-	-	Ŭ	ŭ	Ŭ	ŭ	-	-	-	-
U+1E80 - 1E8F	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	-	-	-	-	-	-	-	-	Ỳ	ỳ
U+1E90 - 1E9F	-	-	Ẑ	ẑ	-	-	-	-	Ẕ	-	-	-	-	-	Ỳ	-
U+1EA0 - 1EAF	À	à	Ả	ả	Ả	ả	Ả	ả	Ả	ả	Ả	ả	Ả	ả	Ả	ả
U+1EB0 - 1EBF	À	à	Ả	ả	Ả	ả	Ả	ả	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ
U+1EC0 - 1ECF	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ẻ	ẻ	Ỉ	ỉ	Ỉ	ỉ	Ọ	ọ	Ỏ	ỏ
U+1ED0 - 1EDF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ộ	ộ	Ỗ	ớ	Ỗ	ờ	Ỗ	ở
U+1EE0 - 1EEF	Ỗ	ỗ	Ỗ	ợ	Ỗ	ự	Ỗ	ử	Ỗ	ứ	Ỗ	ử	Ỗ	ử	Ỗ	ử
U+1EF0 - 1EFF	Ỗ	ự	Ỗ	ỷ	Ỗ	ỷ	Ỗ	ỷ	Ỗ	ỷ	-	-	-	-	-	-
<b>General Punctuation</b>																
U+2000 - 200F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2010 - 201F	-	-	-	-	-	-	-	-	‘	’	,	-	“	”	„	-
U+2020 - 202F	†	‡	•	-	-	-	...	-	-	-	-	-	-	-	-	-
U+2030 - 203F	‰	-	’	”	-	-	-	-	-	<	>	-	-	-	-	-
U+2040 - 204F	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-
<b>Superscripts and Subscripts</b>																
U+2070 - 207F	⁰	-	-	-	⁴	⁵	⁶	⁷	⁸	⁹	-	-	-	-	-	n
U+2080 - 208F	⁰	¹	²	³	⁴	⁵	⁶	⁷	⁸	⁹	-	-	-	-	-	-

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Currency Symbols</b>																
U+20A0 - 20AF	-	₯	-	₣	£	-	₲	-	₯	-	₧	€	₰	-	-	-
U+20B0 - 20BF	-	₧	₪	-	-	₪	-	-	-	₹	₺	-	₺	₪	-	-
<b>Letterlike Symbols</b>																
U+2110 - 211F	-	-	-	ℓ	-	-	ℕ	-	-	-	-	-	-	-	-	-
U+2120 - 212F	-	-	™	-	ℤ	-	Ω	-	-	-	-	-	-	-	e	-
<b>Arrows</b>																
U+2190 - 219F	←	↑	→	↓	↔	↕	↖	↗	↘	↙	-	-	-	-	-	-
U+21E0 - 21EF	-	-	-	-	-	-	↔	↗	↘	↙	↘	-	-	-	-	-
<b>Mathematical Operators</b>																
U+2200 - 220F	-	-	∂	-	-	∅	Δ	-	∈	-	-	-	-	-	-	∏
U+2210 - 221F	-	Σ	-	-	-	/	-	*	-	•	√	-	-	-	∞	-
U+2220 - 222F	-	-	-	-	-	-	-	-	-	-	∫	-	-	-	-	-
U+2240 - 224F	-	-	-	-	-	-	-	-	≈	-	-	-	-	-	-	-
U+2260 - 226F	≠	-	-	-	≤	≥	-	-	-	-	-	-	-	-	-	-
U+2290 - 229F	-	-	-	-	-	⊕	-	-	-	-	-	-	-	-	-	-
<b>Miscellaneous Technical</b>																
U+2300 - 230F	-	-	□	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2310 - 231F	-	-	-	-	-	-	-	-	⌘	-	-	-	-	-	-	-
U+2320 - 232F	-	-	-	-	-	↵	⌘	⌘	-	-	-	⌘	-	-	-	-
U+2380 - 238F	-	-	-	-	-	-	-	-	-	-	-	↺	-	-	-	-
U+23C0 - 23CF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	↻	-
U+23F0 - 23FF	-	-	-	-	-	-	-	-	-	-	-	⓪	⓪		⓪	-
<b>Control Pictures</b>																
U+2420 - 242F	-	-	-	┐	-	-	-	-	-	-	-	-	-	-	-	-
<b>Box Drawing</b>																
U+2500 - 250F	─	─			┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌
U+2510 - 251F	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐
U+2520 - 252F	└	└	└	└	└	└	└	└	└	└	└	└	└	└	└	└
U+2530 - 253F	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘
U+2540 - 254F	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐
U+2550 - 255F	═	═	═	═	═	═	═	═	═	═	═	═	═	═	═	═
U+2560 - 256F	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌
U+2570 - 257F	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Block Elements</b>																
U+2580 - 258F	▀															
U+2590 - 259F	▁	▂	▃	▄	▅	▆	▇	█	▉	▊	▋	▌	▍	▎	▏	▐
<b>Geometric Shapes</b>																
U+25C0 - 25CF	-	-	-	-	-	-	◆	◇	-	-	◇	○	-	-	-	●
<b>Miscellaneous Shapes</b>																
U+2630 - 263F	≡	-	-	-	-	-	-	-	-	⊙	⊙	●	-	-	-	-
U+2660 - 266F	♠	-	-	♣	-	♥	♦	-	-	-	-	-	-	-	-	-
U+26A0 - 26AF	-	⚡	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Dingbats</b>																
U+2710 - 271F	-	-	-	✓	✓	×	-	✗	✗	-	-	-	-	-	-	-
U+2760 - 276F	-	-	-	-	-	-	-	-	-	-	-	-	⟨	⟩	⟨	⟩
U+2770 - 277F	⟨	⟩	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Miscellaneous Symbols and Arrows</b>																
U+2B00 - 2B0F	-	-	-	-	-	↵	↑	↓	-	-	-	-	-	-	-	-
U+2B50 - 2B5F	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-
U+2B90 - 2B9F	-	-	-	-	-	➡	-	-	-	-	-	-	-	-	-	-
<b>Supplemental Punctuation</b>																
U+2E10 - 2E1F	-	-	,	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Private Use Area</b>																
U+E000 - E00F	𐀀	𐀁	𐀂	𐀃	𐀄	𐀅	𐀆	𐀇	𐀈	!	⚡	-	-	-	-	-
U+E0A0 - E0AF	𐀐	𐀑	𐀒	𐀓	𐀔	-	-	-	-	-	-	-	-	-	-	-
U+E0B0 - E0BF	𐀖	𐀗	𐀘	𐀙	𐀚	𐀛	𐀜	𐀝	𐀞	𐀟	𐀠	𐀡	𐀢	𐀣	𐀤	𐀥
U+E0C0 - E0CF	𐀧	𐀨	𐀩	𐀪	𐀫	𐀬	𐀭	𐀮	𐀯	𐀰	𐀱	𐀲	𐀳	𐀴	𐀵	𐀶
U+E0D0 - E0DF	𐀸	𐀹	𐀺	-	𐀼	-	-	-	-	-	-	-	-	-	-	-
U+E200 - E20F	𐀠	𐀡	𐀢	𐀣	𐀤	𐀥	𐀦	𐀧	𐀨	𐀩	𐀪	𐀫	𐀬	𐀭	𐀮	𐀯
U+E210 - E21F	𐀱	𐀲	𐀳	𐀴	𐀵	𐀶	𐀷	𐀸	𐀹	𐀺	𐀻	𐀼	𐀽	𐀾	𐀿	𐁀
U+E220 - E22F	𐁁	𐁂	𐁃	𐁄	𐁅	𐁆	𐁇	𐁈	𐁉	𐁊	𐁋	𐁌	𐁍	𐁎	𐁏	𐁐
U+E230 - E23F	𐁑	𐁒	𐁓	𐁔	𐁕	𐁖	𐁗	𐁘	𐁙	𐁚	𐁛	𐁜	𐁝	𐁞	𐁟	𐁠
U+E240 - E24F	𐁡	𐁢	𐁣	𐁤	𐁥	𐁦	𐁧	𐁨	𐁩	𐁪	𐁫	𐁬	𐁭	𐁮	𐁯	𐁰
U+E250 - E25F	𐁱	𐁲	𐁳	𐁴	𐁵	𐁶	𐁷	𐁸	𐁹	𐁺	𐁻	𐁼	𐁽	𐁾	𐁿	𐂀
U+E260 - E26F	𐂁	𐂂	𐂃	𐂄	𐂅	𐂆	𐂇	𐂈	𐂉	𐂊	𐂋	𐂌	𐂍	𐂎	𐂏	𐂐
U+E270 - E27F	𐂑	𐂒	𐂓	𐂔	𐂕	𐂖	𐂗	𐂘	𐂙	𐂚	𐂛	𐂜	𐂝	𐂞	𐂟	𐂠
U+E280 - E28F	𐂡	𐂢	𐂣	𐂤	𐂥	𐂦	𐂧	𐂨	𐂩	𐂪	𐂫	𐂬	𐂭	𐂮	𐂯	𐂰
U+E290 - E29F	𐂱	𐂲	𐂳	𐂴	𐂵	𐂶	𐂷	𐂸	𐂹	𐂺	𐂻	𐂼	𐂽	𐂾	𐂿	𐃀
U+E2A0 - E2AF	𐃁	𐃂	𐃃	𐃄	𐃅	𐃆	𐃇	𐃈	𐃉	𐃊	𐃋	𐃌	𐃍	𐃎	𐃏	𐃐
U+E300 - E30F	𐃑	𐃒	𐃓	𐃔	𐃕	𐃖	𐃗	𐃘	𐃙	𐃚	𐃛	𐃜	𐃝	𐃞	𐃟	𐃠

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E310 - E31F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E320 - E32F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E330 - E33F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E340 - E34F	↓	°F	⚡	⚡	←	↘	⚡	↻	↻	→	↘	↘	⚡	⚡	🔧	🔧
U+E350 - E35F	🔧	☞	↗	↑	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	☞
U+E360 - E36F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E370 - E37F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E380 - E38F	☞	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	☞	☞
U+E390 - E39F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E3A0 - E3AF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E3B0 - E3BF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E3C0 - E3CF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E3D0 - E3DF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E3E0 - E3EF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E5F0 - E5FF	-	-	-	-	-	-	-	-	-	-	☞	☞	☞	☞	☞	☞
U+E600 - E60F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E610 - E61F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E620 - E62F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E630 - E63F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E640 - E64F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E650 - E65F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E660 - E66F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E670 - E67F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E680 - E68F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E690 - E69F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E6A0 - E6AF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E700 - E70F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E710 - E71F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E720 - E72F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E730 - E73F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E740 - E74F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E750 - E75F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E760 - E76F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E770 - E77F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E780 - E78F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E790 - E79F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E7A0 - E7AF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E7B0 - E7BF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+E7C0 - E7CF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+EA60 - EA6F	+	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+EA70 - EA7F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+EA80 - EA8F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+EA90 - EA9F	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+EAA0 - EAAF	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞
U+EAB0 - EABF	☞	Aa	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞	☞

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E
U+EAC0 - EACF															
U+EAD0 - EADF															
U+EAEO - EAEF															
U+EAF0 - EAFF															
U+EB00 - EB0F															
U+EB10 - EB1F															
U+EB20 - EB2F															
U+EB30 - EB3F															
U+EB40 - EB4F															
U+EB50 - EB5F															
U+EB60 - EB6F															
U+EB70 - EB7F															
U+EB80 - EB8F															
U+EB90 - EB9F															
U+EBA0 - EBAF															
U+EBB0 - EBBF															
U+EBC0 - EBCF															
U+EBD0 - EBDF															
U+EBE0 - EBEF</															

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*[illegible]

Table 2: InconsolataNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
	<b>Specials ...</b>															
U+FFF0 - FFFF	-	-	-	-	-	-	-	-	-	-	-	-	-	◆	-	-

Total number of glyphs shown from InconsolataNerdFontMono-Regular.ttf: 3143

## 2.3 Proportional Regular

Table 3: InconsolataNerdFontPropo-Regular.ttf

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
	<b>Basic Latin</b>															
U+0000 - 000F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+0020 - 002F		!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
U+0030 - 003F	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040 - 004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050 - 005F	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
U+0060 - 006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070 - 007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
	<b>Latin-1 Supplement</b>															
U+00A0 - 00AF		ı	¢	£	¤	¥	¦	§	¨	©	ª	«	¬	-	®	-
U+00B0 - 00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0 - 00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0 - 00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0 - 00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0 - 00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
	<b>Latin Extended-A</b>															
U+0100 - 010F	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Č	č	Ď	ď		
U+0110 - 011F	Đ	đ	Ē	ē	Ě	ě	Ę	ę	Ė	ė	Ĝ	ĝ	Ğ	ğ		
U+0120 - 012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ĭ	ĭ	Į	į		
U+0130 - 013F	İ	ı	-	-	Ĵ	ĵ	Ķ	ķ	κ	Ĺ	ĺ	Ł	ł	Ł	ł	
U+0140 - 014F	Ṁ	ṁ	Ṃ	ṃ	Ṅ	ṅ	Ṇ	ṇ	-	Ṙ	ṙ	Ṛ	ṛ	Ṝ	ṝ	
U+0150 - 015F	Š	š	Œ	œ	Ř	ř	Ŕ	ŕ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş
U+0160 - 016F	Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů
U+0170 - 017F	Ű	ű	Ų	ų	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	-
	<b>Latin Extended-B</b>															
U+0180 - 018F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ų
U+0190 - 019F	-	-	ƒ	-	-	-	-	-	Ɔ	-	-	-	-	-	-	-
U+01A0 - 01AF	Œ	œ	-	-	-	-	-	-	-	-	-	-	-	-	-	Ų
U+01B0 - 01BF	Ƴ	-	-	-	-	-	-	-	Ʒ	Ʒ	-	-	-	-	-	-
U+01C0 - 01CF	-	-	-	-	-	-	-	Ł	ł	Ł	-	-	-	-	-	-
U+01E0 - 01EF	-	-	-	-	-	-	Š	š	-	-	Ų	Ų	-	-	-	-

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+01F0 - 01FF	-	-	-	-	-	-	-	-	-	-	Á	á	Æ	æ	Ø	ø
U+0200 - 020F	À	à	Â	â	È	è	Ê	ê	Ì	ì	Î	î	Ï	ï	Ô	ô
U+0210 - 021F	Ř	ř	Ŕ	ř	Ù	ù	Û	û	Ş	ş	Ț	ț	-	-	-	-
U+0220 - 022F	-	-	-	-	-	-	-	-	-	-	Ö	ö	Ȫ	ȫ	-	-
U+0230 - 023F	Ȭ	ȭ	Ȯ	ȯ	-	-	-	Ȱ	-	-	-	-	-	-	-	-
U+0240 - 024F	-	-	-	-	-	-	-	-	-	-	-	-	-	ƒ	-	-
<b>IPA Extensions</b>																
U+0250 - 025F	-	-	-	-	-	-	-	-	-	ə	-	-	-	-	-	-
U+0270 - 027F	-	-	-	-	-	-	-	-	-	-	-	ɹ	-	-	-	-
U+0290 - 029F	-	-	-	-	-	-	-	-	0	-	ø	-	-	-	-	-
<b>Spacing Modifier Letters</b>																
U+02B0 - 02BF	-	-	-	-	-	-	-	-	-	’	”	‘	’	-	’	‘
U+02C0 - 02CF	-	-	-	-	-	-	^	v	ı	-	’	’	’	-	-	-
U+02D0 - 02DF	-	-	-	-	-	-	-	-	ı	’	’	’	’	”	-	-
<b>Combining Diacritical Marks</b>																
U+0300 - 030F	˘	˙	ˆ	˜	-	-	ˇ	˘	˙	˚	˛	˜	˘	-	-	˝
U+0310 - 031F	-	˘	˙	-	-	-	-	-	-	-	-	˙	-	-	-	-
U+0320 - 032F	-	-	-	˙	˚	-	˙	˚	˛	-	-	-	-	-	˘	-
U+0330 - 033F	-	˘	-	-	-	-	-	-	˛	-	-	-	-	-	-	-
<b>Greek and Coptic</b>																
U+0370 - 037F	-	-	-	-	-	˙	-	-	-	-	-	-	-	-	-	-
<b>Latin Extended Additional</b>																
U+1E00 - 1E0F	-	-	-	-	-	-	-	-	Ç	ç	-	-	Đ	đ	Ɔ	ɔ
U+1E10 - 1E1F	-	-	-	-	È	è	Ê	ê	-	-	-	-	Ɛ	ɛ	-	-
U+1E20 - 1E2F	Ġ	ġ	-	-	Ĥ	ĥ	-	-	-	-	Ħ	ħ	-	-	İ	ı
U+1E30 - 1E3F	-	-	-	-	-	-	Ł	ł	-	-	Ł	ł	-	-	-	-
U+1E40 - 1E4F	-	-	Ṁ	ṁ	Ñ	ñ	Ŋ	ŋ	Ŋ	ŋ	-	-	Ŏ	ŏ	Ŏ	ŏ
U+1E50 - 1E5F	Ŏ	ŏ	Ŏ	ŏ	-	-	-	-	-	-	Ŕ	ŕ	-	-	Ŕ	ŕ
U+1E60 - 1E6F	Ś	ś	Ş	ş	Ŝ	ŝ	Š	š	Ş	ş	-	-	Ț	ț	Ț	ț
U+1E70 - 1E7F	-	-	-	-	-	-	-	-	Ŭ	ŭ	Ŭ	ŭ	-	-	-	-
U+1E80 - 1E8F	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	-	-	-	-	-	-	-	-	Ỳ	ỳ
U+1E90 - 1E9F	-	-	Ẑ	ẑ	-	-	-	Ẕ	-	-	-	-	-	-	Ỳ	ỳ
U+1EA0 - 1EAF	Ạ	ạ	Ả	ả	Ả	ả	Ả	ả	Ả	ả	Ả	ả	Ả	ả	Ả	ả
U+1EB0 - 1EBF	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ
U+1EC0 - 1ECF	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ	Ẹ	ẹ
U+1ED0 - 1EDF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ
U+1EE0 - 1EEF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ
U+1EF0 - 1EFF	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ	Ỗ	ỗ

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>General Punctuation</b>																
U+2000 - 200F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2010 - 201F	-	-	-	-	-	-	-	-	‘	’	,	-	“	”	„	-
U+2020 - 202F	†	‡	•	-	-	-	...	-	-	-	-	-	-	-	-	-
U+2030 - 203F	‰	-	’	”	-	-	-	-	-	◀	▶	-	-	-	-	-
U+2040 - 204F	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-
<b>Superscripts and Subscripts</b>																
U+2070 - 207F	⁰	-	-	-	⁴	⁵	⁶	⁷	⁸	⁹	-	-	-	-	-	ₙ
U+2080 - 208F	₀	₁	₂	₃	₄	₅	₆	₇	₈	₉	-	-	-	-	-	-
<b>Currency Symbols</b>																
U+20A0 - 20AF	-	¢	-	₣	£	-	₤	₧	-	₩	-	₹	€	₺	-	-
U+20B0 - 20BF	-	₱	₪	-	-	₪	-	-	-	₹	₺	-	₪	₱	-	-
<b>Letterlike Symbols</b>																
U+2110 - 211F	-	-	-	ℓ	-	-	ℕ	-	-	-	-	-	-	-	-	-
U+2120 - 212F	-	-	™	-	ℤ	-	Ω	-	-	-	-	-	-	-	e	-
<b>Arrows</b>																
U+2190 - 219F	←	↑	→	↓	↔	↕	↖	↗	↘	↙	-	-	-	-	-	-
U+21E0 - 21EF	-	-	-	-	-	-	↔	↑	⇒	⇩	⇧	-	-	-	-	-
<b>Mathematical Operators</b>																
U+2200 - 220F	-	-	∂	-	-	∅	Δ	-	∈	-	-	-	-	-	-	∏
U+2210 - 221F	-	Σ	-	-	-	/	-	*	-	•	√	-	-	-	∞	-
U+2220 - 222F	-	-	-	-	-	-	-	-	-	-	-	∫	-	-	-	-
U+2240 - 224F	-	-	-	-	-	-	-	-	≈	-	-	-	-	-	-	-
U+2260 - 226F	≠	-	-	-	≤	≥	-	-	-	-	-	-	-	-	-	-
U+2290 - 229F	-	-	-	-	-	⊕	-	-	-	-	-	-	-	-	-	-
<b>Miscellaneous Technical</b>																
U+2300 - 230F	-	-	□	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2310 - 231F	-	-	-	-	-	-	-	-	⌘	-	-	-	-	-	-	-
U+2320 - 232F	-	-	-	-	-	↵	⌞	⌟	-	-	-	⌞	-	-	-	-
U+2380 - 238F	-	-	-	-	-	-	-	-	-	-	-	↺	-	-	-	-
U+23C0 - 23CF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	↻	-
U+23F0 - 23FF	-	-	-	-	-	-	-	-	-	-	-	⏻	⏼		⌚	-
<b>Control Pictures</b>																
U+2420 - 242F	-	-	-	┐	-	-	-	-	-	-	-	-	-	-	-	-
<b>Box Drawing</b>																
U+2500 - 250F	─	━			…	▯			…	▯						

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+2510 - 251F																
U+2520 - 252F																
U+2530 - 253F																
U+2540 - 254F																
U+2550 - 255F																
U+2560 - 256F																
U+2570 - 257F																
<b>Block Elements</b>																
U+2580 - 258F																
U+2590 - 259F																
<b>Geometric Shapes</b>																
U+25C0 - 25CF	-	-	-	-	-	-	◆	◇	-	-	◇	○	-	-	-	●
<b>Miscellaneous Shapes</b>																
U+2630 - 263F	≡	-	-	-	-	-	-	-	-	⊕	⊗	⦿	-	-	-	-
U+2660 - 266F	♠	-	-	♣	-	♥	♦	-	-	-	-	-	-	-	-	-
U+26A0 - 26AF	-	⚡	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Dingbats</b>																
U+2710 - 271F	-	-	-	✓	✓	×	-	✕	✕	-	-	-	-	-	-	-
U+2760 - 276F	-	-	-	-	-	-	-	-	-	-	-	-	◁	▷	◁	▷
U+2770 - 277F	◀	▶	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Miscellaneous Symbols and Arrows</b>																
U+2B00 - 2B0F	-	-	-	-	-	↶	↷	↸	-	-	-	-	-	-	-	-
U+2B50 - 2B5F	-	-	-	-	-	-	-	-	◯	-	-	-	-	-	-	-
U+2B90 - 2B9F	-	-	-	-	-	➡	-	-	-	-	-	-	-	-	-	-
<b>Supplemental Punctuation</b>																
U+2E10 - 2E1F	-	-	,	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Private Use Area</b>																
U+E000 - E00F	𐀀	𐀁	𐀂	𐀃	𐀄	𐀅	𐀆	𐀇	𐀈	!	⚡	-	-	-	-	-
U+E0A0 - E0AF	𐀐	𐀑	𐀒	𐀓	𐀔	𐀕	𐀖	𐀗	𐀘	𐀙	𐀚	𐀛	𐀜	𐀝	𐀞	𐀟
U+E0B0 - E0BF	𐀠	𐀡	𐀢	𐀣	𐀤	𐀥	𐀦	𐀧	𐀨	𐀩	𐀪	𐀫	𐀬	𐀭	𐀮	𐀯
U+E0C0 - E0CF	𐀰	𐀱	𐀲	𐀳	𐀴	𐀵	𐀶	𐀷	𐀸	𐀹	𐀺	𐀻	𐀼	𐀽	𐀾	𐀿
U+E0D0 - E0DF	𐁀	𐁁	𐁂	𐁃	𐁄	𐁅	𐁆	𐁇	𐁈	𐁉	𐁊	𐁋	𐁌	𐁍	𐁎	𐁏
U+E200 - E20F	𐄀	𐄁	𐄂	𐄃	𐄄	𐄅	𐄆	𐄇	𐄈	𐄉	𐄊	𐄋	𐄌	𐄍	𐄎	𐄏
U+E210 - E21F	𐄐	𐄑	𐄒	𐄓	𐄔	𐄕	𐄖	𐄗	𐄘	𐄙	𐄚	𐄛	𐄜	𐄝	𐄞	𐄟
U+E220 - E22F	𐄠	𐄡	𐄢	𐄣	𐄤	𐄥	𐄦	𐄧	𐄨	𐄩	𐄪	𐄫	𐄬	𐄭	𐄮	𐄯

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E230 - E23F																
U+E240 - E24F																
U+E250 - E25F																
U+E260 - E26F																
U+E270 - E27F																
U+E280 - E28F																
U+E290 - E29F																
U+E2A0 - E2AF																
U+E300 - E30F																
U+E310 - E31F																
U+E320 - E32F																
U+E330 - E33F																
U+E340 - E34F																
U+E350 - E35F																
U+E360 - E36F																
U+E370 - E37F																
U+E380 - E38F																
U+E390 - E39F																
U+E3A0 - E3AF																
U+E3B0 - E3BF																
U+E3C0 - E3CF																
U+E3D0 - E3DF																
U+E3E0 - E3EF																
U+E5F0 - E5FF																
U+E600 - E60F																
U+E610 - E61F																
U+E620 - E62F																
U+E630 - E63F																
U+E640 - E64F																
U+E650 - E65F																
U+E660 - E66F																
U+E670 - E67F																
U+E680 - E68F																
U+E690 - E69F																
U+E6A0 - E6AF																
U+E700 - E70F																
U+E710 - E71F																
U+E720 - E72F																
U+E730 - E73F																
U+E740 - E74F																
U+E750 - E75F																
U+E760 - E76F																
U+E770 - E77F																
U+E780 - E78F																
U+E790 - E79F																

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E7A0 - E7AF																
U+E7B0 - E7BF																
U+E7C0 - E7CF																
U+EA60 - EA6F																
U+EA70 - EA7F																
U+EA80 - EA8F																
U+EA90 - EA9F																
U+EAA0 - EAAF																
U+EAB0 - EABF																
U+EAC0 - EACF																
U+EAD0 - EADF																
U+EAE0 - EAEF																
U+EAF0 - EAF F																
U+EB00 - EB0F																
U+EB10 - EB1F																
U+EB20 - EB2F																
U+EB30 - EB3F																
U+EB40 - EB4F																
U+EB50 - EB5F																
U+EB60 - EB6F																
U+EB70 - EB7F																
U+EB80 - EB8F																
U+EB90 - EB9F																
U+EBA0 - EBAF																
U+EBB0 - EBBF																
U+EBC0 - EBCF																
U+EBD0 - EBD F																
U+EBE0 - EBEF																
U+F000 - F00F																
U+F010 - F01F																
U+F020 - F02F																
U+F030 - F03F																
U+F040 - F04F																
U+F050 - F05F																
U+F060 - F06F																
U+F070 - F07F																
U+F080 - F08F																
U+F090 - F09F																
U+F0A0 - F0AF																
U+F0B0 - F0BF																
U+F0C0 - F0CF																
U+F0D0 - F0DF																
U+F0E0 - F0EF																
U+F0F0 - F0FF																
U+F100 - F10F																
U+F110 - F11F																

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F120 - F12F	>_	</>	↩	★	🚀	🔧	🔧	🔧	?	!	!	x <sup>2</sup>	x <sub>2</sub>	📄	🔒	-
U+F130 - F13F	🎤	🎧	🛡	📅	🚀	🔧	🔧	🔧	🔧	🔧	🔧	🔧	🔧	🔧	🔒	-
U+F140 - F14F	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	🎯	-
U+F150 - F15F	📊	📊	📊	€	£	\$	₹	¥	₪	₩	₪	₪	₪	₪	₪	-
U+F160 - F16F	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	-
U+F170 - F17F	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	-
U+F180 - F18F	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	-
U+F190 - F19F	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	📈	-
U+F1A0 - F1AF	G	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	-
U+F1B0 - F1BF	🐾	🔑	📦	📦	Be	Be	🔑	🔑	🔑	🔑	🔑	🔑	🔑	🔑	🔑	-
U+F1C0 - F1CF	🌀	📄	W	X	P	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1D0 - F1DF	🌀	📄	git	git	Y	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1E0 - F1EF	🔗	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1F0 - F1FF	VISA	📄	📄	📄	PayPal	stripe	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F200 - F20F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F210 - F21F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F220 - F22F	-	♀	♂	♀	♀	♀	♀	♀	♀	♀	♀	♀	♀	♀	♀	-
U+F230 - F23F	f	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F240 - F24F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F250 - F25F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F260 - F26F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F270 - F27F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F280 - F28F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F290 - F29F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2A0 - F2AF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2B0 - F2BF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2C0 - F2CF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2D0 - F2DF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2E0 - F2EF	📄	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+F300 - F30F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F310 - F31F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F320 - F32F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F400 - F40F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F410 - F41F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F420 - F42F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F430 - F43F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F440 - F44F	±	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F450 - F45F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F460 - F46F	>	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F470 - F47F	GitHub	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F480 - F48F	Gist	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F490 - F49F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F4A0 - F4AF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F4B0 - F4BF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F4C0 - F4CF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F4D0 - F4DF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-

Table 3: InconsolataNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F4E0 - F4EF	H	♥	🏠	⌚	📁	🖼️	∞	⦿	🔄	🔄	🔄	⋯	📌	📖	🌙	↓
U+F4F0 - F4FF	→	↩	↑	⋮	⊖	✳	📅	1/23	🏠	🏠	📖	📖	📌	📖	📖	📖
U+F500 - F50F	📖	⊕	📖	📖	📖	📖	./	📖	📖	📖	📖	📖	📖	📖	📖	📖
U+F510 - F51F	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖	📖
U+F520 - F52F	📖	📖	📖	📖	📖	📖	📖	📖	Aa	📖	📖	📖	📖	📖	📖	📖
U+F530 - F53F	📖	📖	📖	📖	-	-	-	-	-	-	-	-	-	-	-	-
<b>Specials ...</b>																
U+FFF0 - FFFF	-	-	-	-	-	-	-	-	-	-	-	-	-	♦	-	-

Total number of glyphs shown from InconsolataNerdFontPropo-Regular.ttf: 3143

### 3 Implementation

Start the DocStrip guards.

```
1 < *package >
```

Identify the internal prefix (L<sup>A</sup>T<sub>E</sub>X3 DocStrip convention): only internal material in this *module* should be used directly.

```
2 < @@=slcd_inf >
```

Load only the essential support (expl3) ‘up-front’, and only if required.

```
3 \ifundefined{ExplLoaderFileDate}
4 { \RequirePackage{expl3} }
5 {}
```

Make sure that the version of l3kernel in use is sufficiently new. We use \ExplFileDate as \ifpackagelater does not work for pre-loaded expl3 in the absence of the package.

```
6 \ifl@t@r\ExplLoaderFileDate{2020-01-09}
7 {}
8 {%
9   \PackageError{inconsolata-nerd-font}{Support package expl3 too old}
10  {%
11    You need to update your installation of the bundles 'l3kernel' and
12    'l3packages'.\MessageBreak
13    Loading~inconsolata-nerd-font~will~abort!%
14  }%
15  \endinput
16 }%
```

**\IfFormatAtLeastTF** This macro is not present in older kernels, thus we use the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> mechanism as this is correct for this case.

```
17 \providecommand \IfFormatAtLeastTF { \ifl@t@r \fmtversion }
```

(End of definition for \IfFormatAtLeastTF. This function is documented on page 2.)

Identify the package and give the overall version information.

```
18 \ProvidesExplPackage {inconsolata-nerd-font} {2023-09-13} {0.3}
19 {Support package to use the Inconsolata Nerd Font TrueType fonts}
```

#### 3.1 Options

Define the options for the package.

```
variant
scale
Scale
\l__slcd_inf_variant_tl
\l__slcd_inf_variant_tl
\l__slcd_inf_scale_tl
\l__slcd_inf_scale_tl
\keys_define:nn { inconsolatanerdfont }
{
  variant .choices:nn = { default, mono, propo } {
    \tl_set_eq:NN \l__slcd_inf_variant_tl \l_keys_choice_tl
  },
  scale .tl_set:N = \l__slcd_inf_scale_tl,
  Scale .tl_set:N = \l__slcd_inf_scale_tl,
}
```

```

32 \keys_set:nn { inconsolatanerdfont }
33 {
34     variant = default,
35     scale = MatchLowercase,
36 }
37 \tl_clear:N \l__slcd_inf_variant_tl

```

(End of definition for variant and others. These variables are documented on page 2.)

Process the options

```

38 \IfFormatAtLeastTF { 2022-06-01 }
39 { \ProcessKeyOptions [ inconsolatanerdfont ] }
40 {
41     \RequirePackage { l3keys2e }
42     \ProcessKeysOptions { inconsolatanerdfont }
43 }

```

and set up the default variant if it was not yet chosen

```

44 \tl_if_empty:NT \l__slcd_inf_variant_tl
45 {
46     \tl_set:Nn \l__slcd_inf_variant_tl { default }
47 }

```

## 3.2 Load the Font

We require the fontspec package.

```

48 \RequirePackage{fontspec}

```

Define and set a helper variable for the respective font name suffix

```

49 \tl_new:N \l__slcd_inf_font_name_tl
50 \tl_set:Nn \l__slcd_inf_font_name_tl {InconsolataNerdFont}
51 \tl_if_eq:NnTF \l__slcd_inf_variant_tl { mono }
52 { \tl_put_right:Nn \l__slcd_inf_font_name_tl {Mono} }
53 {
54     \tl_if_eq:NnTF \l__slcd_inf_variant_tl { propo }
55     { \tl_put_right:Nn \l__slcd_inf_font_name_tl {Propo} }
56 }

```

Define a font family for the three fonts and commands for easier usage.

**\inconsolatanfffamily** The default font accessible as a L<sup>A</sup>T<sub>E</sub>X font family.

```

57 \newfontfamily\inconsolatanfffamily{InconsolataNerdFont-Regular.ttf}[
58     BoldFont      = InconsolataNerdFont-Bold.ttf,
59     FakeStretch    = {0.9},
60     NFSSFamily     = inconsolatanf,
61     Scale          = \l__slcd_inf_scale_tl,
62 ]

```

(End of definition for \inconsolatanfffamily. This function is documented on page 2.)

**\inconsolatanfmonofamily** The mono font variant, accessible as a L<sup>A</sup>T<sub>E</sub>X font family.

```

63 \newfontfamily\inconsolatanfmonofamily{InconsolataNerdFontMono-Regular.ttf}[
64     BoldFont      = InconsolataNerdFontMono-Bold.ttf,
65     FakeStretch    = {0.9},
66     NFSSFamily     = inconsolatanfmono,
67     Scale          = \l__slcd_inf_scale_tl,
68 ]

```

(End of definition for `\inconsolatanfmonofamily`. This function is documented on page 2.)

`\inconsolatanfpropofamily` The propo font variant, accessible as a L<sup>A</sup>T<sub>E</sub>X font family.

```

69 \newfontfamily\inconsolatanfpropofamily{InconsolataNerdFontPropo-Regular.ttf}[
70   BoldFont      = InconsolataNerdFontPropo-Bold.ttf,
71   FakeStretch    = {0.9},
72   NFSSFFfamily   = inconsolatanfpropo,
73   Scale          = \l__slcd_inf_scale_tl,
74 ]

```

(End of definition for `\inconsolatanfpropofamily`. This function is documented on page 3.)

`\textinconsolatanf` A macro to typeset text in the default font variant.

```

75 \DeclareTextFontCommand{\textinconsolatanf}{\inconsolatanfffamily}

```

(End of definition for `\textinconsolatanf`. This function is documented on page 3.)

`\textinconsolatanfmono` A macro to typeset text in the mono font variant.

```

76 \DeclareTextFontCommand{\textinconsolatanfmono}{\inconsolatanfffamilymono}

```

(End of definition for `\textinconsolatanfmono`. This function is documented on page 3.)

`\textinconsolatanfpropo` A macro to typeset text in the propo font variant.

```

77 \DeclareTextFontCommand{\textinconsolatanfpropo}{\inconsolatanfffamilypropo}

```

(End of definition for `\textinconsolatanfpropo`. This function is documented on page 3.)

Now we can actually load the font

```

78 \setmonofont{\l__slcd_inf_font_name_tl}[
79   BoldFont      = *-Bold,
80   Extension      = .ttf,
81   FakeStretch    = {0.9},
82   Scale          = \l__slcd_inf_scale_tl,
83   UprightFont    = *-Regular,
84 ]
85 \</package>

```

## Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>D</b>	
<code>\DeclareTextFontCommand</code> . . . . .	75, 76, 77
<code>\inconsolatanfffamilypropo</code> . . . . .	77
<code>\inconsolatanfmonofamily</code> . . . . .	2, <u>63</u>
<code>\inconsolatanfpropofamily</code> . . . . .	3, <u>69</u>
<b>E</b>	
<code>\ExplFileDate</code> . . . . .	25
<b>I</b>	
<code>\IfFormatAtLeastTF</code> . . . . .	2, <u>17</u> , 38
<code>\inconsolatanfffamily</code> . . . . .	2, <u>57</u> , 75
<code>\inconsolatanfffamilymono</code> . . . . .	76
<b>N</b>	
<code>\newfontfamily</code> . . . . .	57, 63, 69
<b>P</b>	
<code>\ProvidesExplPackage</code> . . . . .	18

	<b>R</b>		<b>T</b>
\RequirePackage	4, 41, 48	TeX and L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> commands:	
		\ifpackagelater	25
	<b>S</b>	\textinconsolatanf	3, 75
Scale	2, 20	\textinconsolatanfmono	3, 76
scale	2, 20	\textinconsolatanfpropo	3, 77
\setmonofont	78	tl commands:	
slcd internal commands:		\tl_if_empty:NTF	44
\l__slcd_inf_font_name_tl	49, 50, 52, 55, 78	\tl_if_eq:NnTF	54
\l__slcd_inf_scale_tl	20, 61, 67, 73, 82		
\l__slcd_inf_variant_tl	20, 44, 46, 51, 54	<b>V</b>	
		variant	2, 20

## Change History

v0.1		\textinconsolatanfmono: Added macro	27
General: First public release	1	\textinconsolatanfpropo: Added macro	27
v0.2		v0.3	
\inconsolatanfmonofamily: Added macro	26	General: Add font tables to the	
\inconsolatanfpropofamily: Added macro	27	documentation.	3