

# The latex-lab-amsmath code\*

L<sup>A</sup>T<sub>E</sub>X Project

September 14, 2023

Abstract

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The Implementation</b>	<b>1</b>
2.1	File declaration . . . . .	1
2.2	Tagpdf support . . . . .	1
2.3	\intertext . . . . .	2
	<b>Index</b>	<b>2</b>

## 1 Introduction

This file implements adaptations to the `amsmath` package needed for the tagging project.

## 2 The Implementation

```
1 <@@=math>
2 <*=kernel>
```

### 2.1 File declaration

```
3 \ProvidesFile{latex-lab-amsmath.ltx}
4 [2023-01-05 v0.1a amsmath adaption]
```

### 2.2 Tagpdf support

To make the code independent from tagging being loaded and active we load the `tagpdf-base` package:

```
5 \RequirePackage{tagpdf-base}
6 \ExplSyntaxOn
```

---

\*

## 2.3 \intertext

The `\intertext` command errors with active tagging as it is processed twice which leads to duplicated structures.

```

7 \AddToHook{package/amsmath/after}
8 {
9   \def\intertext@{%
10     \def\intertext##1{%
11       \ifvmode\else\\@empty\fi
12       \noalign{%
13         \penalty\postdisplaypenalty\vskip\belowdisplayskip
14         \vbox{

```

Stop tagging when measuring:

```

15       \ifmeasuring@\tag_stop:\fi
16       \normalbaselines
17       \ifdim\linewidth=\columnwidth
18       \else \parshape\@ne \@totalleftmargin \linewidth
19       \fi

```

End the previous mc:

```

20       \tag_mc_end_push:

```

We are already in a par so we change now to Span:

```

21       \tagpdfsetup{paratag=Span}%
22       \noindent\ignorespaces##1\par

```

Restart the MC

```

23       \tag_mc_begin_pop:n{}}%
24       \penalty\predisplaypenalty\vskip\abovedisplayskip%
25     }%
26   }}
27 }
28 \ExplSyntaxOff
29 </kernel>

```

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols		D	
<code>\</code>	11	<code>\def</code>	9, 10
A		E	
<code>\abovedisplayskip</code>	24	<code>\else</code>	11, 18
<code>\AddToHook</code>	7	<code>\ExplSyntaxOff</code>	28
B		<code>\ExplSyntaxOn</code>	6
<code>\belowdisplayskip</code>	13	F	
C		<code>\fi</code>	11, 15, 19
<code>\columnwidth</code>	17		

<b>I</b>	<b>R</b>
\ifdim ..... 17	\RequirePackage ..... 5
\ifvmode ..... 11	
\ignorespaces ..... 22	<b>T</b>
\intertext ..... 2, 10	tag commands:
<b>L</b>	\tag_mc_begin_pop:n ..... 23
\linewidth ..... 17, 18	\tag_mc_end_push: ..... 20
	\tag_stop: ..... 15
<b>N</b>	\tagpdfsetup ..... 21
\noalign ..... 12	TeX and L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> commands:
\noindent ..... 22	\@empty ..... 11
\normalbaselines ..... 16	\@ne ..... 18
<b>P</b>	\@totalleftmargin ..... 18
\par ..... 22	\ifmeasuring@ ..... 15
\parshape ..... 18	\intertext@ ..... 9
\penalty ..... 13, 24	
\postdisplaypenalty ..... 13	<b>V</b>
\predisplaypenalty ..... 24	\vbox ..... 14
\ProvidesFile ..... 3	\vskip ..... 13, 24